S1685-1.1-U

# Florida Agricultural Statistics



# Citrus Summary

## 1985-86

FLORIDA
AGRICULTURAL
STATISTICS SERVICE
1222 Woodward Street
Orlando, Florida 32803


JACKSON
WASHINGTON
GADSDEN
LEON
JEFFERSON
MADISON
HAMILTON
NASSAU
CALHOUN
BAKER
DUVAL
BAY
LIBERTY
WAKULLA
TAYLOR
SUWANNEE
COLUMBIA
GULF
CLAY
UNION
FRANKLIN
LAFAYETTE
ST. JOHNS
BRADFORD
DIXIE
ALACHUA
PUTNAM
1/
GILCHRIST
FLAGLER
LEVY
MARION
1/
VOLUSIA
CITRUS
1/
SUMTER
1/
LAKE
ORANGE
SEMINOLE
HERNANDO
1/
PASCO
POLK
OSCEOLA
HILLSBOROUGH
PINELLAS
1/
BREVARD
INDIAN RIVER
MANATEE
HARDEE
HIGHLANDS
OKEECHOBEE
ST. LUCIE
SARASOTA
DE SOTO
MARTIN
CHARLOTTE
GLADES
LAKE
OKEECHOBEE
PALM BEACH
LEE
HENDRY
COLLIER
BROWARD
DADE
MONROE

DISTRIBUTION OF COMMERCIAL
ACREAGE BY COUNTIES

░ 1,000 - 9,999 Acres

▒ 10,000 - 24,999 Acres

▓ 25,000 - 74,999 Acres

█ 75,000 or More Acres

1/ Less than 1,000 Acres

COMMERCIAL CITRUS INVENTORY
AS OF 1986

# FLORIDA AGRICULTURAL STATISTICS

## Citrus Summary

FLORIDA DEPARTMENT OF AGRICULTURE
AND CONSUMER SERVICES
DOYLE CONNER, COMMISSIONER
TALLAHASSEE, FLORIDA

| | |
|---|---|
| FLORIDA AGRICULTURAL STATISTICS SERVICE | DIVISION OF MARKETING |
| Robert L. Freie, Chief | John D. Stiles, Director |

Cooperating with

U. S. Department of Agriculture
Agricultural Marketing Service
and
National Agricultural Statistics Service

ACKNOWLEDGMENT

The acreage, production, utilization, monthly and season average price, and crop value statistics for Florida as shown in this summary are official estimates of the Florida Agricultural Statistics Service. Corresponding data for other citrus states are from official reports of the USDA, National Agricultural Statistics Service. Canned and frozen pack statistics were compiled by the Florida Citrus Processors Association. Where data are from other sources, appropriate references appear.

Records of the Division of Fruit and Vegetable Inspection, Florida Department of Agriculture and Consumer Services, were employed in production and utilization estimates. The Citrus Administrative Committee assisted in assembling these data.

Many producers, shippers, processors, sales agencies, transportation firms, and others associated with the citrus industry voluntarily supplied basic data used to develop these statistics. Their contributions are sincerely appreciated.

This report was assembled under the direction of James W. Todd and Robert R. Terry of the Florida Agricultural Statistics Service.

For information call: (305) 648-6015.

Published January 1987

# CONTENTS

Narrative on 1985-86 season

- Weather highlights 1
- Production summary 2
- Value and prices 3

Citrus production, 1886 to date and history of Florida citrus industry 4

Citrus acreage and production, by states

- Principal citrus fruits 5
- Oranges 6
- Grapefruit 7

Florida acreage, production, and utilization

- All oranges 8
- Early and midseason oranges 8
- Late (Valencia) oranges 9
- Limes 9
- All grapefruit 10
- Seedy grapefruit 10
- White seedless grapefruit 11
- Colored seedless grapefruit 11
- Temples 12
- Tangelos 12
- Tangerines 13
- Honey Tangerines 13

Citrus production, utilization, season average on-tree prices, and value of sales

- Oranges, by states 14
- Oranges, by types and states 15
- Grapefruit, by states 16
- Other citrus, by states 17
- Limes and lemons, by states 18
- Florida lemons, by types 18

Florida citrus products, annual pack 19

Florida grapefruit, by marketing districts

- Production 20
- Prices on-tree 20

Florida monthly on-tree prices

- Early and midseason oranges 21
- Late (Valencia) oranges 21
- White seedless grapefruit 22
- Colored seedless grapefruit 22
- Limes 23
- Temples 24
- K-Early Citrus Fruit 24
- Tangelos 24
- Tangerines 25
- Honey Tangerines 25

Florida production, by counties and varieties 26

Florida citrus, commercial trees, by fruit types and counties 27

Florida citrus, commercial acreage, by fruit types and counties 28

Other states' citrus acreage 29

Citrus received by major cities,

- Oranges and tangerines 30
- Grapefruit, tangelos, and Temples 31

Citrus fresh shipments by states and imports to U. S.

- Oranges 32
- Grapefruit 33
- Tangerines, tangelos, Temples and K-Earlys 34
- Mixed rail 35

Citrus fresh exports by states

- Oranges, tangelos, and Temples 36
- Grapefruit and tangerines 37

Exports of fresh U.S. citrus, by countries 38

Exports of fresh Florida citrus, by seasons 38

Exports of fresh Florida citrus, by weeks 39

National per capita consumption of citrus 40

Export of fresh Florida citrus, by countries 40

Processed fruit utilization, by weeks

- Oranges, grapefruit, Temples 41
- Tangelos, tangerines, Honey Tangerines, and K-Earlys 42

Distribution of fruit utilization, by months 43

Production of citrus fruit, by countries 44

Data sources 45

# FLORIDA WEATHER HIGHLIGHTS, SELECTED AREAS AND MONTHS, 1985-86 CROP YEAR

Florida's citrus growing areas escaped major freeze damage and loss of fruit despite subfreezing temperatures on several occasions during the 1985-86 season. Low and mid-twenty degree readings were recorded in many groves into southern counties in late December and January, initiating the need for freeze damage surveys by the Florida Agricultural Statistics Service.

Following the tree-killing freeze on January 21-22, 1985, temperatures moderated. By early to mid-March, bloom was appearing in most of the Southern area of the State. Trees in the Northern and Central areas also had bloom in varying amounts on undamaged or lightly damaged trees. Rainfall during the spring was spotty and below normal levels until summer rains began in late May.

By late summer, rainfall was near the normal cumulative amounts in most citrus growing areas. Soil moisture levels were generally good into the fall. October temperatures were mostly above normal with daily highs in the 90's in most areas of the State. Rainfall was frequent and mostly adequate in all areas.

It was not until the first week of November that a cool front passed through the State. Rainfall during November was spotty and some areas required irrigation. By the end of the month, temperatures were averaging above normal levels.

By mid-December, winter weather patterns of cold fronts preceded by rainfall in varying amounts were beginning to form. December 15th saw temperatures in the mid-30's which proved to be advantageous for slowing tree growth and helping the natural coloring process of fruit. Another morning of cold temperatures was experienced on December 21. December 26 and 27 however, saw low to mid-20 degree readings and freezing temperatures in almost all areas of the citrus belt. Ice was observed in fruit in varying amounts as far south as Highway 70. Heavy frost was reported in most areas.

Above normal rainfall and cool temperatures in early January were beneficial for fruit and trees following the December cold. Freezing temperatures were recorded again on January 28 in most areas of the citrus belt. Durations below 28 degrees were short but slush ice in fruit was observed in many groves.

By early February, moderate to warm temperatures with daytime highs in the mid-80's returned to the State. Weekly showers during the month were beneficial. A cold wave invaded the citrus belt the first week of March, bringing subfreezing temperatures and heavy frost. Although it was not cold enough to cause serious damage to fruit, some bloom buds were damaged, particularily along the State's lower West Coast. Another warm period followed with rainfall in most areas. Cooler temperatures returned in late March with rainfall scattered over most areas.

Rainfall during April was below normal in all areas of the citrus belt, but temperatures were generally below normal as well, so most groves remained in good condition.

Most of the month of May was without rainfall and irrigation was in use in all areas. Somewhat lower than average daytime temperatures during most of the month were beneficial but, even so, some groves were in stress and showing severe leaf wilt by the end of May when the rains began. Daily summer rains had set in by mid-June.

# 1985-86 PRODUCTION AND TREE CENSUS

## PRODUCTION

**Florida's** season began with bloom occurring in southern growing regions in early to mid-March. Northern and Central areas experienced scattered to heavy bloom in groves undamaged by the January 1985 freeze.

The initial forecast of oranges in October was 132.0 million boxes. Several periods of cold weather affected virtually all citrus growing areas of the State resulting in a final utilization of 119.0 million boxes. This was, however, 15 percent above the previous season's utilization of 103.9 million boxes.

Grapefruit utilization was 46.75 million boxes, 6 percent more than the 44.0 million boxes harvested in the 1984-85 season. Fresh grapefruit shipments were the highest in six seasons with 19,620,000 boxes shipped.

Production of Temples and tangelos was reduced by the cold weather of January 1985 and the several cold periods of the 1985-86 season. Tangerine and Honey Tangerine production was slightly higher than the previous season with limes and lemons both lower.

FCOJ final yield was 1.35822 gallons per box for early and midseasons and 1.40629 for Valencias. The all orange yield was 1.37834 gallons.

**California's** production of oranges was 54.8 million boxes, slightly higher than the 52.4 million boxes produced in the 1984-85 season. Grapefruit production was 8.4 million boxes compared with the 8.8 million produced in the 1984-85 season.

**Arizona** orange production was 2.3 million boxes, slightly less than the 2.45 produced in the previous season. Grapefruit production was slightly less than the previous season at 2.4 million boxes.

**Texas** produced 310,000 boxes of oranges from trees which survived the 1985 freeze. Grapefruit production was 220,000 boxes. Although the production level was low when compared to past seasons, it was up substantially from zero the previous season.

CITRUS BOX WEIGHTS: Approximate net weight in pounds by fruit type and states

| States | Oranges and others 1/ | Grapefruit | Tangerines | Lemons | Limes |
|---|---|---|---|---|---|
| Florida | 90 | 85 | 95 | 90 | 88 |
| Calif. | 75 | 65 | 75 | 76 | -- |
| Texas | 85 | 80 | -- | -- | -- |
| Arizona | 75 | 64 | 75 | 76 | -- |

1/ Includes Florida Temples and tangelos at 90 lbs.

## TREE CENSUS

The Florida Agricultural Statistics Service first began indexing the State's commercial citrus groves on aerial photography as of January 1966. Ground crews identify all the State's groves by fruit type, row spacing, and year in which set. Photo interpreters in the Orlando office then delineate the groves by variety blocks on photo transparencies at a scale of 1 inch to 660 feet. Variety blocks are measured with planimeters to obtain acreage and then indexed by land section.

The inventory was designed for quick and economical updating. Since 1966, the citrus belt has been resurveyed each second winter--1968 through 1986--to determine changes. Photographing begins in November when weather conditions are most favorable and is generally completed in 80 to 90 days. The same three-mile-wide flight lines established in 1966 are photographed on each succeeding flight. Approximately 14,000 square miles of photography is obtained at a 1 to 30,000 scale.

The last statewide survey was conducted as of January 1986. A total of 624,492 acres of all types of citrus planted through 1985 was reported, down from the 761,365 acres reported as of January 1984. This 18 percent loss is the largest two year reduction reported since the tree census program began in 1966.

The largest losses occurred in the Northern, upper Central, and upper West Coast counties. Acreage by counties and types is shown on page 28.

Photography for the 1988 survey will begin in November 1987 and field work will update the acreage records as of January 1988.

FLORIDA, ALL CITRUS: Acres in commercial groves as of January, 1966 - 1986, with percent changes

| Year | Acres | Percent change from previous survey | Percent change from 1966 survey |
|---|---|---|---|
| 1966 | 858,082 | -- | -- |
| 1968 | 931,249 | +8.5 | +8.5 |
| 1970 | 941,471 | +1.1 | +9.7 |
| 1972 | 878,019 | -6.7 | +2.3 |
| 1974 | 864,098 | -1.6 | +0.7 |
| 1976 | 852,369 | -1.4 | -0.7 |
| 1978 | 831,235 | -2.5 | -3.1 |
| 1980 | 845,283 | -1.7 | -1.5 |
| 1982 | 847,856 | +0.3 | -1.2 |
| 1984 | 761,365 | -10.2 | -11.3 |
| 1986 | 624,492 | -18.0 | -27.2 |

# 1985-86 VALUE OF SALES, PRICES AND EXPORTS

## VALUE

The preliminary on-tree value of all citrus for the 1985-86 season is $703 million. This is 29 percent less than the revised 1984-85 season value of $985 million. Also, it is 32 percent below the all time high crop value of $1.037 billion in the 1979-80 season.

Preliminary value is based on that part of the crop that was priced at harvest, about 30 percent of the total. When all participation plans and cooperative prices are finalized, a revised value is calculated.

The preliminary 1985-86 on-tree price of oranges decreased sharply to $3.81 per box from the revised 1984-85 price of $7.10 per box. That portion of oranges that were marketed fresh in 1985-86 (about 7.5 percent) returned $5.34 per box. Processed oranges returned $3.68 per box. Preliminary total value of oranges in 1985-86 was $453 million, down from $738 million in the 1984-85 season.

Fresh grapefruit prices for white varieties were higher than the previous season and lower for colored varieties. Processed grapefruit prices for all varieties averaged $3.09 per box, an all time high.

Specialty fruit prices were lower except for lemons and limes. Lemons, which were all harvested in 1985, averaged $16.62 per box for all methods of sale, but most of the volume was shipped fresh.

The 1985-86 season average delivered-in value of priced fruit going into FCOJ at processing plants was $5.79 per box or $1.01 per pound of solids. Early-mids averaged $5.68 per box or $1.01 per pound solids and Valencias averaged $5.96 delivered-in per box, also at $1.01 per pound solids.

FLORIDA, ALL CITRUS: Value of sales on-tree, crop years 1976-77 through 1985-86

| Crop year | Value 1,000 dol. | Crop year | Value 1,000 dol. |
|---|---|---|---|
| 1976-77 | 529,765 | 1981-82 | 713,324 |
| 1977-78 | 848,680 | 1982-83 | 876,777 |
| 1978-79 | 966,916 | 1983-84 | 849,457 |
| 1979-80 | 1,037,050 | 1984-85 1/ | 984,820 |
| 1980-81 | 953,350 | 1985-86 2/ | 702,902 |

1/ Revised. 2/ Preliminary.

## COUNTY PRODUCTION

Estimates of citrus production by counties were prepared from objective survey data obtained from the citrus crop estimates program. Production for Florida has been distributed to counties based on the biennial citrus tree census, limb count survey data adjusted for droppage to end of season, and size data at maturity.

Tree numbers by county which are used in the estimates were obtained from the latest tree census. Data on production are obtained from several objective fruit surveys: limb count, and size and droppage samples. Because of the statistical sampling design, counties with higher production in general have a greater number of fruit samples and, therefore, estimates for these counties can be considered more reliable. Thus, for the same reason, estimates for the production areas are still more reliable than for individual counties.

## PRICES

All on-tree prices represent the average price received by growers for their fruit by types. Prices are based on records of commercial fresh fruit sales and processed fruit returns. The term "on-tree" relates to fruit value before it is picked and hauled from the grove. Each season, beginning with the first month that three percent of a fruit type is harvested, monthly estimates are computed. Reports from fresh fruit sales organizations and from packers provide data for an average f.o.b. price. Processors report an average spot and cash price for fruit delivered to their plants. From these values, an estimated charge for picking, hauling, and packing is deducted to arrive at an on-tree price. The anticipated box utilization for the month is used to combine the fresh and processing price to obtain an average price for all methods of sales. At the end of the season, monthly price averages are computed and weighted by boxes utilized, to provide the preliminary season average price.

A year later, after most processed products are sold, cooperatives and firms with participation plans report prices of fruit they handled. These prices, combined with the spot and cash prices collected earlier, are weighted together, by varieties, to determine the final processing price received by growers. From this price, charges for picking, hauling, and packing, as estimated by University of Florida economists, are deducted to arrive at the final on-tree price received by growers.

## FOREIGN EXPORTS

Exports of fresh citrus during 1985-86 to countries other than Mexico and Canada were a record high 11,284,000 4/5-bushel cartons. Grapefruit exports totaled 11,078,000 cartons with the majority going to Japan and France. Orange exports totaled 202,000 cartons, up substantially from last season's 10,000 cartons. Only 4,000 cartons of tangerines were exported.

A total of 7.9 million gallons of FCOJ were exported in the 1985-86 season. Canada is the major market for U.S. exports. There were 2.4 million gallons of concentrated grapefruit juice exported this season.

FLORIDA CITRUS: Production of all citrus since 1886-87

| Crop | Type of fruit | | | | Crop | Type of fruit | | | |
|---|---|---|---|---|---|---|---|---|---|
| year | Oranges | Grapefruit | Other | Total | year | Oranges | Grapefruit | Other | Total |
| | 1,000 boxes | | | | | 1,000 boxes | | | |
| 1886-87 | --- | --- | --- | 1,260 | 1936-37 | 19,100 | 18,100 | 3,045 | 40,245 |
| 1887-88 | --- | --- | --- | 1,450 | 1937-38 | 23,900 | 14,600 | 2,370 | 40,870 |
| 1888-89 | --- | --- | --- | 1,950 | 1938-39 | 29,900 | 23,300 | 3,495 | 56,695 |
| 1889-90 | --- | --- | --- | 2,150 | 1939-40 | 25,350 | 15,900 | 2,745 | 43,995 |
| 1890-91 | --- | --- | --- | 2,450 | 1940-41 | 28,200 | 24,600 | 3,180 | 55,980 |
| 1891-92 | --- | --- | --- | 2,713 | 1941-42 | 26,800 | 19,200 | 2,650 | 48,650 |
| 1892-93 | --- | --- | --- | 3,450 | 1942-43 | 36,650 | 27,300 | 4,925 | 68,875 |
| 1893-94 | --- | --- | --- | 5,055 | 1943-44 | 45,500 | 31,000 | 4,490 | 80,990 |
| 1894-95 | --- | --- | --- | 2,808 | 1944-45 | 42,230 | 22,300 | 4,670 | 69,200 |
| 1895-96 | --- | --- | --- | 147 | 1945-46 | 49,000 | 32,000 | 5,200 | 86,200 |
| 1896-97 | --- | --- | --- | 218 | 1946-47 | 52,080 | 26,400 | 4,790 | 83,270 |
| 1897-98 | --- | --- | --- | 359 | 1947-48 | 57,530 | 29,300 | 4,440 | 91,270 |
| 1898-99 | --- | --- | --- | 252 | 1948-49 | 57,380 | 30,200 | 5,520 | 93,100 |
| 1899-00 | --- | --- | --- | 274 | 1949-50 | 57,790 | 24,200 | 5,970 | 87,960 |
| 1900-01 | --- | --- | --- | 353 | 1950-51 | 66,200 | 33,200 | 5,980 | 105,380 |
| 1901-02 | --- | --- | --- | 974 | 1951-52 | 76,900 | 33,000 | 6,060 | 115,960 |
| 1902-03 | --- | --- | --- | 1,147 | 1952-53 | 70,500 | 32,500 | 6,920 | 109,920 |
| 1903-04 | --- | --- | --- | 1,955 | 1953-54 | 89,100 | 40,700 | 7,070 | 136,870 |
| 1904-05 | --- | --- | --- | 2,961 | 1954-55 | 85,900 | 34,800 | 7,998 | 138,698 |
| 1905-06 | --- | --- | --- | 3,794 | 1955-56 | 88,200 | 38,300 | 7,935 | 134,435 |
| 1906-07 | --- | --- | --- | 3,801 | 1956-57 | 90,300 | 37,400 | 8,020 | 135,720 |
| 1907-08 | --- | --- | --- | 3,250 | 1957-58 | 81,000 | 31,100 | 4,300 | 116,400 |
| 1908-09 | --- | --- | --- | 4,634 | 1958-59 | 83,000 | 35,200 | 7,800 | 126,000 |
| 1909-10 | 5,300 | 1,100 | --- | 6,400 | 1959-60 | 87,600 | 30,500 | 7,470 | 125,570 |
| 1910-11 | 3,600 | 1,200 | --- | 4,800 | 1960-61 | 82,700 | 31,600 | 9,940 | 124,240 |
| 1911-12 | 3,950 | 1,150 | --- | 5,100 | 1961-62 | 108,800 | 34,800 | 10,210 | 153,810 |
| 1912-13 | 6,700 | 2,000 | --- | 8,700 | 1962-63 | 72,500 | 30,000 | 5,250 | 107,750 |
| 1913-14 | 6,200 | 2,200 | --- | 8,400 | 1963-64 | 54,900 | 26,300 | 8,620 | 89,820 |
| 1914-15 | 8,000 | 2,400 | --- | 10,400 | 1964-65 | 82,400 | 31,900 | 9,350 | 123,650 |
| 1915-16 | 6,500 | 2,400 | --- | 8,900 | 1965-66 | 95,900 | 34,900 | 10,190 | 140,990 |
| 1916-17 | 5,700 | 2,500 | --- | 8,200 | 1966-67 | 139,500 | 43,600 | 11,895 | 194,995 |
| 1917-18 | 4,000 | 2,000 | --- | 6,000 | 1967-68 | 100,500 | 32,900 | 10,880 | 144,280 |
| 1918-19 | 6,000 | 3,500 | --- | 9,500 | 1968-69 | 129,700 | 39,900 | 12,470 | 182,070 |
| 1919-20 | 7,550 | 5,900 | 478 | 13,928 | 1969-70 | 137,700 | 37,400 | 13,915 | 189,015 |
| 1920-21 | 8,700 | 5,800 | 726 | 15,226 | 1970-71 | 142,300 | 42,900 | 14,450 | 199,650 |
| 1921-22 | 7,850 | 6,700 | 583 | 15,133 | 1971-72 | 137,000 | 47,000 | 16,480 | 200,480 |
| 1922-23 | 10,150 | 7,800 | 785 | 18,735 | 1972-73 | 169,700 | 45,400 | 15,450 | 230,550 |
| 1923-24 | 13,150 | 8,500 | 590 | 22,240 | 1973-74 | 165,800 | 48,100 | 16,350 | 230,250 |
| 1924-25 | 10,400 | 8,900 | 936 | 20,236 | 1974-75 | 173,300 | 44,600 | 17,830 | 235,730 |
| 1925-26 | 9,500 | 7,600 | 730 | 17,830 | 1975-76 | 181,200 | 49,100 | 19,180 | 249,480 |
| 1926-27 | 10,100 | 8,600 | 912 | 19,612 | 1976-77 | 186,800 | 51,500 | 16,200 | 254,500 |
| 1927-28 | 8,650 | 7,500 | 850 | 17,000 | 1977-78 | 167,800 | 51,400 | 16,270 | 235,470 |
| 1928-29 | 15,000 | 11,300 | 1,506 | 27,806 | 1978-79 | 164,000 | 50,000 | 16,190 | 230,190 |
| 1929-30 | 8,950 | 8,300 | 858 | 18,108 | 1979-80 | 206,700 | 54,800 | 22,050 | 283,550 |
| 1930-31 | 16,800 | 15,800 | 2,408 | 35,008 | 1980-81 | 172,400 | 50,300 | 15,880 | 238,580 |
| 1931-32 | 12,200 | 10,700 | 2,009 | 24,909 | 1981-82 | 125,800 | 48,100 | 15,310 | 189,210 |
| 1932-33 | 14,500 | 11,600 | 1,910 | 28,010 | 1982-83 | 139,600 | 39,400 | 14,600 | 193,600 |
| 1933-34 | 15,900 | 10,900 | 2,012 | 28,812 | 1983-84 | 116,700 | 40,900 | 12,005 | 169,605 |
| 1934-35 | 15,600 | 15,200 | 2,015 | 32,815 | 1984-85 | 103,900 | 44,000 | 11,005 | 158,905 |
| 1935-36 | 15,900 | 11,500 | 2,112 | 29,512 | 1985-86 | 119,000 | 46,750 | 9,790 | 175,540 |

Source: See page 45, Data Sources, item 2.

## History of Florida's Citrus Industry

The citrus tree is a native of the Orient. From this area it was carried ever westward by man, to India, to the Mediterranean and on across the Atlantic. Citrus was brought to the Americas by Columbus. When he landed on November 22, 1493, he brought citrus seeds that were planted on the island of Haiti. The first seeds planted on the mainland of the Americas were brought by the expedition of Juan de Grijalva when he landed in Central America between July 12 and July 20, 1518. The exact date of the introduction of citrus trees into Florida is not known, but from a statement made by Pedro Medendez, dated April 2, 1579, it appears that citrus fruits were grown in abundance around St. Augustine at that time. Early settlers in Florida some two centuries later found wild citrus trees scattered over the State. One of the oldest, cultivated groves planted in Florida (Hume, 1926 p.95) is thought to have been the Don Phillipe grove in Pinellas County, planted sometime between 1809 and 1820.

Citrus production in Florida had reached an all time high of more than 5 million boxes when the Great Freeze of 1894-95 almost totally wiped out the citrus industry. It was not until 1909-10 that this level was reached again. Since that time the volume steadily increased. In 1985-86, Florida had 70.6 percent of the Nation's production.

PRINCIPAL CITRUS FRUITS: Bearing acreage and production, by states, crops years 1966-67 through 1985-86

| Crop year | Florida |  | California |  | Texas |  | Arizona |  | United States |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  | Bearing: acreage: | 1/ Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod |
|  | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons |
| 1966-67 | 653.0 | 8,643 | 192.8 | 2,139 | 68.6 | 338 | 37.3 | 316 | 951.7 | 11,436 |
| 1967-68 | 706.1 | 6,364 | 201.9 | 1,406 | 72.6 | 193 | 34.6 | 367 | 1,015.2 | 8,330 |
| 1968-69 | 746.1 | 8,008 | 213.5 | 2,316 | 80.8 | 471 | 34.2 | 421 | 1,074.6 | 11,216 |
| 1969-70 | 817.1 | 8,306 | 197.2 | 2,130 | 75.9 | 513 | 32.2 | 399 | 1,122.4 | 11,348 |
| 1970-71 | 849.4 | 8,786 | 203.0 | 2,100 | 79.0 | 683 | 37.0 | 350 | 1,168.5 | 11,919 |
| 1971-72 | 824.2 | 8,760 | 213.1 | 2,371 | 80.1 | 629 | 40.4 | 403 | 1,157.8 | 12,163 |
| 1972-73 | 820.2 | 10,124 | 221.9 | 2,498 | 70.0 | 803 | 50.8 | 469 | 1,162.9 | 13,894 |
| 1973-74 | 817.3 | 10,088 | 269.1 | 2,285 | 67.5 | 709 | 52.7 | 330 | 1,206.6 | 13,412 |
| 1974-75 | 812.7 | 10,337 | 272.7 | 3,191 | 64.1 | 485 | 55.6 | 573 | 1,205.1 | 14,586 |
| 1975-76 | 796.2 | 10,943 | 272.1 | 2,842 | 64.1 | 687 | 61.2 | 316 | 1,193.6 | 14,788 |
| 1976-77 | 794.9 | 11,179 | 267.4 | 2,816 | 63.9 | 789 | 58.5 | 458 | 1,184.7 | 15,242 |
| 1977-78 | 756.4 | 10,349 | 264.6 | 2,695 | 68.4 | 736 | 52.6 | 475 | 1,142.0 | 14,255 |
| 1978-79 | 741.5 | 10,101 | 265.7 | 2,189 | 67.6 | 632 | 45.8 | 407 | 1,130.6 | 13,329 |
| 1979-80 | 758.4 | 12,418 | 265.3 | 3,208 | 71.7 | 487 | 47.7 | 371 | 1,143.1 | 16,484 |
| 1980-81 | 753.8 | 10,470 | 265.6 | 3,703 | 66.8 | 452 | 43.7 | 480 | 1,129.9 | 15,105 |
| 1981-82 | 740.3 | 8,249 | 264.4 | 2,541 | 64.8 | 808 | 46.7 | 459 | 1,116.1 | 12,057 |
| 1982-83 | 715.5 | 8,513 | 259.9 | 3,945 | 66.2 | 689 | 42.4 | 461 | 1,084.0 | 13,608 |
| 1983-84 | 634.3 | 7,439 | 259.6 | 2,783 | 67.5 | 235 | 41.2 | 335 | 1,002.6 | 10,792 |
| 1984-85 | 570.8 | 6,976 | 254.4 | 3,069 | 30.5 | 0 | 38.4 | 443 | 894.1 | 10,488 |
| 1985-86 | 503.6 | 7,727 | 253.0 | 2,974 | 30.5 | 23 | 37.9 | 313 | 825.0 | 11.037 |

1/Does not include lemons, Honey Tangerines or K-Early Citrus Fruit.

PRINCIPAL CITRUS FRUITS: Production for

U.S. & Fla., 1966-67 through 1985-86



## ORANGES: Bearing acreage and production, by states, crops years 1966-67 through 1985-86

| Crop year | Florida |  | California |  | Texas |  | Arizona |  | United States |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod |
|  | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons |
| 1966-67 | 522.0 | 6,276 | 130.4 | 1,380 | 29.0 | 122 | 23.5 | 147 | 704.9 | 7,925 |
| 1967-68 | 557.6 | 4,524 | 139.9 | 718 | 31.0 | 81 | 19.3 | 117 | 747.8 | 5,440 |
| 1968-69 | 595.6 | 5,836 | 150.5 | 1,661 | 35.0 | 203 | 19.3 | 202 | 800.4 | 7,902 |
| 1969-70 | 636.1 | 6,197 | 160.2 | 1,463 | 35.0 | 189 | 15.5 | 174 | 846.8 | 8,023 |
| 1970-71 | 660.5 | 6,402 | 167.9 | 1,406 | 40.5 | 263 | 18.1 | 134 | 887.0 | 8,205 |
| 1971-72 | 624.2 | 6,165 | 180.4 | 1,627 | 42.5 | 261 | 19.5 | 184 | 866.6 | 8,237 |
| 1972-73 | 619.6 | 7,636 | 188.8 | 1,579 | 35.0 | 332 | 24.5 | 190 | 867.9 | 9,737 |
| 1973-74 | 614.6 | 7,461 | 196.0 | 1,516 | 32.5 | 281 | 24.4 | 128 | 867.5 | 9,386 |
| 1974-75 | 610.4 | 7,799 | 196.9 | 2,063 | 30.9 | 193 | 24.1 | 186 | 862.3 | 10,241 |
| 1975-76 | 596.4 | 8,154 | 197.7 | 1,980 | 30.9 | 259 | 23.0 | 100 | 848.0 | 10,493 |
| 1976-77 | 594.3 | 8,406 | 192.5 | 1,699 | 28.2 | 293 | 21.0 | 148 | 836.0 | 10,546 |
| 1977-78 | 579.0 | 7,551 | 188.6 | 1,599 | 28.4 | 260 | 16.8 | 136 | 812.8 | 9,546 |
| 1978-79 | 571.5 | 7,380 | 187.1 | 1,399 | 27.8 | 272 | 14.8 | 109 | 801.2 | 9,160 |
| 1979-80 | 576.6 | 9,302 | 185.7 | 2,228 | 28.0 | 171 | 15.7 | 131 | 806.0 | 11,832 |
| 1980-81 | 573.4 | 7,758 | 182.7 | 2,447 | 25.3 | 184 | 13.2 | 98 | 794.6 | 10,487 |
| 1981-82 | 560.2 | 5,661 | 179.7 | 1,572 | 23.7 | 252 | 13.5 | 115 | 777.1 | 7,600 |
| 1982-83 | 536.8 | 6,282 | 177.4 | 2,854 | 24.0 | 241 | 12.6 | 142 | 750.8 | 9,519 |
| 1983-84 | 474.3 | 5,252 | 177.5 | 1,819 | 24.3 | 107 | 12.6 | 68 | 688.7 | 7,246 |
| 1984-85 | 420.1 | 4,676 | 175.2 | 1,966 | 11.4 | 0 | 10.9 | 92 | 617.6 | 6,734 |
| 1985-86 | 367.6 | 5,355 | 174.7 | 2,057 | 11.4 | 13 | 10.9 | 87 | 564.6 | 7,512 |

ORANGES: Production for

U.S. & Fla., 1966-67 through 1985-86



GRAPEFRUIT: Bearing acreage and production, by states, crops years 1966-67 through 1985-86

| Crop year | Florida |  | Texas |  | California |  | Arizona |  | United States |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod | Bearing: acreage: | Prod |
|  | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons | 1,000 acres | 1,000 tons |
| 1966-67 | 87.0 | 1,854 | 39.0 | 216 | 12.8 | 162 | 6.9 | 54 | 145.7 | 2,286 |
| 1967-68 | 87.5 | 1,399 | 41.0 | 112 | 12.8 | 150 | 7.6 | 120 | 148.9 | 1,781 |
| 1968-69 | 90.3 | 1,697 | 45.0 | 268 | 12.7 | 164 | 4.9 | 80 | 152.9 | 2,209 |
| 1969-70 | 98.7 | 1,590 | 40.0 | 324 | 12.8 | 171 | 6.1 | 101 | 157.6 | 2,186 |
| 1970-71 | 107.2 | 1,824 | 37.6 | 404 | 12.1 | 164 | 6.3 | 81 | 163.2 | 2,473 |
| 1971-72 | 112.6 | 1,999 | 35.0 | 368 | 12.6 | 179 | 6.4 | 81 | 166.6 | 2,627 |
| 1972-73 | 114.6 | 1,930 | 35.0 | 472 | 13.1 | 189 | 8.0 | 85 | 170.7 | 2,676 |
| 1973-74 | 115.8 | 2,044 | 35.0 | 428 | 14.3 | 154 | 8.2 | 66 | 173.3 | 2,692 |
| 1974-75 | 115.4 | 1,897 | 33.1 | 292 | 15.8 | 226 | 9.3 | 89 | 173.6 | 2,504 |
| 1975-76 | 117.9 | 2,088 | 33.1 | 428 | 16.4 | 234 | 9.6 | 100 | 177.0 | 2,850 |
| 1976-77 | 119.3 | 2,190 | 35.1 | 496 | 16.6 | 250 | 10.2 | 96 | 181.2 | 3,032 |
| 1977-78 | 120.3 | 2,184 | 40.1 | 476 | 17.4 | 274 | 10.8 | 96 | 188.6 | 3,030 |
| 1978-79 | 124.6 | 2,125 | 39.8 | 360 | 19.5 | 200 | 8.9 | 72 | 192.8 | 2,757 |
| 1979-80 | 126.4 | 2,329 | 43.8 | 316 | 21.3 | 245 | 8.4 | 96 | 199.9 | 2,986 |
| 1980-81 | 125.6 | 2,138 | 41.5 | 268 | 21.8 | 263 | 8.1 | 90 | 197.0 | 2,759 |
| 1981-82 | 127.8 | 2,044 | 41.1 | 556 | 22.0 | 201 | 8.1 | 77 | 199.0 | 2,878 |
| 1982-83 | 128.6 | 1,674 | 42.2 | 448 | 21.7 | 238 | 6.8 | 87 | 199.3 | 2,447 |
| 1983-84 | 119.6 | 1,738 | 43.2 | 128 | 21.9 | 237 | 6.8 | 73 | 191.5 | 2,176 |
| 1984-85 | 115.5 | 1,870 | 19.1 | 0 | 21.1 | 289 | 7.1 | 96 | 162.8 | 2,255 |
| 1985-86 | 105.1 | 1,987 | 19.1 | 9 | 20.9 | 276 | 7.1 | 77 | 152.2 | 2,349 |

GRAPEFRUIT: Production for

U.S. & Fla., 1966-67 through 1985-86



FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production |  |  | On-tree |  |
|---|---|---|---|---|---|---|---|
|  |  |  | Total | Fresh | Processed | Price per box | Value of production |
|  | 1,000 acres | Boxes |  | 1,000 boxes |  | Dollars | 1,000 dollars |
| All round oranges |  |  |  |  |  |  |  |
| 1966-67 | 522.0 | 267 | 139,500 | 17,876 | 121,624 | .94 | 130,526 |
| 1967-68 | 557.6 | 180 | 100,500 | 17,096 | 83,404 | 2.07 | 207,432 |
| 1968-69 | 595.6 | 218 | 129,700 | 13,304 | 116,396 | 1.68 | 218,660 |
| 1969-70 | 636.1 | 216 | 137,700 | 13,263 | 124,437 | 1.14 | 156,876 |
| 1970-71 | 660.5 | 215 | 142,300 | 13,962 | 128,338 | 1.46 | 208,146 |
| 1971-72 | 624.2 | 219 | 137,000 | 11,233 | 125,767 | 2.04 | 280,317 |
| 1972-73 | 619.6 | 274 | 169,700 | 12,223 | 157,477 | 1.56 | 265,361 |
| 1973-74 | 614.6 | 270 | 165,800 | 11,090 | 154,710 | 1.47 | 244,691 |
| 1974-75 | 610.4 | 284 | 173,300 | 13,393 | 159,907 | 1.62 | 280,350 |
| 1975-76 | 596.4 | 304 | 181,200 | 11,730 | 169,470 | 1.77 | 321,449 |
| 1976-77 | 594.3 | 314 | 186,800 | 8,878 | 177,922 | 2.17 | 405,982 |
| 1977-78 | 579.0 | 290 | 167,800 | 9,966 | 157,834 | 4.14 | 693,677 |
| 1978-79 | 571.5 | 287 | 164,000 | 11,701 | 152,299 | 4.66 | 764,961 |
| 1979-80 | 576.6 | 358 | 206,700 | 10,990 | 195,710 | 3.72 | 768,877 |
| 1980-81 | 573.4 | 301 | 172,400 | 8,276 | 164,124 | 4.04 | 697,231 |
| 1981-82 | 560.2 | 225 | 125,800 | 7,620 | 118,180 | 4.28 | 538,686 |
| 1982-83 | 536.8 | 260 | 139,600 | 10,320 | 129,280 | 5.15 | 718,420 |
| 1983-84 | 474.3 | 246 | 116,700 | 7,640 | 109,060 | 5.75 | 670,618 |
| 1984-85 | 420.1 | 247 | 103,900 | 6,652 | 97,248 | 7.10 | 737,923 |
| 1985-86 | 367.6 | 324 | 119,000 | 8,883 | 110 117 | 3.81 | 453,082 |
| Early and midseason oranges |  |  |  |  |  |  |  |
| 1966-67 | 261.0 | 280 | 73,200 | 10,071 | 63,129 | .81 | 58,963 |
| 1967-68 | 283.7 | 181 | 51,400 | 9,391 | 42,009 | 1.86 | 95,357 |
| 1968-69 | 306.8 | 227 | 69,700 | 7,867 | 61,833 | 1.56 | 108,922 |
| 1969-70 | 332.3 | 219 | 72,900 | 7,491 | 65,409 | 1.15 | 83,691 |
| 1970-71 | 348.3 | 236 | 82,100 | 8,198 | 73,902 | 1.10 | 90,141 |
| 1971-72 | 323.2 | 213 | 68,800 | 6,024 | 62,776 | 1.98 | 136,107 |
| 1972-73 | 320.3 | 281 | 90,000 | 6,681 | 83,319 | 1.43 | 128,873 |
| 1973-74 | 316.3 | 291 | 92,100 | 6,110 | 85,990 | 1.38 | 127,438 |
| 1974-75 | 314.8 | 307 | 96,600 | 7,402 | 89,198 | 1.46 | 140,792 |
| 1975-76 | 308.4 | 320 | 98,800 | 6,485 | 92,315 | 1.69 | 166,911 |
| 1976-77 | 306.9 | 375 | 115,000 | 6,131 | 108,869 | 1.89 | 216,967 |
| 1977-78 | 299.0 | 295 | 88,300 | 5,750 | 82,550 | 3.90 | 344,268 |
| 1978-79 | 295.5 | 308 | 91,000 | 6,325 | 84,675 | 4.44 | 403,767 |
| 1979-80 | 298.9 | 394 | 117,900 | 6,476 | 111,424 | 3.59 | 423,324 |
| 1980-81 | 297.2 | 355 | 105,600 | 5,788 | 99,812 | 3.67 | 387,714 |
| 1981-82 | 289.6 | 256 | 74,000 | 4,929 | 69,071 | 4.27 | 316,316 |
| 1982-83 | 277.8 | 253 | 70,200 | 6,067 | 64,133 | 4.88 | 342,914 |
| 1983-84 | 237.3 | 294 | 69,700 | 4,939 | 64,761 | 5.09 | 354,800 |
| 1984-85 | 198.3 | 277 | 55,000 | 4,418 | 50,582 | 7.30 | 401,369 |
| 1985-86 | 182.3 | 352 | 64,200 | 5,121 | 59,079 | 3.77 | 241,914 |

---

1/ 1985-86 preliminary.

FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production | | | On-tree | |
|---|---|---|---|---|---|---|---|
| | | | Total | Fresh | Processed | Price per box | Value of production |
| | 1,000 acres | Boxes | 1,000 boxes | | | Dollars | 1,000 dollars |
| Late (Valencia) oranges | | | | | | | |
| 1966-67 | 261.0 | 254 | 66,300 | 7,805 | 58,495 | 1.08 | 71,563 |
| 1967-68 | 273.9 | 179 | 49,100 | 7,705 | 41,395 | 2.28 | 112,075 |
| 1968-69 | 288.8 | 208 | 60,000 | 5,437 | 54,563 | 1.83 | 109,738 |
| 1969-70 | 303.8 | 213 | 64,800 | 5,772 | 59,028 | 1.13 | 73,185 |
| 1970-71 | 312.2 | 193 | 60,200 | 5,764 | 54,436 | 1.91 | 118,025 |
| 1971-72 | 301.0 | 227 | 68,200 | 5,209 | 62,991 | 2.11 | 144,210 |
| 1972-73 | 299.3 | 266 | 79,700 | 5,542 | 74,158 | 1.71 | 136,488 |
| 1973-74 | 298.3 | 247 | 73,700 | 4,980 | 68,720 | 1.59 | 117,253 |
| 1974-75 | 295.6 | 259 | 76,700 | 5,991 | 70,709 | 1.82 | 139,558 |
| 1975-76 | 288.0 | 286 | 82,400 | 5,245 | 77,155 | 1.88 | 154,538 |
| 1976-77 | 287.4 | 250 | 71,800 | 2,747 | 69,053 | 2.63 | 189,015 |
| 1977-78 | 280.0 | 284 | 79,500 | 4,216 | 75,284 | 4.40 | 349,409 |
| 1978-79 | 276.0 | 264 | 73,000 | 5,376 | 67,624 | 4.95 | 361,194 |
| 1979-80 | 277.7 | 320 | 88,800 | 4,514 | 84,286 | 3.89 | 345,553 |
| 1980-81 | 276.2 | 242 | 66,800 | 2,488 | 64,312 | 4.63 | 309,517 |
| 1981-82 | 270.6 | 191 | 51,800 | 2,691 | 49,109 | 4.29 | 222,370 |
| 1982-83 | 259.0 | 268 | 69,400 | 4,253 | 65,147 | 5.41 | 375,506 |
| 1983-84 | 237.0 | 198 | 47,000 | 2,701 | 44,299 | 6.72 | 315,818 |
| 1984-85 | 221.8 | 220 | 48,900 | 2,234 | 46,666 | 6.88 | 336,554 |
| 1985-86 | 185.3 | 296 | 54,800 | 3,762 | 51,038 | 3.85 | 211,168 |
| Limes | | | | | | | |
| 1966-67 | 3.4 | 124 | 420 | 273 | 147 | 4.84 | 2,032 |
| 1967-68 | 3.6 | 200 | 720 | 343 | 377 | 2.89 | 2,082 |
| 1968-69 | 3.8 | 184 | 700 | 380 | 320 | 2.91 | 2,040 |
| 1969-70 | 3.9 | 186 | 725 | 374 | 351 | 4.11 | 2,983 |
| 1970-71 | 4.3 | 205 | 880 | 395 | 485 | 3.10 | 2,725 |
| 1971-72 | 4.5 | 244 | 1,100 | 474 | 626 | 3.89 | 4,279 |
| 1972-73 | 4.5 | 244 | 1,100 | 517 | 583 | 4.25 | 4,670 |
| 1973-74 | 4.4 | 239 | 1,050 | 479 | 571 | 5.10 | 5,351 |
| 1974-75 | 4.4 | 250 | 1,100 | 493 | 607 | 5.35 | 5,889 |
| 1975-76 | 4.4 | 245 | 1,080 | 586 | 494 | 6.70 | 7,235 |
| 1976-77 | 4.5 | 222 | 1,000 | 514 | 486 | 8.60 | 8,596 |
| 1977-78 | 3.8 | 121 | 460 | 340 | 120 | 15.72 | 7,229 |
| 1978-79 | 4.1 | 176 | 720 | 481 | 239 | 12.44 | 8,948 |
| 1979-80 | 4.7 | 234 | 1,100 | 622 | 478 | 8.18 | 8,996 |
| 1980-81 | 5.3 | 226 | 1,200 | 697 | 503 | 6.58 | 7,891 |
| 1981-82 | 6.4 | 203 | 1,300 | 625 | 675 | 7.88 | 10,238 |
| 1982-83 | 7.3 | 233 | 1,700 | 975 | 725 | 8.39 | 14,262 |
| 1983-84 | 7.0 | 206 | 1,440 | 825 | 615 | 7.46 | 10,736 |
| 1984-85 | 6.7 | 245 | 1,640 | 1,025 | 615 | 7.27 | 11,927 |
| 1985-86 | 6.8 | 213 | 1,450 | 880 | 570 | 9.65 | 13,990 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production |  |  | On-tree |  |
|---|---|---|---|---|---|---|---|
|  |  |  | Total | Fresh | Processed | Price per box | Value of production |
|  | 1,000 acres | Boxes |  | 1,000 boxes |  | Dollars | 1,000 dollars |
| All grapefruit |  |  |  |  |  |  |  |
| 1966-67 | 87.0 | 501 | 43,600 | 17,281 | 26,319 | .74 | 32,393 |
| 1967-68 | 87.5 | 376 | 32,900 | 14,702 | 18,198 | 2.01 | 66,317 |
| 1968-69 | 90.3 | 442 | 39,900 | 14,067 | 25,833 | .98 | 39,011 |
| 1969-70 | 98.7 | 379 | 37,400 | 14,262 | 23,138 | 1.70 | 63,526 |
| 1970-71 | 107.2 | 400 | 42,900 | 14,960 | 27,940 | 1.91 | 81,514 |
| 1971-72 | 112.6 | 417 | 47,000 | 17,039 | 29,961 | 2.32 | 108,991 |
| 1972-73 | 114.6 | 396 | 45,400 | 17,046 | 28,354 | 2.08 | 94,635 |
| 1973-74 | 115.8 | 415 | 48,100 | 18,731 | 29,369 | 1.66 | 79,879 |
| 1974-75 | 115.4 | 386 | 44,600 | 18,797 | 25,806 | 1.72 | 76,367 |
| 1975-76 | 117.9 | 416 | 49,100 | 20,369 | 28,731 | 1.47 | 72,155 |
| 1976-77 | 119.3 | 432 | 51,500 | 16,393 | 35,107 | 1.58 | 81,116 |
| 1977-78 | 120.3 | 427 | 51,400 | 18,038 | 33,362 | 1.64 | 84,438 |
| 1978-79 | 124.6 | 401 | 50,000 | 19,790 | 30,210 | 2.41 | 120,128 |
| 1979-80 | 126.4 | 434 | 54,800 | 19,501 | 35,299 | 3.31 | 181,208 |
| 1980-81 | 125.6 | 400 | 50,300 | 17,167 | 33,133 | 3.60 | 181,155 |
| 1981-82 | 127.8 | 376 | 48,100 | 16,719 | 31,381 | 2.09 | 100,597 |
| 1982-83 | 128.6 | 306 | 39,400 | 18,313 | 21,087 | 1.96 | 77,221 |
| 1983-84 | 119.6 | 342 | 40,900 | 16,661 | 24,239 | 2.72 | 111,158 |
| 1984-85 | 115.5 | 381 | 44,000 | 14,988 | 29,012 | 3.67 | 161,356 |
| 1985-86 | 105.1 | 444 | 46,750 | 19,620 | 27,130 | 3.97 | 185,622 |
| Seedy grapefruit |  |  |  |  |  |  |  |
| 1966-67 | 26.0 | 519 | 13,500 | 1,323 | 12,177 | .60 | 8,118 |
| 1967-68 | 25.3 | 364 | 9,200 | 856 | 8,344 | 1.48 | 13,601 |
| 1968-69 | 25.1 | 486 | 12,200 | 812 | 11,388 | .81 | 9,897 |
| 1969-70 | 25.1 | 378 | 9,500 | 559 | 8,941 | 1.42 | 13,485 |
| 1970-71 | 25.2 | 468 | 11,800 | 479 | 11,321 | 1.68 | 19,781 |
| 1971-72 | 24.5 | 445 | 10,900 | 285 | 10,615 | 2.01 | 21,931 |
| 1972-73 | 24.3 | 420 | 10,200 | 281 | 9,919 | 1.63 | 16,672 |
| 1973-74 | 23.6 | 424 | 10,000 | 138 | 9,862 | 1.31 | 13,117 |
| 1974-75 | 23.3 | 309 | 7,200 | 147 | 7,053 | .87 | 6,270 |
| 1975-76 | 22.6 | 345 | 7,800 | 109 | 7,691 | .85 | 6,668 |
| 1976-77 | 22.5 | 404 | 9,100 | 64 | 9,036 | 1.20 | 10,920 |
| 1977-78 | 21.0 | 400 | 8,400 | 85 | 8,315 | 1.45 | 12,180 |
| 1978-79 | 21.3 | 343 | 7,300 | 71 | 7,229 | 1.84 | 13,432 |
| 1979-80 | 20.0 | 395 | 7,900 | 106 | 7,794 | 3.04 | 24,016 |
| 1980-81 | 19.6 | 372 | 7,300 | 69 | 7,231 | 2.92 | 21,316 |
| 1981-82 | 19.3 | 311 | 6,000 | 2/ | 6,000 | 1.13 | 6,780 |
| 1982-83 | 19.0 | 253 | 4,800 | 2/ | 4,800 | .70 | 3,360 |
| 1983-84 | 15.3 | 295 | 4,500 | 2/ | 4,500 | 2.01 | 9,045 |
| 1984-85 | 12.7 | 228 | 2,900 | 2/ | 2,900 | 2.58 | 7,482 |
| 1985-86 | 10.3 | 306 | 3,150 | 2/ | 3,150 | 3.17 | 9,986 |

---

1/ 1985-86 preliminary. 2/ Fresh sales insignificant, included in processed.

FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production |  |  | On-tree |  |
|---|---|---|---|---|---|---|---|
|  |  |  | Total | Fresh | Processed | Price per box | Value of production |
|  | 1,000 acres | Boxes | 1,000 boxes |  |  | Dollars | 1,000 dollars |
| White seedless grapefruit |  |  |  |  |  |  |  |
| 1966-67 | 36.2 | 514 | 18,600 | 7,954 | 10,646 | .73 | 13,485 |
| 1967-68 | 37.5 | 381 | 14,300 | 6,936 | 7,364 | 2.05 | 29,376 |
| 1968-69 | 40.3 | 422 | 17,000 | 6,611 | 10,389 | .98 | 16,801 |
| 1969-70 | 47.2 | 375 | 17,700 | 7,016 | 10,684 | 1.72 | 30,429 |
| 1970-71 | 54.0 | 374 | 20,200 | 7,452 | 12,748 | 1.89 | 38,302 |
| 1971-72 | 59.0 | 403 | 23,800 | 8,938 | 14,862 | 2.27 | 54,040 |
| 1972-73 | 60.3 | 390 | 23,500 | 9,507 | 13,993 | 2.06 | 48,364 |
| 1973-74 | 61.3 | 423 | 25,900 | 10,748 | 15,152 | 1.58 | 40,919 |
| 1974-75 | 61.1 | 424 | 25,900 | 11,008 | 14,892 | 1.55 | 40,282 |
| 1975-76 | 63.3 | 447 | 28,300 | 11,315 | 16,985 | 1.29 | 36,557 |
| 1976-77 | 63.6 | 470 | 29,900 | 9,805 | 20,095 | 1.49 | 44,690 |
| 1977-78 | 64.2 | 447 | 28,700 | 9,026 | 19,674 | 1.47 | 42,323 |
| 1978-79 | 66.0 | 445 | 29,400 | 10,179 | 19,221 | 2.21 | 65,021 |
| 1979-80 | 66.9 | 465 | 31,100 | 8,900 | 22,200 | 3.12 | 97,086 |
| 1980-81 | 66.6 | 426 | 28,400 | 8,195 | 20,205 | 3.46 | 98,285 |
| 1981-82 | 65.8 | 415 | 27,300 | 8,329 | 18,971 | 1.92 | 52,370 |
| 1982-83 | 65.4 | 333 | 21,800 | 9,045 | 12,755 | 1.51 | 32,941 |
| 1983-84 | 60.5 | 380 | 23,000 | 7,642 | 15,358 | 2.08 | 47,885 |
| 1984-85 | 58.2 | 426 | 24,800 | 5,350 | 19,450 | 3.02 | 74,956 |
| 1985-86 | 53.4 | 479 | 25,600 | 6,735 | 18,865 | 3.45 | 88,278 |
| Colored seedless grapefruit |  |  |  |  |  |  |  |
| 1966-67 | 24.8 | 464 | 11,500 | 8,004 | 3,496 | .94 | 10,790 |
| 1967-68 | 24.7 | 381 | 9,400 | 6,910 | 2,490 | 2.48 | 23,340 |
| 1968-69 | 24.9 | 430 | 10,700 | 6,644 | 4,056 | 1.15 | 12,313 |
| 1969-70 | 26.4 | 386 | 10,200 | 6,687 | 3,513 | 1.92 | 19,612 |
| 1970-71 | 28.0 | 389 | 10,900 | 7,029 | 3,871 | 2.15 | 23,431 |
| 1971-72 | 29.1 | 423 | 12,300 | 7,816 | 4,484 | 2.69 | 32,020 |
| 1972-73 | 30.0 | 390 | 11,700 | 7,258 | 4,442 | 2.53 | 29,599 |
| 1973-74 | 30.9 | 395 | 12,200 | 7,845 | 4,355 | 2.12 | 25,843 |
| 1974-75 | 31.0 | 371 | 11,500 | 7,642 | 3,858 | 2.59 | 29,815 |
| 1975-76 | 32.0 | 406 | 13,000 | 8,945 | 4,055 | 2.23 | 28,930 |
| 1976-77 | 33.2 | 377 | 12,500 | 6,524 | 5,976 | 2.04 | 25,506 |
| 1977-78 | 35.1 | 407 | 14,300 | 8,927 | 5,373 | 2.09 | 29,935 |
| 1978-79 | 37.3 | 357 | 13,300 | 9,540 | 3,760 | 3.13 | 41,675 |
| 1979-80 | 39.5 | 400 | 15,800 | 10,495 | 5,305 | 3.80 | 60,106 |
| 1980-81 | 39.4 | 371 | 14,600 | 8,903 | 5,697 | 4.22 | 61,554 |
| 1981-82 | 42.7 | 347 | 14,800 | 8,390 | 6,410 | 2.80 | 41,447 |
| 1982-83 | 44.2 | 290 | 12,800 | 9,268 | 3,532 | 3.20 | 40,920 |
| 1983-84 | 43.8 | 306 | 13,400 | 9,019 | 4,381 | 4.05 | 54,228 |
| 1984-85 | 44.6 | 365 | 16,300 | 9,638 | 6,662 | 4.84 | 78,918 |
| 1985-86 | 41.4 | 435 | 18,000 | 12,885 | 5,115 | 4.85 | 87,358 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production | | | On-tree | |
|---|---|---|---|---|---|---|---|
| | | | Total | Fresh | Processed | Price per box | Value of production |
| | 1,000 acres | Boxes | | 1,000 boxes | | Dollars | 1,000 dollars |
| Temples | | | | | | | |
| 1966-67 | 18.0 | 278 | 5,000 | 3,002 | 1,998 | .88 | 4,403 |
| 1967-68 | 18.3 | 246 | 4,500 | 2,801 | 1,699 | 2.79 | 12,541 |
| 1968-69 | 19.7 | 228 | 4,500 | 2,103 | 2,397 | 2.22 | 9,992 |
| 1969-70 | 21.8 | 239 | 5,200 | 2,823 | 2,377 | 1.47 | 7,631 |
| 1970-71 | 23.0 | 217 | 5,000 | 2,232 | 2,768 | 1.91 | 9,529 |
| 1971-72 | 22.4 | 237 | 5,300 | 1,783 | 3,517 | 1.95 | 10,358 |
| 1972-73 | 22.3 | 229 | 5,100 | 2,445 | 2,655 | 1.95 | 9,959 |
| 1973-74 | 21.9 | 242 | 5,300 | 1,925 | 3,375 | 1.64 | 8,669 |
| 1974-75 | 21.9 | 242 | 5,300 | 1,908 | 3,392 | 1.68 | 8,893 |
| 1975-76 | 20.5 | 268 | 5,500 | 2,329 | 3,171 | 1.79 | 9,870 |
| 1976-77 | 20.3 | 187 | 3,800 | 1,184 | 2,616 | 2.16 | 8,189 |
| 1977-78 | 18.9 | 259 | 4,900 | 2,049 | 2,851 | 3.92 | 19,226 |
| 1978-79 | 18.3 | 257 | 4,700 | 2,135 | 2,565 | 4.89 | 22,968 |
| 1979-80 | 18.2 | 330 | 6,000 | 2,784 | 3,216 | 2.89 | 17,356 |
| 1980-81 | 17.7 | 203 | 3,600 | 1,107 | 2,493 | 4.21 | 15,170 |
| 1981-82 | 16.8 | 190 | 3,200 | 838 | 2,362 | 4.01 | 12,824 |
| 1982-83 | 15.8 | 297 | 4,700 | 1,563 | 3,137 | 3.99 | 18,735 |
| 1983-84 | 13.5 | 215 | 2,900 | 762 | 2,138 | 5.34 | 15,476 |
| 1984-85 | 12.2 | 266 | 3,250 | 626 | 2,624 | 5.59 | 18,162 |
| 1985-86 | 10.0 | 295 | 2,950 | 913 | 2,037 | 2.96 | 8,728 |
| Tangelos | | | | | | | |
| 1966-67 | 8.6 | 198 | 1,700 | 1,294 | 406 | 1.64 | 2,789 |
| 1967-68 | 10.6 | 160 | 1,700 | 1,415 | 285 | 3.22 | 5,475 |
| 1968-69 | 13.2 | 136 | 1,800 | 1,214 | 586 | 2.47 | 4,450 |
| 1969-70 | 18.1 | 138 | 2,500 | 1,397 | 1,103 | 1.13 | 2,828 |
| 1970-71 | 21.4 | 126 | 2,700 | 1,607 | 1,093 | 1.04 | 2,816 |
| 1971-72 | 20.0 | 180 | 3,600 | 1,718 | 1,882 | 1.69 | 6,091 |
| 1972-73 | 19.2 | 161 | 3,100 | 1,433 | 1,667 | 1.39 | 4,320 |
| 1973-74 | 18.8 | 197 | 3,700 | 1,596 | 2,104 | 1.25 | 4,631 |
| 1974-75 | 18.9 | 249 | 4,700 | 2,363 | 2,337 | 1.45 | 6,833 |
| 1975-76 | 18.6 | 296 | 5,500 | 2,245 | 3,255 | 1.42 | 7,806 |
| 1976-77 | 18.4 | 261 | 4,800 | 2,295 | 2,505 | 1.42 | 6,814 |
| 1977-78 | 17.9 | 274 | 4,900 | 1,987 | 2,913 | 3.29 | 16,144 |
| 1978-79 | 17.1 | 246 | 4,200 | 1,721 | 2,479 | 3.90 | 16,360 |
| 1979-80 | 17.3 | 370 | 6,400 | 1,807 | 4,593 | 2.87 | 18,351 |
| 1980-81 | 16.8 | 292 | 4,900 | 2,056 | 2,844 | 3.92 | 19,226 |
| 1981-82 | 16.1 | 317 | 5,100 | 1,780 | 3,320 | 3.58 | 18,264 |
| 1982-83 | 15.6 | 244 | 3,800 | 1,878 | 1,922 | 4.37 | 16,596 |
| 1983-84 | 12.3 | 293 | 3,600 | 1,596 | 2,004 | 4.28 | 15,395 |
| 1984-85 | 10.1 | 356 | 3,600 | 1,468 | 2,132 | 7.08 | 25,501 |
| 1985-86 | 9.5 | 311 | 2,950 | 1,338 | 1,612 | 4.02 | 11,851 |

---

1/ 1985-86 preliminary.

FLORIDA CITRUS: Acreage, yield, production, utilization, season average price, and value for crop years 1966-67 through 1985-86 1/

| Crop year | Bearing acreage | Yield per acre | Utilization of production |  |  | On-tree |  |
|---|---|---|---|---|---|---|---|
|  |  |  | Total | Fresh | Processed | Price per box | Value of production |
|  | 1,000 acres | Boxes | 1,000 boxes |  |  | Dollars | 1,000 dollars |
| Tangerines |  |  |  |  |  |  |  |
| 1966-67 | 13.4 | 306 | 4,100 | 3,032 | 1,068 | 1.06 | 4,340 |
| 1967-68 | 14.8 | 189 | 2,800 | 2,134 | 666 | 4.29 | 12,022 |
| 1968-69 | 16.1 | 211 | 3,400 | 2,327 | 1,073 | 2.55 | 8,685 |
| 1969-70 | 18.6 | 161 | 3,000 | 2,383 | 617 | 2.23 | 6,697 |
| 1970-71 | 20.0 | 185 | 3,700 | 2,661 | 1,039 | 1.88 | 6,970 |
| 1971-72 | 19.3 | 166 | 3,200 | 2,228 | 972 | 2.97 | 9,497 |
| 1972-73 | 19.4 | 155 | 3,000 | 2,018 | 982 | 2.37 | 7,123 |
| 1973-74 | 19.1 | 147 | 2,800 | 2,055 | 745 | 2.82 | 7,885 |
| 1974-75 | 19.4 | 160 | 3,100 | 2,211 | 889 | 3.05 | 9,463 |
| 1975-76 | 18.0 | 189 | 3,400 | 2,362 | 1,038 | 3.02 | 10,251 |
| 1976-77 | 17.9 | 184 | 3,300 | 2,317 | 983 | 3.29 | 10,855 |
| 1977-78 | 16.5 | 194 | 3,200 | 1,901 | 1,299 | 4.79 | 15,339 |
| 1978-79 | 15.9 | 220 | 3,500 | 1,891 | 1,609 | 4.99 | 17,465 |
| 1979-80 | 15.2 | 257 | 3,900 | 2,339 | 1,561 | 4.25 | 16,594 |
| 1980-81 | 15.0 | 200 | 3,000 | 1,905 | 1,095 | 5.45 | 16,361 |
| 1981-82 | 13.0 | 192 | 2,500 | 1,591 | 909 | 6.23 | 15,563 |
| 1982-83 | 11.4 | 197 | 2,250 | 1,490 | 760 | 7.57 | 17,041 |
| 1983-84 | 7.6 | 264 | 2,000 | 1,404 | 596 | 5.93 | 11,866 |
| 1984-85 | 6.2 | 169 | 1,050 | 693 | 357 | 15.91 | 16,710 |
| 1985-86 | 4.6 | 250 | 1,150 | 738 | 412 | 12.81 | 14,733 |
| Honey Tangerines |  |  |  |  |  |  |  |
| 1966-67 | 6.3 | 107 | 675 | 440 | 235 | 2.36 | 1,592 |
| 1967-68 | 7.3 | 75 | 550 | 392 | 158 | 4.00 | 2,201 |
| 1968-69 | 8.1 | 136 | 1,100 | 388 | 712 | 2.32 | 2,556 |
| 1969-70 | 9.2 | 107 | 980 | 471 | 509 | 1.96 | 1,916 |
| 1970-71 | 10.1 | 96 | 970 | 339 | 631 | 2.26 | 2,188 |
| 1971-72 | 9.4 | 170 | 1,600 | 719 | 881 | 2.35 | 3,766 |
| 1972-73 | 9.5 | 95 | 900 | 547 | 353 | 3.74 | 3,362 |
| 1973-74 | 9.2 | 163 | 1,500 | 767 | 733 | 2.77 | 4,156 |
| 1974-75 | 9.1 | 181 | 1,650 | 1,014 | 636 | 3.28 | 5,420 |
| 1975-76 | 8.7 | 236 | 2,050 | 1,322 | 728 | 3.61 | 7,390 |
| 1976-77 | 8.5 | 159 | 1,350 | 343 | 1,007 | 3.23 | 4,356 |
| 1977-78 | 8.4 | 223 | 1,870 | 854 | 1,016 | 5.50 | 10,281 |
| 1978-79 | 8.0 | 221 | 1,770 | 1,008 | 762 | 6.63 | 11,740 |
| 1979-80 | 8.2 | 341 | 2,800 | 1,469 | 1,331 | 5.48 | 15,342 |
| 1980-81 | 8.0 | 138 | 1,100 | 273 | 827 | 4.66 | 5,128 |
| 1981-82 | 7.6 | 211 | 1,600 | 326 | 1,274 | 5.33 | 8,529 |
| 1982-83 | 7.5 | 153 | 1,150 | 680 | 470 | 8.34 | 9,591 |
| 1983-84 | 5.6 | 175 | 975 | 454 | 521 | 9.41 | 9,177 |
| 1984-85 | 5.1 | 156 | 790 | 252 | 538 | 10.68 | 8,435 |
| 1985-86 | 4.2 | 190 | 800 | 451 | 349 | 10.08 | 8,060 |

1/ 1985-86 preliminary.

CITRUS FRUITS: Utilization, season average on-tree price, and value by types, by states, crop years 1980-81 through 1985-86 1/

| Crop | Utilization of production | | | Price per box | | | Value of production | | |
|---|---|---|---|---|---|---|---|---|---|
| year | Fresh | Proc | Total | Fresh | Proc | Total | Fresh | Proc | Total |
| | 1,000 boxes | | | Dollars per box | | | 1,000 dollars | | |
| United States oranges | | | | | | | | | |
| 1980-81 | 50,436 | 194,144 | 244,580 | 5.39 | 3.30 | 3.75 | 272,097 | 645,475 | 917,572 |
| 1981-82 | 46,460 | 130,230 | 176,690 | 8.18 | 3.78 | 4.94 | 379,921 | 492,612 | 872,533 |
| 1982-83 | 59,455 | 165,725 | 225,180 | 4.65 | 3.98 | 4.15 | 275,767 | 658,804 | 934,571 |
| 1983-84 | 48,090 | 121,420 | 169,510 | 8.39 | 4.98 | 5.95 | 403,565 | 604,464 | 1,008,029 |
| 1984-85 | 48,982 | 109,768 | 158,750 | 10.14 | 6.19 | 7.41 | 496,610 | 679,374 | 1,175,984 |
| 1985-86 | 54,833 | 121,577 | 176,410 | 6.32 | 3.22 | 4.18 | 346,618 | 391,034 | 737,652 |
| Florida oranges | | | | | | | | | |
| 1980-81 | 8,276 | 164,124 | 172,400 | 5.79 | 3.96 | 4.04 | 47,927 | 649,304 | 697,231 |
| 1981-82 | 7,620 | 118,180 | 125,800 | 6.51 | 4.14 | 4.28 | 49,621 | 489,065 | 538,686 |
| 1982-83 | 10,320 | 129,280 | 139,600 | 5.94 | 5.08 | 5.15 | 61,273 | 657,147 | 718,420 |
| 1983-84 | 7,640 | 109,060 | 116,700 | 7.75 | 5.61 | 5.75 | 59,245 | 611,373 | 670,618 |
| 1984-85 | 6,652 | 97,248 | 103,900 | 11.11 | 6.83 | 7.10 | 73,911 | 664,012 | 737,923 |
| 1985-86 | 8,883 | 110,117 | 119,000 | 5.34 | 3.68 | 3.81 | 47,446 | 405,636 | 453,082 |
| California oranges | | | | | | | | | |
| 1980-81 | 37,630 | 27,620 | 65,250 | 5.46 | - .28 | 3.03 | 205,507 | - 7,710 | 197,797 |
| 1981-82 | 33,400 | 8,500 | 41,900 | 9.10 | - .59 | 7.13 | 303,792 | - 5,000 | 298,792 |
| 1982-83 | 43,250 | 32,850 | 76,100 | 4.37 | - .16 | 2.42 | 189,097 | - 5,186 | 183,911 |
| 1983-84 | 37,550 | 10,950 | 48,500 | 8.73 | - .90 | 6.55 | 327,701 | - 9,886 | 317,815 |
| 1984-85 | 40,400 | 12,000 | 52,400 | 10.01 | 1.23 | 8.00 | 404,262 | 14,724 | 418,986 |
| 1985-86 | 43,800 | 11,000 | 54,800 | 6.49 | -1.29 | 4.93 | 284,132 | -14,190 | 269,942 |
| Texas oranges | | | | | | | | | |
| 1980-81 | 2,850 | 1,480 | 4,330 | 4.13 | 3.07 | 3.76 | 11,758 | 4,537 | 16,295 |
| 1981-82 | 3,320 | 2,620 | 5,940 | 4.01 | 3.28 | 3.69 | 13,320 | 8,595 | 21,915 |
| 1982-83 | 3,340 | 2,340 | 5,680 | 4.16 | 2.93 | 3.65 | 13,894 | 6,856 | 20,750 |
| 1983-84 | 1,390 | 1,120 | 2,510 | 4.10 | 2.70 | 3.48 | 5,699 | 3,024 | 8,723 |
| 1984-85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1985-86 | 290 | 20 | 310 | 9.29 | 4.01 | 8.95 | 2,694 | 80 | 2,774 |
| Arizona oranges | | | | | | | | | |
| 1980-81 | 1,680 | 920 | 2,600 | 4.11 | - .71 | 2.41 | 6,905 | - 656 | 6,249 |
| 1981-82 | 2,120 | 930 | 3,050 | 6.22 | - .05 | 4.31 | 13,188 | - 48 | 13,140 |
| 1982-83 | 2,545 | 1,255 | 3,800 | 4.52 | - .01 | 3.02 | 11,503 | - 13 | 11,490 |
| 1983-84 | 1,510 | 290 | 1,800 | 7.23 | - .16 | 6.04 | 10,920 | - 47 | 10,873 |
| 1984-85 | 1,930 | 520 | 2,450 | 9.55 | 1.23 | 7.79 | 18,437 | 638 | 19,075 |
| 1985-86 | 1,860 | 440 | 2,300 | 6.64 | -1.12 | 5.15 | 12,346 | - 492 | 11,854 |

---

1/ 1985-86 preliminary.

CITRUS FRUITS: Utilization, season average on-tree price, and value by types, by states, crop years 1981-82 through 1985-86 1/

| Crop | Utilization of production | | | Price per box | | | Value of production | | |
|---|---|---|---|---|---|---|---|---|---|
| year | Fresh | Proc | Total | Fresh | Proc | Total | Fresh | Proc | Total |
| | 1,000 boxes | | | Dollars per box | | | 1,000 dollars | | |
| Florida early (including Navels) and midseason oranges | | | | | | | | | |
| 1981-82 | 4,929 | 69,071 | 74,000 | 6.30 | 4.13 | 4.27 | 31,053 | 285,263 | 316,316 |
| 1982-83 | 6,067 | 64,133 | 70,200 | 7.05 | 4.68 | 4.88 | 42,772 | 300,142 | 342,914 |
| 1983-84 | 4,939 | 64,761 | 69,700 | 6.80 | 4.96 | 5.09 | 33,585 | 321,215 | 354,800 |
| 1984-85 | 4,418 | 50,582 | 55,000 | 11.85 | 6.90 | 7.30 | 52,353 | 349,016 | 401,369 |
| 1985-86 | 5,121 | 59,079 | 64,200 | 6.40 | 3.54 | 3.77 | 32,774 | 209,140 | 241,914 |
| Florida Navels | | | | | | | | | |
| 1981-82 | 1,446 | 254 | 1,700 | 11.10 | 4.01 | 10.04 | 16,051 | 1,019 | 17,070 |
| 1982-83 | 1,824 | 376 | 2,200 | 10.55 | 4.68 | 9.55 | 19,243 | 1,759 | 21,002 |
| 1983-84 | 1,747 | 453 | 2,200 | 8.70 | 4.57 | 7.85 | 15,199 | 2,070 | 17,269 |
| 1984-85 | 1,379 | 371 | 1,750 | 16.45 | 6.49 | 14.34 | 22,685 | 2,408 | 25,093 |
| 1985-86 | 1,606 | 444 | 2,050 | 11.90 | 3.23 | 10.02 | 19,111 | 1,434 | 20,545 |
| Florida late (Valencia) oranges | | | | | | | | | |
| 1981-82 | 2,691 | 49,109 | 51,800 | 6.90 | 4.15 | 4.29 | 18,568 | 203,802 | 222,370 |
| 1982-83 | 4,253 | 65,147 | 69,400 | 4.35 | 5.48 | 5.41 | 18,501 | 357,005 | 375,506 |
| 1983-84 | 2,701 | 44,299 | 47,000 | 9.50 | 6.55 | 6.72 | 25,660 | 290,158 | 315,818 |
| 1984-85 | 2,234 | 46,666 | 48,900 | 9.65 | 6.75 | 6.88 | 21,558 | 314,996 | 336,554 |
| 1985-86 | 3,762 | 51,038 | 54,800 | 3.90 | 3.85 | 3.85 | 14,672 | 196,496 | 211,168 |
| California Navels and miscellaneous oranges | | | | | | | | | |
| 1981-82 | 21,200 | 5,300 | 26,500 | 7.24 | - 1.04 | 5.58 | 153,488 | - 5,512 | 147,976 |
| 1982-83 | 27,200 | 13,000 | 40,200 | 4.58 | - .46 | 2.95 | 124,576 | - 5,980 | 118,596 |
| 1983-84 | 25,350 | 8,350 | 33,700 | 5.66 | - 1.24 | 3.95 | 143,481 | -10,354 | 133,127 |
| 1984-85 | 23,100 | 3,100 | 26,200 | 10.94 | .96 | 9.76 | 252,714 | 2,976 | 255,690 |
| 1985-86 | 26,800 | 6,500 | 33,300 | 7.24 | - 1.38 | 5.56 | 194,032 | - 8,970 | 185,062 |
| California Valencia oranges | | | | | | | | | |
| 1981-82 | 12,200 | 3,200 | 15,400 | 12.32 | .16 | 9.79 | 150,304 | 512 | 150,816 |
| 1982-83 | 16,050 | 19,850 | 35,900 | 4.02 | .04 | 1.82 | 64,521 | 794 | 65,315 |
| 1983-84 | 12,200 | 2,600 | 14,800 | 15.10 | .18 | 12.48 | 184,220 | 468 | 184,688 |
| 1984-85 | 17,300 | 8,900 | 26,200 | 8.76 | 1.32 | 6.23 | 151,548 | 11,748 | 163,296 |
| 1985-86 | 17,000 | 4,500 | 21,500 | 5.30 | - 1.16 | 3.95 | 90,100 | - 5,220 | 84,880 |
| Florida Temples | | | | | | | | | |
| 1981-82 | 838 | 2,362 | 3,200 | 6.65 | 3.07 | 4.01 | 5,573 | 7,251 | 12,824 |
| 1982-83 | 1,563 | 3,137 | 4,700 | 4.50 | 3.73 | 3.99 | 7,034 | 11,701 | 18,735 |
| 1983-84 | 762 | 2,138 | 2,900 | 8.30 | 4.28 | 5.34 | 6,325 | 9,151 | 15,476 |
| 1984-85 | 626 | 2,624 | 3,250 | 9.90 | 4.56 | 5.59 | 6,197 | 11,965 | 18,162 |
| 1985-86 | 913 | 2,037 | 2,950 | 5.90 | 1.64 | 2.96 | 5,387 | 3,341 | 8,728 |

---

1/ 1985-86 preliminary.

CITRUS FRUITS: Utilization, season average on-tree price, and value by types, by states, crop years 1980-81 through 1985-86 1/

| Crop year | Utilization of production |  |  | Price per box |  |  | Value of production |  |  |
|---|---|---|---|---|---|---|---|---|---|
|  | Fresh | Proc | Total | Fresh | Proc | Total | Fresh | Proc | Total |
|  | 1,000 boxes |  |  | Dollars per box |  |  | 1,000 dollars |  |  |
| United States grapefruit |  |  |  |  |  |  |  |  |  |
| 1980-81 | 27,907 | 39,953 | 67,860 | 5.15 | 2.36 | 3.50 | 143,221 | 94,341 | 237,562 |
| 1981-82 | 28,764 | 41,786 | 70,550 | 3.94 | .66 | 1.99 | 113,282 | 27,434 | 140,716 |
| 1982-83 | 32,153 | 28,447 | 60,600 | 3.18 | .22 | 1.79 | 102,169 | 6,303 | 108,472 |
| 1983-84 | 25,686 | 27,924 | 53,610 | 4.19 | 1.30 | 2.68 | 107,629 | 36,236 | 143,865 |
| 1984-85 | 23,138 | 32,662 | 55,800 | 6.39 | 2.31 | 4.01 | 147,888 | 75,593 | 223,481 |
| 1985-86 | 27,260 | 30,510 | 57,770 | 5.92 | 2.69 | 4.21 | 161,507 | 81,931 | 243,438 |
| Florida grapefruit |  |  |  |  |  |  |  |  |  |
| 1980-81 | 17,167 | 33,133 | 50,300 | 5.25 | 2.76 | 3.60 | 89,695 | 91,460 | 181,155 |
| 1981-82 | 16,719 | 31,381 | 48,100 | 4.48 | .82 | 2.09 | 74,846 | 25,751 | 100,597 |
| 1982-83 | 18,313 | 21,087 | 39,400 | 3.61 | .52 | 1.96 | 66,195 | 11,026 | 77,221 |
| 1983-84 | 16,661 | 24,239 | 40,900 | 4.20 | 1.70 | 2.72 | 69,894 | 41,264 | 111,158 |
| 1984-85 | 14,988 | 29,012 | 44,000 | 5.62 | 2.66 | 3.67 | 84,208 | 77,148 | 161,356 |
| 1985-86 | 19,620 | 27,130 | 46,750 | 5.19 | 3.09 | 3.97 | 101,732 | 83,890 | 185,622 |
| California grapefruit |  |  |  |  |  |  |  |  |  |
| 1980-81 | 4,490 | 3,570 | 8,060 | 6.34 | - .45 | 3.33 | 28,465 | -1,615 | 26,850 |
| 1981-82 | 3,705 | 2,445 | 6,150 | 3.95 | - 1.31 | 1.85 | 14,635 | -3,203 | 11,432 |
| 1982-83 | 4,420 | 2,880 | 7,300 | 4.05 | - 1.31 | 1.94 | 17,901 | -3,773 | 14,128 |
| 1983-84 | 4,620 | 2,620 | 7,240 | 5.30 | - 1.53 | 2.83 | 24,469 | -4,008 | 20,461 |
| 1984-85 | 6,200 | 2,600 | 8,800 | 8.18 | - .44 | 5.63 | 50,732 | -1,156 | 49,576 |
| 1985-86 | 5,900 | 2,500 | 8,400 | 8.35 | - .58 | 5.69 | 49,272 | -1,462 | 47,810 |
| Texas grapefruit |  |  |  |  |  |  |  |  |  |
| 1980-81 | 4,650 | 2,050 | 6,700 | 3.70 | 2.31 | 3.27 | 17,205 | 4,736 | 21,941 |
| 1981-82 | 7,230 | 6,670 | 13,900 | 2.73 | .98 | 1.89 | 19,738 | 6,537 | 26,275 |
| 1982-83 | 7,800 | 3,400 | 11,200 | 1.75 | .14 | 1.26 | 13,650 | 476 | 14,126 |
| 1983-84 | 2,860 | 340 | 3,200 | 2.24 | .24 | 2.03 | 6,406 | 82 | 6,488 |
| 1984-85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1985-86 | 200 | 20 | 220 | 8.93 | 3.53 | 8.44 | 1,786 | 71 | 1,857 |
| Arizona grapefruit |  |  |  |  |  |  |  |  |  |
| 1980-81 | 1,600 | 1,200 | 2,800 | 4.91 | - .20 | 2.72 | 7,856 | - 240 | 7,616 |
| 1981-82 | 1,110 | 1,290 | 2,400 | 3.66 | - 1.28 | 1.01 | 4,063 | -1,651 | 2,412 |
| 1982-83 | 1,620 | 1,080 | 2,700 | 2.73 | - 1.32 | 1.11 | 4,423 | -1,426 | 2,997 |
| 1983-84 | 1,545 | 725 | 2,270 | 4.44 | - 1.52 | 2.54 | 6,860 | -1,102 | 5,758 |
| 1984-85 | 1,950 | 1,050 | 3,000 | 6.64 | - .38 | 4.18 | 12,948 | - 399 | 12,549 |
| 1985-86 | 1,540 | 860 | 2,400 | 5.66 | - .66 | 3.40 | 8,717 | - 568 | 8,149 |

---

1/ 1985-86 preliminary.

CITRUS FRUITS: Utilization, season average on-tree price, and value by types, by states, crop years 1981-82 through 1985-86 1/

| Crop year | Utilization of production | | | Price per box | | | Value of production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Fresh | Proc | Total | Fresh | Proc | Total | Fresh | Proc | Total |
| | 1,000 boxes | | | Dollars per box | | | 1,000 dollars | | |
| Florida tangerines | | | | | | | | | |
| 1981-82 | 1,591 | 909 | 2,500 | 9.05 | 1.28 | 6.23 | 14,399 | 1,164 | 15,563 |
| 1982-83 | 1,490 | 760 | 2,250 | 10.85 | 1.15 | 7.57 | 16,167 | 874 | 17,041 |
| 1983-84 | 1,404 | 596 | 2,000 | 7.25 | 2.83 | 5.93 | 10,179 | 1,687 | 11,866 |
| 1984-85 | 693 | 357 | 1,050 | 22.15 | 3.81 | 15.91 | 15,350 | 1,360 | 16,710 |
| 1985-86 | 738 | 412 | 1,150 | 19.40 | 1.01 | 12.81 | 14,317 | 416 | 14,733 |
| California tangerines | | | | | | | | | |
| 1981-82 | 1,120 | 610 | 1,730 | 9.10 | -1.30 | 5.43 | 10,192 | -793 | 9,399 |
| 1982-83 | 1,140 | 1,010 | 2,150 | 8.30 | -1.51 | 3.69 | 9,462 | -1,525 | 7,937 |
| 1983-84 | 920 | 930 | 1,850 | 11.00 | -1.25 | 4.84 | 10,120 | -1,163 | 8,957 |
| 1984-85 | 1,145 | 535 | 1,680 | 14.55 | -.02 | 9.91 | 16,660 | -11 | 16,649 |
| 1985-86 | 1,270 | 530 | 1,800 | 14.45 | -2.73 | 9.39 | 18,352 | -1,447 | 16,905 |
| Arizona tangerines | | | | | | | | | |
| 1981-82 | 450 | 300 | 750 | 7.35 | -1.95 | 3.63 | 3,308 | -585 | 2,723 |
| 1982-83 | 750 | 350 | 1,100 | 5.67 | -2.01 | 3.23 | 4,253 | -704 | 3,549 |
| 1983-84 | 900 | 250 | 1,150 | 5.57 | -1.65 | 4.00 | 5,013 | -413 | 4,600 |
| 1984-85 | 570 | 130 | 700 | 12.05 | -.02 | 9.81 | 6,869 | -3 | 6,866 |
| 1985-86 | 530 | 170 | 700 | 12.85 | -1.72 | 9.31 | 6,810 | -292 | 6,518 |
| Florida Honey Tangerines | | | | | | | | | |
| 1981-82 | 326 | 1,274 | 1,600 | 13.15 | 3.33 | 5.33 | 4,287 | 4,242 | 8,529 |
| 1982-83 | 680 | 470 | 1,150 | 11.65 | 3.55 | 8.34 | 7,922 | 1,669 | 9,591 |
| 1983-84 | 454 | 521 | 975 | 14.90 | 4.63 | 9.41 | 6,765 | 2,412 | 9,177 |
| 1984-85 | 252 | 538 | 790 | 24.10 | 4.39 | 10.68 | 6,073 | 2,362 | 8,435 |
| 1985-86 | 451 | 349 | 800 | 16.50 | 1.77 | 10.08 | 7,442 | 618 | 8,060 |
| Florida tangelos | | | | | | | | | |
| 1981-82 | 1,780 | 3,320 | 5,100 | 5.15 | 2.74 | 3.58 | 9,167 | 9,097 | 18,264 |
| 1982-83 | 1,878 | 1,922 | 3,800 | 5.90 | 2.87 | 4.37 | 11,080 | 5,516 | 16,596 |
| 1983-84 | 1,596 | 2,004 | 3,600 | 4.90 | 3.78 | 4.28 | 7,820 | 7,575 | 15,395 |
| 1984-85 | 1,468 | 2,132 | 3,600 | 10.40 | 4.80 | 7.08 | 15,267 | 10,234 | 25,501 |
| 1985-86 | 1,338 | 1,612 | 2,950 | 6.40 | 2.04 | 4.02 | 8,563 | 3,288 | 11,851 |
| Florida K-Early Citrus Fruit | | | | | | | | | |
| 1981-82 | 304 | 96 | 400 | 6.85 | -.37 | 5.12 | 2,082 | -36 | 2,046 |
| 1982-83 | 228 | 52 | 280 | 8.70 | -1.50 | 6.81 | 1,984 | -78 | 1,906 |
| 1983-84 | 402 | 118 | 520 | 3.01 | -.25 | 2.27 | 1,210 | -30 | 1,180 |
| 1984-85 | 102 | 23 | 125 | 14.10 | 2.37 | 11.94 | 1,438 | 55 | 1,493 |
| 1985-86 | 121 | 39 | 160 | 10.90 | .87 | 8.46 | 1,319 | 34 | 1,353 |

---

1/ 1985-86 preliminary.

### ACID FRUITS: Utilization, season average on-tree price, and value by types, by states, crop years 1980-81 through 1985-86 1/

| Crop year | Utilization of production<br>Fresh | <br>Proc | <br>Total | Price per box<br>Fresh | <br>Proc | <br>Total | Value of production<br>Fresh | <br>Proc | <br>Total |
|---|---|---|---|---|---|---|---|---|---|
| | 1,000 boxes | | | Dollars per box | | | 1,000 dollars | | |
| Florida limes | | | | | | | | | |
| 1980-81 | 697 | 503 | 1,200 | 12.70 | -1.91 | 6.58 | 8,852 | - 961 | 7,891 |
| 1981-82 | 625 | 675 | 1,300 | 18.25 | -1.73 | 7.88 | 11,406 | - 1,168 | 10,238 |
| 1982-83 | 975 | 725 | 1,700 | 16.10 | -1.98 | 8.39 | 15,698 | - 1,436 | 14,262 |
| 1983-84 | 825 | 615 | 1,440 | 14.40 | -1.86 | 7.46 | 11,880 | - 1,144 | 10,736 |
| 1984-85 | 1,025 | 615 | 1,640 | 12.20 | - .94 | 7.27 | 12,505 | - 578 | 11,927 |
| 1985-86 | 880 | 570 | 1,450 | 16.50 | - .93 | 9.65 | 14,520 | - 530 | 13,990 |
| California lemons | | | | | | | | | |
| 1980-81 | 9,150 | 15,150 | 24,300 | 6.22 | - .33 | 2.14 | 56,914 | - 5,000 | 51,914 |
| 1981-82 | 7,970 | 10,530 | 18,500 | 7.64 | -2.90 | 1.64 | 60,891 | -30,537 | 30,354 |
| 1982-83 | 9,250 | 11,050 | 20,300 | 6.20 | -2.94 | 1.22 | 57,350 | -32,487 | 24,863 |
| 1983-84 | 9,240 | 8,010 | 17,250 | 8.16 | -2.06 | 3.41 | 75,398 | -16,501 | 58,897 |
| 1984-85 | 9,350 | 10,450 | 19,800 | 10.58 | -1.06 | 4.44 | 98,923 | -11,077 | 87,846 |
| 1985-86 | 9,500 | 5,600 | 15,100 | 14.52 | -1.52 | 8.57 | 137,940 | - 8,512 | 129,428 |
| Arizona lemons | | | | | | | | | |
| 1980-81 | 2,240 | 4,760 | 7,000 | 4.30 | - .24 | 1.21 | 9,632 | - 1,142 | 8,490 |
| 1981-82 | 2,580 | 3,720 | 6,300 | 5.13 | -2.90 | .39 | 13,235 | -10,788 | 2,447 |
| 1982-83 | 2,380 | 2,670 | 5,050 | 5.93 | -2.92 | 1.25 | 14,113 | - 7,796 | 6,317 |
| 1983-84 | 2,320 | 1,680 | 4,000 | 5.07 | -3.12 | 1.63 | 11,762 | - 5,242 | 6,520 |
| 1984-85 | 2,390 | 3,610 | 6,000 | 6.74 | -1.91 | 1.54 | 16,109 | - 6,895 | 9,214 |
| 1985-86 | 1,980 | 1,270 | 3,250 | 20.85 | -1.32 | 12.19 | 41,283 | - 1,676 | 39,607 |

---

1/ 1985-86 preliminary.

### FLORIDA LEMONS: Bearing acreage, production, and season average on-tree prices for crop years 1976 through 1985

| Season 1/ | True lemons<br>Bearing acres | <br>Prod | <br>Price per box | Meyer lemons<br>Bearing acres | <br>Prod | <br>Price per box | All lemons<br>Bearing acres | <br>Prod | <br>Price per box | <br>Value of prod |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1,000 acres | 1,000 boxes | Dols | 1,000 acres | 1,000 boxes | Dols | 1,000 acres | 1,000 boxes | Dols | 1,000 dols |
| 1976 | 5.6 | 900 | 2.45 | 1.4 | 470 | 1.30 | 7.0 | 1,370 | 2.05 | 2,808 |
| 1977 | 3.7 | 200 | 4.55 | 1.4 | 190 | 1.55 | 5.1 | 390 | 3.05 | 1,190 |
| 1978 | 3.5 | 370 | 5.25 | 1.4 | 330 | 1.60 | 4.9 | 700 | 3.50 | 2,450 |
| 1979 | 3.9 | 770 | 8.90 | 1.3 | 480 | 2.50 | 5.2 | 1,250 | 6.45 | 8,063 |
| 1980 | 3.8 | 850 | 7.90 | 1.3 | 630 | 3.95 | 5.1 | 1,480 | 6.20 | 9,204 |
| 1981 | 3.7 | 870 | 6.70 | 1.3 | 340 | 2.20 | 5.0 | 1,210 | 5.45 | 6,577 |
| 1982 | 2.0 | 140 | 13.30 | 1.2 | 580 | 2.00 | 3.2 | 720 | 4.20 | 3,005 |
| 1983 | 1.6 | 455 | 9.00 | .7 | 55 | .40 | 2.3 | 510 | 8.10 | 4,111 |
| 1984 | 1.6 | 485 | NA | .5 | 65 | NA | 2.1 | 550 | 6.00 | 3,313 |
| 1985 | 1.3 | 275 | NA | .1 | 55 | NA | 1.4 | 330 | 16.60 | 5,483 |

---

1/ Florida lemons bloom and harvest during the calendar year.

## FLORIDA CITRUS PRODUCTS: Annual packs of oranges and all citrus feeds, crop years 1971-72 through 1985-86

| Crop year | Oranges | | | | | | | All citrus | |
|---|---|---|---|---|---|---|---|---|---|
| | Concentrated juice 1/ | | Chilled juice | | Canned juice | | Canned sections | | |
| | Product | Boxes used | Product | Boxes used | Product | Boxes used | Product | Feed | Molasses |
| | 1,000 gallons | 1,000 boxes | 1,000 gallons | 1,000 boxes | 1,000 cases 2/ | 1,000 boxes | 1,000 cases 2/ | 1,000 tons | |
| 1971-72 | 134,229 | 104,399 | 108,756 | 19,522 | 10,800 | 6,485 | 8 | 658 | 47 |
| 1972-73 | 176,073 | 132,210 | 112,402 | 20,465 | 13,670 | 8,000 | 18 | 789 | 56 |
| 1973-74 | 171,846 | 132,469 | 112,775 | 20,405 | 10,885 | 6,594 | 17 | 742 | 61 |
| 1974-75 | 178,174 | 135,512 | 123,189 | 22,777 | 10,737 | 6,516 | 18 | 814 | 58 |
| 1975-76 | 186,265 | 144,526 | 132,940 | 23,992 | 10,635 | 6,308 | 26 | 857 | 33 |
| 1976-77 | 158,035 | 147,772 | 124,550 | 27,243 | 10,767 | 7,429 | 10 | 1,027 | 30 |
| 1977-78 | 161,204 | 130,929 | 134,369 | 25,379 | 11,654 | 7,210 | 16 | 897 | 24 |
| 1978-79 | 172,985 | 129,123 | 124,953 | 22,793 | 13,222 | 6,511 | 15 | 886 | 20 |
| 1979-80 | 231,210 | 173,229 | 134,782 | 25,430 | 13,869 | 6,656 | 18 | 1,091 | 36 |
| 1980-81 | 174,537 | 144,322 | 95,700 | 19,640 | 13,012 | 5,994 | 19 | 988 | 35 |
| 1981-82 | 133,294 | 104,355 | 84,597 | 16,293 | 11,503 | 4,058 | 14 | 724 | 23 |
| 1982-83 | 169,577 | 114,343 | 104,256 | 18,084 | 9,802 | 2,190 | 35 | 710 | 26 |
| 1983-84 | 121,216 | 94,547 | 92,814 | 16,981 | 9,084 | 2,269 | NA | 640 | 36 |
| 1984-85 | 118,472 | 86,112 | 81,445 | 14,903 | 7,425 | 1,185 | NA | 580 | 35 |
| 1985-86 | 132,406 | 96,061 | NA | NA | 7,596 | 1,292 | NA | 610 | 37 |

## FLORIDA CITRUS PRODUCTS: Annual packs of grapefruit, tangerine, and other products, crop years 1971-72 through 1985-86

| Crop year | Concentrated juice | | | | Canned products | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Grapefruit | | Tangerine | Blended | Grapefruit | | Tangerine juice | Blended juice | Citrus salad |
| | Prod | Boxes used | Prod | Prod | Juice | Segments | | | |
| | 1,000 gals | 1,000 boxes | 1,000 gals | | 1,000 cases 2/ | | | | |
| 1971-72 | 8,798 | 8,725 | 1,220 | 22 | 20,874 | 2,574 | 16 | 1,807 | 254 |
| 1972-73 | 8,658 | 8,212 | 1,072 | 3 | 19,059 | 2,687 | 24 | 1,898 | 131 |
| 1973-74 | 9,026 | 8,732 | 1,019 | 11 | 20,576 | 3,027 | 18 | 1,782 | 117 |
| 1974-75 | 7,847 | 7,779 | 1,147 | 4 | 15,951 | 2,236 | 12 | 1,493 | 206 |
| 1975-76 | 9,316 | 8,987 | 1,111 | 1 | 18,439 | 1,602 | 19 | 1,687 | 112 |
| 1976-77 | 1,258 | 3,013 | 926 | 18 | 18,809 | 1,722 | 35 | 1,308 | 84 |
| 1977-78 | 13,693 | 13,999 | 1,672 | 1 | 17,246 | 1,753 | 8 | 1,664 | 111 |
| 1978-79 | 14,243 | 13,274 | 1,367 | 3 | 16,764 | 1,823 | 19 | 1,255 | 76 |
| 1979-80 | 19,443 | 18,506 | 2,142 | 1 | 16,604 | 1,966 | 17 | 1,314 | 74 |
| 1980-81 | 20,763 | 19,490 | 1,175 | 3 | 14,231 | 1,671 | 9 | 984 | 79 |
| 1981-82 | 21,869 | 20,052 | 924 | 18 | 15,725 | 1,344 | 6 | 727 | 69 |
| 1982-83 | 14,483 | 13,977 | 334 | 1 | 11,651 | 1,235 | 4 | 650 | 94 |
| 1983-84 | 19,291 | 18,728 | 636 | 0 | 9,513 | NA | 0 | 555 | NA |
| 1984-85 | 24,802 | 22,996 | 285 | 0 | 10,552 | NA | 1 | 615 | NA |
| 1985-86 | 24,162 | 21,572 | 368 | 0 | 9,948 | NA | 0 | 577 | NA |

---

1/ 45.0 degrees Brix through 1979-80; 43.4 degrees Brix, 1980-81; 42.0 degrees Brix, 1981-82 and later seasons. 2/ Equiv. cases, 24 No.2 cans.

SOURCE: See Page 45, Data Sources, Item 3.

FLORIDA GRAPEFRUIT: Production by types, by areas of production, crop years 1976-77 through 1985-86

| Crop year | White seedless |  |  | Colored seedless |  |  | Seedy |  |  |
|---|---|---|---|---|---|---|---|---|---|
|  | State | Interior | Indian River | State | Interior | Indian River | State | Interior | Indian River |
|  | 1,000 boxes |  |  |  |  |  |  |  |  |
| 1976-77 | 29,900 | 15,900 | 14,000 | 12,500 | 5,900 | 6,600 | 9,100 | 8,900 | 200 |
| 1977-78 | 28,700 | 15,700 | 13,000 | 14,300 | 6,900 | 7,400 | 8,400 | 8,200 | 200 |
| 1978-79 | 29,400 | 17,200 | 12,200 | 13,300 | 6,000 | 7,300 | 7,300 | 7,100 | 200 |
| 1979-80 | 31,100 | 18,700 | 12,400 | 15,800 | 8,100 | 7,700 | 7,900 | 7,700 | 200 |
| 1980-81 | 28,400 | 16,000 | 12,400 | 14,600 | 6,700 | 7,900 | 7,300 | 7,100 | 200 |
| 1981-82 | 27,300 | 13,400 | 13,900 | 14,800 | 5,900 | 8,900 | 6,000 | 5,800 | 200 |
| 1982-83 | 21,800 | 11,800 | 10,000 | 12,800 | 5,000 | 7,800 | 4,800 | 4,700 | 100 |
| 1983-84 | 23,000 | 10,200 | 12,800 | 13,400 | 4,300 | 9,100 | 4,500 | 4,400 | 100 |
| 1984-85 | 24,800 | 8,600 | 16,200 | 16,300 | 4,200 | 12,100 | 2,900 | 2,800 | 100 |
| 1985-86 | 25,600 | 10,700 | 14,900 | 18,000 | 5,500 | 12,500 | 3,150 | 2,950 | 200 |

FLORIDA GRAPEFRUIT: Season average on-tree prices per box, by utilization of sales and areas of production, by types, crop years 1980-81 through 1985-86 1/

| Crop year and area | White seedless |  |  | Colored seedless |  |  |
|---|---|---|---|---|---|---|
|  | Fresh | Processing | All sales | Fresh | Processing | All sales |
|  | Dollars |  |  |  |  |  |
| 1980-81 |  |  |  |  |  |  |
| Interior | 4.16 | 2.96 | 3.14 | 4.89 | 1.92 | 3.12 |
| Indian River | 4.95 | 2.94 | 3.88 | 6.10 | 1.70 | 5.16 |
| State average | 4.72 | 2.95 | 3.46 | 5.73 | 1.85 | 4.22 |
| 1981-82 |  |  |  |  |  |  |
| Interior | 3.46 | 1.05 | 1.59 | 4.44 | .06 | 2.44 |
| Indian River | 4.32 | .93 | 2.23 | 5.25 | -.04 | 3.04 |
| State average | 4.01 | 1.00 | 1.92 | 4.94 | .00 | 2.80 |
| 1982-83 |  |  |  |  |  |  |
| Interior | 2.80 | .64 | 1.22 | 4.02 | .12 | 2.79 |
| Indian River | 2.82 | .49 | 1.86 | 4.62 | -.02 | 3.43 |
| State average | 2.81 | .59 | 1.51 | 4.40 | .04 | 3.20 |
| 1983-84 |  |  |  |  |  |  |
| Interior | 2.54 | 1.65 | 1.85 | 4.44 | 1.62 | 3.29 |
| Indian River | 3.11 | 1.66 | 2.28 | 5.40 | 1.54 | 4.28 |
| State average | 2.95 | 1.65 | 2.08 | 5.25 | 1.57 | 4.05 |
| 1984-85 |  |  |  |  |  |  |
| Interior | 3.78 | 2.75 | 3.00 | 6.40 | 2.09 | 5.48 |
| Indian River | 4.00 | 2.78 | 3.02 | 6.70 | 2.41 | 4.66 |
| State average | 3.94 | 2.77 | 3.02 | 6.55 | 2.37 | 4.84 |
| 1985-86 |  |  |  |  |  |  |
| Interior | 3.90 | 3.18 | 3.33 | 5.40 | 2.42 | 4.96 |
| Indian River | 4.40 | 3.18 | 3.56 | 5.80 | 2.77 | 4.76 |
| State average | 4.20 | 3.18 | 3.45 | 5.70 | 2.72 | 4.85 |

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Monthly and season average on-tree price per box for crop years 1981-82 through 1985-86 1/

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Season average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| **Early (including Navels) and midseason oranges** | | | | | | | |
| All methods of sale | | | | | | | |
| 1981-82 | -- | 4.96 | 4.49 | 4.15 | 4.25 | -- | 4.27 |
| 1982-83 | 7.45 | 5.02 | 4.84 | 4.73 | 4.84 | -- | 4.88 |
| 1983-84 | -- | 5.23 | 4.91 | 4.96 | 5.69 | -- | 5.09 |
| 1984-85 | -- | 9.21 | 7.70 | 7.16 | 6.79 | -- | 7.30 |
| 1985-86 | -- | 4.59 | 3.98 | 3.82 | 3.42 | 3.10 | 3.77 |
| Sales for fresh use | | | | | | | |
| 1981-82 | -- | 5.70 | 6.90 | 4.70 | 7.50 | -- | 6.30 |
| 1982-83 | 9.55 | 6.55 | 7.05 | 4.25 | 4.05 | -- | 7.05 |
| 1983-84 | -- | 6.40 | 6.60 | 7.50 | 7.70 | -- | 6.80 |
| 1984-85 | -- | 11.75 | 12.45 | 10.45 | 12.95 | -- | 11.85 |
| 1985-86 | -- | 6.40 | 7.40 | 4.50 | 4.50 | 6.50 | 6.40 |
| Sales for processing | | | | | | | |
| 1981-82 | -- | 3.98 | 3.99 | 4.14 | 4.19 | -- | 4.13 |
| 1982-83 | 3.92 | 4.39 | 4.61 | 4.74 | 4.85 | -- | 4.68 |
| 1983-84 | -- | 3.77 | 4.68 | 4.91 | 5.61 | -- | 4.96 |
| 1984-85 | -- | 6.67 | 6.80 | 7.05 | 6.75 | -- | 6.90 |
| 1985-86 | -- | 2.85 | 3.40 | 3.80 | 3.40 | 3.00 | 3.54 |

| Crop year | Feb | Mar | Apr | May | Jun | Jul | Season average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| **Late (Valencia) oranges** | | | | | | | |
| All methods of sale | | | | | | | |
| 1981-82 | 4.48 | 4.06 | 4.16 | 4.40 | 4.58 | -- | 4.29 |
| 1982-83 | 4.49 | 5.09 | 5.35 | 5.51 | 5.63 | -- | 5.41 |
| 1983-84 | 5.70 | 6.40 | 6.73 | 7.15 | 7.68 | -- | 6.72 |
| 1984-85 | 6.95 | 6.57 | 6.79 | 7.03 | 7.36 | -- | 6.88 |
| 1985-86 | 2.51 | 2.91 | 3.77 | 4.11 | 4.42 | -- | 3.85 |
| Sales for fresh use | | | | | | | |
| 1981-82 | 7.50 | 6.70 | 6.70 | 6.90 | 7.50 | -- | 6.90 |
| 1982-83 | 4.05 | 4.25 | 4.05 | 4.05 | 6.55 | -- | 4.35 |
| 1983-84 | 8.60 | 8.70 | 8.90 | 9.80 | 13.00 | -- | 9.50 |
| 1984-85 | 12.95 | 9.45 | 9.05 | 8.95 | 9.25 | -- | 9.65 |
| 1985-86 | 4.20 | 3.50 | 3.30 | 3.20 | 6.70 | -- | 3.90 |
| Sales for processing | | | | | | | |
| 1981-82 | 4.19 | 3.87 | 4.01 | 4.31 | 4.45 | -- | 4.15 |
| 1982-83 | 4.85 | 5.24 | 5.41 | 5.57 | 5.58 | -- | 5.48 |
| 1983-84 | 5.61 | 6.14 | 6.56 | 7.01 | 7.44 | -- | 6.55 |
| 1984-85 | 6.75 | 6.42 | 6.68 | 6.94 | 7.21 | -- | 6.75 |
| 1985-86 | 1.95 | 2.80 | 3.80 | 4.15 | 4.25 | -- | 3.85 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Monthly and season average on-tree price per box for crop years 1981-82 through 1985-86 1/

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Season average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | |
| **White seedless grapefruit** | | | | | | | | | | | |
| All methods of sale | | | | | | | | | | | |
| 1981-82 | -- | 3.87 | 2.26 | 2.18 | 1.73 | 1.54 | 1.50 | 2.28 | 2.84 | -- | 1.92 |
| 1982-83 | 2.39 | 2.03 | 1.31 | 1.49 | 1.37 | 1.14 | 1.42 | 1.86 | 1.77 | -- | 1.51 |
| 1983-84 | -- | 2.35 | 1.27 | 1.43 | 1.71 | 1.66 | 2.17 | 3.12 | 3.28 | -- | 2.08 |
| 1984-85 | -- | 3.54 | 2.96 | 3.00 | 3.02 | 3.10 | 2.85 | 3.11 | 3.38 | -- | 3.02 |
| 1985-86 | -- | 3.82 | 3.11 | 2.97 | 3.24 | 3.35 | 3.55 | 4.16 | -- | -- | 3.45 |
| Sales for fresh use | | | | | | | | | | | |
| 1981-82 | -- | 4.59 | 3.08 | 3.60 | 3.50 | 4.50 | 3.62 | 4.25 | 4.33 | -- | 4.01 |
| 1982-83 | 3.08 | 2.82 | 2.00 | 2.46 | 2.72 | 2.76 | 2.95 | 3.06 | 3.05 | -- | 2.81 |
| 1983-84 | -- | 2.94 | 1.65 | 2.16 | 2.91 | 2.70 | 2.98 | 3.84 | 4.16 | -- | 2.95 |
| 1984-85 | -- | 4.20 | 3.50 | 3.46 | 3.74 | 4.85 | 3.70 | 3.90 | 4.43 | -- | 3.94 |
| 1985-86 | -- | 4.70 | 3.41 | 3.68 | 3.71 | 3.83 | 4.42 | 5.26 | -- | -- | 4.20 |
| Sales for processing | | | | | | | | | | | |
| 1981-82 | -- | 1.75 | 1.15 | 1.10 | .90 | .90 | 1.05 | 1.00 | .64 | -- | 1.00 |
| 1982-83 | .60 | .60 | .67 | .67 | .60 | .58 | .63 | .51 | .23 | -- | .59 |
| 1983-84 | -- | .59 | .69 | .89 | 1.09 | 1.39 | 1.89 | 2.69 | 2.49 | -- | 1.65 |
| 1984-85 | -- | 1.69 | 2.28 | 2.75 | 2.69 | 2.84 | 2.76 | 2.92 | 2.75 | -- | 2.77 |
| 1985-86 | -- | 1.95 | 2.95 | 2.75 | 3.05 | 3.25 | 3.35 | 3.55 | -- | -- | 3.18 |

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Season average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | |
| **Colored seedless grapefruit** | | | | | | | | | | | |
| All methods of sale | | | | | | | | | | | |
| 1981-82 | -- | 4.68 | 3.40 | 3.11 | 2.54 | 2.02 | 1.76 | 2.89 | 3.68 | -- | 2.80 |
| 1982-83 | 4.70 | 3.14 | 2.87 | 2.75 | 2.79 | 2.88 | 3.06 | 3.88 | 4.41 | -- | 3.20 |
| 1983-84 | -- | 5.33 | 3.10 | 2.68 | 4.77 | 3.64 | 4.46 | 4.89 | 4.38 | 4.04 | 4.05 |
| 1984-85 | -- | 5.89 | 5.33 | 5.26 | 5.14 | 4.50 | 4.17 | 4.71 | 4.91 | -- | 4.84 |
| 1985-86 | -- | 5.60 | 4.65 | 4.33 | 4.29 | 4.39 | 5.13 | 5.40 | 5.53 | -- | 4.85 |
| Sales for fresh use | | | | | | | | | | | |
| 1981-82 | -- | 5.76 | 4.58 | 4.39 | 4.56 | 5.35 | 4.49 | 5.10 | 5.46 | -- | 4.94 |
| 1982-83 | 5.94 | 4.10 | 3.80 | 3.83 | 4.01 | 4.16 | 4.44 | 5.24 | 6.04 | -- | 4.40 |
| 1983-84 | -- | 6.05 | 3.49 | 3.32 | 5.85 | 5.75 | 6.25 | 5.95 | 5.75 | 5.65 | 5.25 |
| 1984-85 | -- | 6.90 | 6.23 | 6.11 | 6.37 | 7.91 | 6.50 | 6.56 | 7.20 | -- | 6.55 |
| 1985-86 | -- | 6.56 | 5.33 | 5.05 | 4.98 | 5.35 | 6.11 | 6.25 | 6.33 | -- | 5.70 |
| Sales for processing | | | | | | | | | | | |
| 1981-82 | -- | .04 | -.11 | -.02 | .11 | .04 | -.02 | .01 | -.16 | -- | .00 |
| 1982-83 | .09 | .23 | .30 | .04 | -.11 | -.19 | -.02 | .09 | .01 | -- | .04 |
| 1983-84 | -- | 1.29 | 1.31 | .76 | 1.65 | 1.51 | 1.83 | 2.03 | 1.78 | 1.59 | 1.57 |
| 1984-85 | -- | .95 | 1.58 | 2.08 | 2.38 | 2.59 | 2.52 | 2.43 | 2.25 | -- | 2.37 |
| 1985-86 | -- | 1.50 | 2.05 | 2.25 | 2.55 | 2.65 | 3.05 | 3.50 | 3.65 | -- | 2.72 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Monthly and season average on-tree price per box for crop years 1981-82 through 1985-86 1/

| Crop year | Apr | May | Jun | Jul | Aug | Sep |
|---|---|---|---|---|---|---|
| | | | Dollars | | | |
| **Limes** | | | | | | |
| All methods of sale | | | | | | |
| 1981-82 | 34.45 | 29.70 | 3.98 | .23 | .16 | 3.11 |
| 1982-83 | 30.75 | 6.38 | .23 | .83 | 7.22 | 11.15 |
| 1983-84 | 28.53 | 12.35 | 4.75 | - .54 | - .33 | 6.68 |
| 1984-85 | 35.74 | 7.40 | .48 | .38 | 1.52 | 4.56 |
| 1985-86 | 29.21 | 9.42 | 1.35 | - .03 | 1.47 | 4.71 |
| Sales for fresh use | | | | | | |
| 1981-82 | 49.05 | 43.05 | 14.05 | 3.05 | 1.85 | 9.75 |
| 1982-83 | 37.90 | 7.90 | 1.90 | 4.90 | 17.90 | 19.90 |
| 1983-84 | 32.90 | 22.90 | 7.90 | .90 | .90 | 13.90 |
| 1984-85 | 45.20 | 13.20 | 1.70 | 1.20 | 3.20 | 9.20 |
| 1985-86 | 32.00 | 10.00 | 3.00 | 1.00 | 4.00 | 11.00 |
| Sales for processing | | | | | | |
| 1981-82 | -1.25 | -2.00 | -2.20 | -1.65 | -1.25 | -1.75 |
| 1982-83 | -2.30 | -2.05 | -1.80 | -1.80 | -1.90 | -2.40 |
| 1983-84 | -2.10 | -2.10 | -2.15 | -1.88 | -1.44 | -1.82 |
| 1984-85 | -2.10 | -1.55 | -1.00 | - .50 | - .45 | - .78 |
| 1985-86 | -1.99 | - .78 | - .78 | - .78 | - .67 | - .82 |

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Season average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| **Limes** | | | | | | | |
| All methods of sale | | | | | | | |
| 1981-82 | 10.32 | 7.04 | 15.11 | 15.37 | 44.68 | 61.72 | 7.88 |
| 1982-83 | 11.14 | 20.63 | 17.17 | 17.38 | 24.05 | 26.02 | 8.39 |
| 1983-84 | 4.49 | 6.77 | 9.37 | 22.69 | 49.57 | 51.23 | 7.46 |
| 1984-85 | 2.27 | 6.86 | 21.66 | 23.38 | 18.90 | 30.14 | 7.27 |
| 1985-86 | 8.82 | 19.69 | 22.75 | 27.60 | 32.50 | 57.52 | 9.65 |
| Sales for fresh use | | | | | | | |
| 1981-82 | 17.05 | 11.05 | 24.05 | 26.05 | 63.05 | 83.05 | 18.25 |
| 1982-83 | 15.90 | 25.90 | 19.90 | 21.90 | 32.90 | 37.90 | 16.10 |
| 1983-84 | 9.90 | 13.90 | 15.90 | 32.90 | 59.90 | 62.90 | 14.40 |
| 1984-85 | 3.20 | 9.20 | 27.20 | 28.20 | 23.20 | 39.20 | 12.20 |
| 1985-86 | 12.00 | 27.00 | 34.00 | 33.00 | 36.00 | 66.00 | 16.50 |
| Sales for processing | | | | | | | |
| 1981-82 | -2.15 | -2.25 | -2.25 | -2.25 | -2.25 | -2.25 | -1.73 |
| 1982-83 | -2.55 | -2.55 | -2.80 | -2.80 | -2.50 | -2.30 | -1.98 |
| 1983-84 | -2.10 | -2.10 | -2.10 | -2.10 | -2.10 | -2.10 | -1.86 |
| 1984-85 | -1.30 | -1.82 | -1.82 | -1.82 | -1.82 | -1.82 | - .94 |
| 1985-86 | -1.82 | -1.82 | -1.82 | -1.82 | -1.82 | -1.82 | - .93 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Monthly and season average on-tree price per box for crop years 1981-82 through 1985-86 1/

| Crop year | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Season average |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | |
| **Temples** | | | | | | | | | |
| All methods of sale | | | | | | | | | |
| 1981-82 | -- | -- | 4.06 | 4.17 | 3.51 | -- | -- | -- | 4.01 |
| 1982-83 | -- | 5.37 | 3.77 | 3.93 | 4.01 | -- | -- | -- | 3.99 |
| 1983-84 | -- | -- | 5.03 | 5.51 | 5.51 | 5.45 | -- | -- | 5.34 |
| 1984-85 | -- | -- | 6.25 | 5.13 | 5.29 | 3.59 | -- | -- | 5.59 |
| 1985-86 | -- | -- | 2.75 | 2.26 | 2.49 | -- | -- | -- | 2.96 |
| Sales for fresh use | | | | | | | | | |
| 1981-82 | -- | -- | 5.55 | 8.55 | 8.55 | -- | -- | -- | 6.65 |
| 1982-83 | -- | 6.70 | 3.90 | 4.30 | 5.20 | -- | -- | -- | 4.50 |
| 1983-84 | -- | -- | 8.70 | 7.90 | 8.70 | 9.00 | -- | -- | 8.30 |
| 1984-85 | -- | -- | 9.40 | 10.90 | 11.60 | 6.00 | -- | -- | 9.90 |
| 1985-86 | -- | -- | 5.80 | 5.80 | 5.80 | -- | -- | -- | 5.90 |
| Sales for processing | | | | | | | | | |
| 1981-82 | -- | -- | 3.00 | 3.15 | 3.00 | -- | -- | -- | 3.07 |
| 1982-83 | -- | 3.21 | 3.66 | 3.81 | 3.72 | -- | -- | -- | 3.73 |
| 1983-84 | -- | -- | 3.62 | 4.40 | 4.99 | 4.98 | -- | -- | 4.28 |
| 1984-85 | -- | -- | 4.52 | 4.52 | 4.72 | 1.80 | -- | -- | 4.56 |
| 1985-86 | -- | -- | 1.65 | 1.45 | 1.45 | -- | -- | -- | 1.64 |

| Crop year | Sep | Oct | Nov | Season average |
|---|---|---|---|---|
| | | Dollars | | |
| **K-Early Citrus Fruit** | | | | |
| All methods of sale | | | | |
| 1981-82 | -- | 5.40 | 3.04 | 5.12 |
| 1982-83 | 9.34 | 5.18 | -- | 6.81 |
| 1983-84 | -- | 2.76 | 1.38 | 2.27 |
| 1984-85 | 13.81 | 11.54 | 5.45 | 11.94 |
| 1985-86 | 8.99 | 8.72 | 3.95 | 8.46 |
| Sales for fresh use | | | | |
| 1981-82 | -- | 7.05 | 5.05 | 6.85 |
| 1982-83 | 10.70 | 7.20 | -- | 8.70 |
| 1983-84 | -- | 3.50 | 2.00 | 3.01 |
| 1984-85 | 14.90 | 13.90 | 8.40 | 14.10 |
| 1985-86 | 10.80 | 11.10 | 7.00 | 10.90 |
| Sales for processing | | | | |
| 1981-82 | -- | - .41 | - .19 | - .37 |
| 1982-83 | -1.50 | -1.50 | -- | -1.50 |
| 1983-84 | -- | - .34 | - .15 | - .25 |
| 1984-85 | 1.50 | 2.50 | 2.50 | 2.37 |
| 1985-86 | .55 | .90 | .90 | .87 |

| Crop year | Oct | Nov | Dec | Jan | Feb | Season average |
|---|---|---|---|---|---|---|
| | | | Dollars | | | |
| **Tangelos** | | | | | | |
| All methods of sale | | | | | | |
| 1981-82 | 5.56 | 4.02 | 3.38 | 3.27 | 4.29 | 3.58 |
| 1982-83 | 7.63 | 4.18 | 3.76 | 4.63 | -- | 4.37 |
| 1983-84 | -- | 4.46 | 3.94 | 4.90 | 5.02 | 4.28 |
| 1984-85 | 11.06 | 8.63 | 7.12 | 6.08 | 6.31 | 7.08 |
| 1985-86 | 5.93 | 4.57 | 4.06 | 3.66 | 2.98 | 4.02 |
| Sales for fresh use | | | | | | |
| 1981-82 | 9.05 | 5.55 | 4.35 | 4.95 | 9.35 | 5.15 |
| 1982-83 | 10.70 | 5.20 | 4.70 | 8.20 | -- | 5.90 |
| 1983-84 | -- | 5.00 | 4.00 | 9.60 | 8.70 | 4.90 |
| 1984-85 | 14.90 | 11.20 | 8.90 | 10.90 | 14.40 | 10.40 |
| 1985-86 | 9.80 | 6.80 | 5.60 | 7.50 | 5.80 | 6.40 |
| Sales for processing | | | | | | |
| 1981-82 | 1.75 | 2.19 | 2.76 | 2.94 | 2.85 | 2.74 |
| 1982-83 | 2.12 | 2.72 | 2.87 | 3.17 | -- | 2.87 |
| 1983-84 | -- | 3.64 | 3.88 | 3.58 | 4.20 | 3.78 |
| 1984-85 | 4.48 | 4.80 | 4.90 | 4.90 | 4.12 | 4.80 |
| 1985-86 | 1.90 | 1.85 | 2.15 | 2.05 | 2.05 | 2.04 |

---

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Monthly and season average on-tree price per box for crop years 1981-82 through 1985-86 1/

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Season average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| **Tangerines** | | | | | | | |
| All methods of sale | | | | | | | |
| 1981-82 | -- | 9.48 | 8.31 | 4.69 | 3.60 | -- | 6.23 |
| 1982-83 | 13.28 | 10.24 | 7.33 | 6.84 | 5.07 | -- | 7.57 |
| 1983-84 | -- | 8.98 | 6.72 | 4.82 | 6.77 | -- | 5.93 |
| 1984-85 | -- | 17.33 | 16.91 | 14.78 | 13.60 | -- | 15.91 |
| 1985-86 | -- | 17.68 | 14.86 | 11.47 | 6.98 | -- | 12.81 |
| Sales for fresh use | | | | | | | |
| 1981-82 | -- | 12.35 | 11.35 | 6.85 | 6.35 | -- | 9.05 |
| 1982-83 | 15.25 | 14.25 | 10.25 | 9.75 | 8.25 | -- | 10.85 |
| 1983-84 | -- | 11.05 | 7.95 | 5.85 | 8.85 | -- | 7.25 |
| 1984-85 | -- | 23.05 | 22.55 | 21.05 | 23.55 | -- | 22.15 |
| 1985-86 | -- | 24.60 | 20.70 | 17.10 | 14.70 | -- | 19.40 |
| Sales for processing | | | | | | | |
| 1981-82 | -- | 1.00 | 1.35 | 1.33 | 1.24 | -- | 1.28 |
| 1982-83 | .50 | .86 | .90 | 1.15 | 1.91 | -- | 1.15 |
| 1983-84 | -- | 2.35 | 2.45 | 2.82 | 4.74 | -- | 2.83 |
| 1984-85 | -- | 2.90 | 3.84 | 4.00 | 4.56 | -- | 3.81 |
| 1985-86 | -- | .50 | 1.30 | 1.10 | .90 | -- | 1.01 |

| Crop year | Dec | Jan | Feb | Mar | Apr | May | Season average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| **Honey Tangerines** | | | | | | | |
| All methods of sale | | | | | | | |
| 1981-82 | -- | 4.05 | 6.22 | 8.95 | -- | -- | 5.33 |
| 1982-83 | 6.25 | 8.00 | 8.35 | 9.47 | 10.41 | -- | 8.34 |
| 1983-84 | -- | 7.34 | 9.45 | 12.16 | 13.32 | -- | 9.41 |
| 1984-85 | -- | 10.83 | 8.20 | 14.55 | -- | -- | 10.68 |
| 1985-86 | -- | 9.28 | 9.01 | 11.76 | 13.69 | 9.14 | 10.08 |
| Sales for fresh use | | | | | | | |
| 1981-82 | -- | 11.85 | 13.35 | 13.85 | -- | -- | 13.15 |
| 1982-83 | 12.95 | 11.95 | 10.95 | 11.45 | 12.95 | -- | 11.65 |
| 1983-84 | -- | 16.50 | 14.30 | 14.60 | 14.60 | -- | 14.90 |
| 1984-85 | -- | 24.90 | 22.90 | 23.90 | -- | -- | 24.10 |
| 1985-86 | -- | 18.10 | 15.30 | 15.90 | 17.00 | 17.10 | 16.50 |
| Sales for processing | | | | | | | |
| 1981-82 | -- | 3.29 | 3.44 | 3.14 | -- | -- | 3.33 |
| 1982-83 | 2.84 | 3.59 | 3.59 | 3.86 | 4.06 | -- | 3.55 |
| 1983-84 | -- | 4.19 | 4.97 | 5.36 | 5.61 | -- | 4.63 |
| 1984-85 | -- | 4.15 | 4.55 | 4.55 | -- | -- | 4.39 |
| 1985-86 | -- | 1.50 | 1.70 | 1.90 | 3.20 | 3.30 | 1.77 |

1/ 1985-86 preliminary.

## FLORIDA CITRUS: Production by counties, areas and types, 1985-86 season

| County and area | Round oranges | | | Grapefruit | | | | Specialty fruit | All citrus 1/ |
|---|---|---|---|---|---|---|---|---|---|
| | Early and mid | Late | All | Seedless | | Seedy | All | | |
| | | | | White | Colored | | | | |
| | | | | 1,000 boxes | | | | | |
| County: | | | | | | | | | |
| Brevard | 812 | 1,082 | 1,894 | 245 | 471 | 0 | 716 | 87 | 2,697 |
| Broward | 54 | 157 | 211 | 1 | 21 | 0 | 22 | 8 | 241 |
| Charlotte | 1,253 | 1,267 | 2,520 | 118 | 87 | 15 | 220 | 58 | 2,798 |
| Collier | 1,916 | 1,010 | 2,926 | 87 | 605 | 0 | 692 | 71 | 3,689 |
| DeSoto | 6,540 | 4,670 | 11,210 | 54 | 15 | 94 | 163 | 342 | 11,715 |
| Glades | 1,029 | 365 | 1,394 | 30 | 68 | 0 | 98 | 10 | 1,502 |
| Hardee | 8,589 | 3,301 | 11,890 | 35 | 43 | 59 | 137 | 435 | 12,462 |
| Hendry | 5,827 | 4,715 | 10,542 | 1,537 | 1,368 | 95 | 3,000 | 567 | 14,109 |
| Highlands | 4,755 | 9,157 | 13,912 | 1,640 | 342 | 413 | 2,395 | 1,008 | 17,315 |
| Hillsborough | 4,654 | 1,522 | 6,176 | 35 | 71 | 67 | 173 | 251 | 6,600 |
| Indian River | 2,652 | 2,815 | 5,467 | 7,595 | 5,388 | 49 | 13,032 | 427 | 18,926 |
| Lee | 989 | 893 | 1,882 | 130 | 111 | 11 | 252 | 47 | 2,181 |
| Manatee | 2,935 | 1,119 | 4,054 | 52 | 158 | 245 | 455 | 338 | 4,847 |
| Martin | 3,835 | 4,239 | 8,074 | 2,126 | 568 | 24 | 2,718 | 385 | 11,177 |
| Okeechobee | 1,188 | 520 | 1,708 | 213 | 103 | 3 | 319 | 58 | 2,085 |
| Osceola | 681 | 208 | 889 | 28 | 19 | 1 | 48 | 37 | 974 |
| Palm Beach | 2,037 | 1,236 | 3,273 | 1,172 | 751 | 33 | 1,956 | 728 | 5,957 |
| Pinellas | 26 | 43 | 69 | 10 | 7 | 25 | 42 | 23 | 134 |
| Polk | 10,060 | 11,624 | 21,684 | 3,862 | 1,660 | 1,906 | 7,428 | 1,678 | 30,790 |
| St. Lucie | 3,735 | 4,311 | 8,046 | 6,576 | 6,115 | 86 | 12,777 | 1,240 | 22,063 |
| Sarasota | 233 | 146 | 379 | 34 | 19 | 4 | 57 | 42 | 478 |
| Others 2/ | 400 | 400 | 800 | 20 | 10 | 20 | 50 | 170 | 1,020 |
| State total | 64,200 | 54,800 | 119,000 | 25,600 | 18,000 | 3,150 | 46,750 | 8,010 | 173,760 |
| Area: | | | | | | | | | |
| Indian River District | 7,692 | 9,248 | 16,940 | 14,900 | 12,500 | 176 | 27,576 | 1,926 | 46,442 |
| Northern | 400 | 400 | 800 | 20 | 10 | 20 | 50 | 170 | 1,020 |
| Central | 15,412 | 21,105 | 36,517 | 5,530 | 2,021 | 2,320 | 9,871 | 2,710 | 49,098 |
| Western | 22,977 | 10,801 | 33,778 | 220 | 313 | 494 | 1,027 | 1,433 | 36,238 |
| Southern | 17,719 | 13,246 | 30,965 | 4,930 | 3,156 | 140 | 8,226 | 1,771 | 40,962 |
| State total | 64,200 | 54,800 | 119,000 | 25,600 | 18,000 | 3,150 | 46,750 | 8,010 | 173,760 |

---

1/ Excludes limes and lemons. 2/ Citrus, Hernando, Lake, Marion, Orange, Pasco, Seminole, Volusia, and northern cold damaged sections of Hillsborough, Osceola, and Polk counties.

## FLORIDA CITRUS: Total trees by counties and types of fruit as of 1986

| County | Round oranges | | | Grapefruit | | | | Specialty fruit | All citrus 1/ |
|---|---|---|---|---|---|---|---|---|---|
| | Early and mid | Late | All 1/ | Seedless White | Seedless Colored | Seedy | All 1/ | | |
| | | | | | 1,000 trees | | | | |
| Brevard | 437.6 | 440.9 | 898.1 | 57.9 | 132.6 | 6.8 | 200.8 | 44.3 | 1,143.2 |
| Broward | 19.0 | 59.8 | 80.7 | 0.3 | 8.5 | 0.3 | 9.1 | 6.0 | 95.8 |
| Charlotte | 365.6 | 397.2 | 792.0 | 19.5 | 16.8 | 3.5 | 39.9 | 21.0 | 852.9 |
| Citrus | 1.7 | 0.3 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.2 |
| Collier | 575.1 | 363.6 | 955.6 | 32.5 | 84.6 | 9.7 | 126.8 | 57.9 | 1,140.3 |
| Dade | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1,120.3 | 1,120.3 |
| DeSoto | 1,738.4 | 1,499.5 | 3,600.2 | 28.3 | 10.2 | 25.8 | 75.1 | 93.9 | 3,769.2 |
| Glades | 337.0 | 158.6 | 549.8 | 4.3 | 9.5 | 0.0 | 13.8 | 9.0 | 572.6 |
| Hardee | 2,060.2 | 995.1 | 3,568.5 | 18.7 | 13.5 | 15.3 | 51.5 | 110.2 | 3,730.2 |
| Hendry | 1,871.4 | 1,704.1 | 3,684.5 | 303.7 | 220.0 | 18.3 | 542.8 | 408.3 | 4,635.6 |
| Hernando | 11.5 | 0.0 | 20.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.5 |
| Highlands | 1,179.3 | 2,123.8 | 3,620.9 | 143.5 | 38.2 | 85.9 | 276.3 | 279.4 | 4,176.6 |
| Hillsborough | 1,155.3 | 477.8 | 1,777.8 | 29.6 | 25.9 | 18.3 | 75.3 | 114.7 | 1,967.8 |
| Indian River | 1,245.6 | 1,274.9 | 2,616.0 | 1,376.7 | 1,359.4 | 14.3 | 2,835.4 | 197.1 | 5,648.5 |
| Lake | 363.0 | 273.7 | 1,055.0 | 11.0 | 22.1 | 5.9 | 58.6 | 127.5 | 1,241.1 |
| Lee | 300.1 | 355.4 | 664.1 | 22.3 | 18.1 | 4.8 | 45.2 | 83.1 | 792.4 |
| Manatee | 695.9 | 318.2 | 1,121.6 | 36.6 | 50.1 | 69.5 | 161.2 | 77.6 | 1,360.4 |
| Marion | 12.0 | 1.8 | 26.7 | 0.0 | 0.2 | 0.0 | 0.2 | 2.4 | 29.3 |
| Martin | 1,331.5 | 2,018.3 | 3,615.4 | 347.0 | 108.4 | 3.8 | 463.5 | 144.0 | 4,222.9 |
| Okeechobee | 398.3 | 200.0 | 608.2 | 51.0 | 18.3 | 0.4 | 70.0 | 23.1 | 701.3 |
| Orange | 474.3 | 366.3 | 1,017.7 | 12.4 | 13.9 | 6.1 | 34.9 | 112.3 | 1,164.9 |
| Osceola | 510.6 | 310.9 | 912.1 | 27.9 | 23.0 | 7.4 | 61.7 | 72.4 | 1,046.2 |
| Palm Beach | 575.2 | 412.0 | 997.8 | 182.3 | 131.4 | 5.0 | 318.7 | 264.0 | 1,580.5 |
| Pasco | 219.9 | 84.0 | 393.6 | 0.9 | 0.9 | 0.8 | 3.7 | 10.6 | 407.9 |
| Pinellas | 5.7 | 10.8 | 16.5 | 3.0 | 2.4 | 5.0 | 10.4 | 5.8 | 32.7 |
| Polk | 2,844.4 | 3,021.7 | 6,722.7 | 400.5 | 198.8 | 369.6 | 1,004.5 | 546.9 | 8,274.1 |
| Putnam | 1.2 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 1.4 |
| St. Lucie | 1,656.8 | 1,759.0 | 3,863.1 | 1,193.7 | 1,498.1 | 18.4 | 3,110.1 | 489.8 | 7,463.0 |
| Sarasota | 58.5 | 43.1 | 113.4 | 14.5 | 5.4 | 0.9 | 21.2 | 8.4 | 143.0 |
| Seminole | 56.7 | 19.7 | 81.1 | 0.3 | 0.1 | 0.1 | 0.5 | 11.0 | 92.6 |
| Sumter | 7.1 | 4.0 | 11.1 | 0.0 | 0.7 | 0.0 | 0.7 | 0.0 | 11.8 |
| Volusia | 36.9 | 26.3 | 70.2 | 5.8 | 4.8 | 0.9 | 12.1 | 2.3 | 84.6 |
| Other 2/ counties | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total | 20,545.8 | 18,720.8 | 43,461.4 | 4,324.2 | 4,015.9 | 696.8 | 9,624.0 | 4,443.4 | 57,528.8 |

1/ Includes unidentified variety acreage. 2/ Alachua, Flagler, and St. Johns.

FLORIDA CITRUS: Total acreage by counties and types of fruit as of 1986

| County | Round oranges | | | Grapefruit | | | | Specialty fruit | All citrus |
|---|---|---|---|---|---|---|---|---|---|
| | Early and mid | Late | All 1/ | Seedless | | Seedy | All 1/ | | |
| | | | | White | Colored | | | | |
| | Acres | | | | | | | | |
| Brevard | 4,343 | 3,932 | 8,485 | 718 | 1,769 | 88 | 2,611 | 580 | 11,676 |
| Broward | 226 | 821 | 1,074 | 3 | 124 | 6 | 133 | 69 | 1,276 |
| Charlotte | 3,898 | 3,897 | 8,068 | 233 | 215 | 41 | 490 | 201 | 8,759 |
| Citrus | 25 | 3 | 75 | 0 | 0 | 0 | 0 | 0 | 75 |
| Collier | 4,831 | 3,306 | 8,298 | 328 | 869 | 83 | 1,280 | 485 | 10,063 |
| Dade | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6,976 | 6,976 |
| DeSoto | 16,477 | 14,044 | 34,040 | 386 | 146 | 372 | 1,009 | 993 | 36,042 |
| Glades | 3,696 | 1,650 | 5,829 | 45 | 108 | 0 | 153 | 94 | 6,076 |
| Hardee | 23,742 | 12,220 | 41,004 | 208 | 192 | 242 | 685 | 1,062 | 42,751 |
| Hendry | 16,335 | 14,636 | 31,909 | 2,911 | 2,113 | 185 | 5,218 | 3,142 | 40,269 |
| Hernando | 92 | 0 | 167 | 0 | 0 | 0 | 0 | 0 | 167 |
| Highlands | 11,861 | 24,065 | 39,086 | 1,987 | 541 | 1,220 | 3,872 | 3,054 | 46,012 |
| Hillsborough | 14,412 | 5,860 | 21,769 | 397 | 314 | 257 | 984 | 1,001 | 23,754 |
| Indian River | 13,677 | 13,781 | 28,377 | 17,817 | 15,118 | 186 | 33,928 | 1,997 | 64,302 |
| Lake | 3,850 | 3,392 | 11,464 | 125 | 318 | 72 | 740 | 1,319 | 13,523 |
| Lee | 2,859 | 3,158 | 6,113 | 265 | 167 | 62 | 495 | 705 | 7,313 |
| Manatee | 7,974 | 3,916 | 12,915 | 447 | 593 | 809 | 1,900 | 873 | 15,688 |
| Marion | 151 | 16 | 305 | 0 | 3 | 0 | 3 | 21 | 329 |
| Martin | 12,558 | 19,836 | 34,561 | 3,872 | 1,211 | 43 | 5,178 | 1,356 | 41,095 |
| Okeechobee | 4,004 | 2,211 | 6,320 | 640 | 215 | 5 | 865 | 264 | 7,449 |
| Orange | 5,977 | 5,132 | 12,876 | 172 | 207 | 79 | 477 | 1,339 | 14,692 |
| Osceola | 6,327 | 4,035 | 11,345 | 433 | 285 | 109 | 858 | 832 | 13,035 |
| Palm Beach | 5,457 | 3,867 | 9,423 | 1,800 | 1,360 | 48 | 3,208 | 2,567 | 15,198 |
| Pasco | 2,043 | 778 | 3,737 | 15 | 13 | 13 | 55 | 111 | 3,903 |
| Pinellas | 66 | 135 | 201 | 39 | 28 | 62 | 129 | 64 | 394 |
| Polk | 34,773 | 41,779 | 85,257 | 6,313 | 2,959 | 6,067 | 15,858 | 5,878 | 106,993 |
| Putnam | 12 | 0 | 13 | 0 | 0 | 0 | 0 | 1 | 14 |
| St. Lucie | 16,893 | 19,586 | 40,321 | 15,369 | 18,015 | 253 | 37,324 | 5,125 | 82,770 |
| Sarasota | 604 | 470 | 1,246 | 161 | 63 | 11 | 239 | 83 | 1,568 |
| Seminole | 688 | 269 | 1,018 | 4 | 1 | 1 | 6 | 170 | 1,194 |
| Sumter | 74 | 34 | 108 | 0 | 8 | 0 | 8 | 0 | 116 |
| Volusia | 439 | 334 | 848 | 73 | 49 | 12 | 139 | 33 | 1,020 |
| Other 2/ counties | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 218,364 | 207,163 | 466,252 | 54,761 | 47,004 | 10,326 | 117,845 | 40,395 | 624,492 |

1/ Includes unidentified variety acreage. 2/ Alachua, Flagler, and St. Johns.

## OTHER STATES' CITRUS: Acreage by states, types, and age groups

**Arizona 1/**

| Type | Central | Western | Total |
|---|---|---|---|
| | | Acres | |
| Valencia | 2,720 | 4,080 | 6,800 |
| Navel and sweets | 4,370 | 130 | 4,500 |
| White grapefruit | 2,240 | 270 | 2,510 |
| Red blush grapefruit | 2,320 | 1,970 | 4,290 |
| Lemons | 1,870 | 15,130 | 17,000 |
| Tangerine types | 1,890 | 1,310 | 3,200 |
| Total | 15,410 | 22,890 | 38,300 |

1/ 1984-85 harvested acres.

**California 2/**

| Year set | Navel and other oranges | Valencia oranges | White grape-fruit | Red grape-fruit | Lemons | Limes | Tangelos and Tangors | Tang-erines | All citrus |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Acres | | | | |
| Pre-1974 | 103,075 | 65,044 | 6,215 | 10,265 | 38,850 | 474 | 4,379 | 2,711 | 231,013 |
| 1974 | 675 | 298 | 420 | 903 | 3,553 | 42 | 71 | 11 | 5,973 |
| 1975 | 587 | 440 | 223 | 539 | 2,695 | 68 | 85 | 75 | 4,712 |
| 1976 | 944 | 689 | 201 | 714 | 1,439 | 51 | 7 | 180 | 4,225 |
| 1977 | 648 | 242 | 57 | 413 | 733 | 81 | 16 | 148 | 2,338 |
| 1978 | 563 | 224 | 28 | 398 | 521 | 97 | 64 | 264 | 2,159 |
| 1979 | 451 | 374 | 11 | 380 | 612 | 58 | 75 | 162 | 2,123 |
| 1980 | 488 | 683 | 1 | 104 | 369 | 64 | 184 | 70 | 1,963 |
| 1981 | 524 | 296 | 6 | 221 | 720 | 39 | 35 | 236 | 2,077 |
| 1982 | 415 | 248 | 82 | 534 | 488 | 38 | 38 | 146 | 1,989 |
| 1983 | 353 | 774 | 14 | 147 | 83 | 9 | 2 | 49 | 1,431 |
| 1984 | 850 | 534 | 13 | 165 | 66 | 2 | 0 | 25 | 1,655 |
| 1985 | 375 | 252 | 3 | 22 | 22 | 1 | 5 | 28 | 708 |
| Total | 109,948 | 70,098 | 7,274 | 14,805 | 50,151 | 1,024 | 4,961 | 4,105 | 262,366 |

2/ Acreage as of 1985.

**Texas 3/**

| Age in years | Oranges | | | Grapefruit | | | | | Other 4/ | All citrus |
|---|---|---|---|---|---|---|---|---|---|---|
| | Early and mids | Valen-cia | Total | Ruby Red | Star Ruby | Pink | White | Total | | |
| | | | | | Acres | | | | | |
| 1 TO 3 | 669 | 248 | 917 | 1,245 | 28 | -- | -- | 1,273 | -- | 2,190 |
| 4 TO 8 | 90 | 103 | 193 | 2,101 | 298 | -- | -- | 2,399 | -- | 2,592 |
| 9 TO 12 | 526 | 196 | 722 | 3,744 | 1,265 | 30 | 3 | 5,042 | -- | 5,764 |
| 13+ | 4,989 | 4,559 | 9,548 | 9,549 | 461 | 159 | 227 | 10,396 | -- | 19,944 |
| Total | 6,274 | 5,106 | 11,380 | 16,639 | 2,052 | 189 | 230 | 19,110 | 110 | 30,600 |

3/ Acreage as of January 1, 1985. 4/ Includes lemons, limes, tangelos and tangerines.

SOURCES: See Page 45, Data Sources, Item 4.

## ORANGES AND TANGERINES: Orange receipts at 18 U.S. cities and 5 Canadian cities; tangerine receipts at 18 U.S. cities, September 1, 1985 through July 31, 1986, by source

| City | Florida | | California | | Arizona | | Texas | | Others 1/ | | Total | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Rail | Truck | Rail | Truck | Rail | Truck | Rail | Truck | Rail & boat | Truck | Rail & boat | Truck |
| | | | | | 1,000 cartons | | | | | | | |
| **Oranges** | | | | | | | | | | | | |
| U.S.cities: | | | | | | | | | | | | |
| Atlanta | --- | 553 | --- | 279 | --- | 2 | --- | --- | --- | 1 | --- | 835 |
| Baltimore-Washington | 53 | 411 | 193 | 706 | --- | 4 | --- | --- | --- | 9 | 246 | 1,130 |
| Boston | 337 | 197 | 2,706 | 671 | 30 | --- | --- | --- | --- | 30 | 3,073 | 898 |
| Buffalo | --- | 71 | 84 | 250 | --- | --- | --- | --- | --- | 4 | 84 | 325 |
| Chicago | --- | 335 | 5,712 | 997 | 6 | 2 | --- | --- | --- | 9 | 5,718 | 1,343 |
| Cincinnati | --- | 161 | 161 | 449 | --- | 3 | --- | --- | --- | 1 | 161 | 614 |
| Columbia | --- | 305 | --- | 56 | --- | --- | --- | --- | --- | --- | --- | 361 |
| Dallas | --- | --- | --- | 604 | --- | 123 | --- | 10 | --- | 9 | --- | 746 |
| Denver | --- | 16 | --- | 541 | --- | 8 | --- | --- | --- | 4 | --- | 569 |
| Detroit | --- | 247 | 64 | 506 | --- | --- | --- | --- | --- | 3 | 64 | 756 |
| Los Angeles | --- | --- | --- | 3,778 | --- | 11 | --- | 33 | --- | 36 | --- | 3,858 |
| New Orleans | --- | --- | --- | 451 | --- | 42 | --- | 2 | --- | 2 | --- | 497 |
| New York-Newark | 1,321 | 521 | 3,301 | 813 | --- | 1 | --- | --- | --- | --- | 4,622 | 1,335 |
| Philadelphia | 157 | 234 | 839 | 393 | --- | 1 | --- | --- | 2 | 7 | 998 | 635 |
| Pittsburgh | --- | 89 | 346 | 547 | --- | 2 | --- | --- | --- | 2 | 346 | 640 |
| St. Louis | --- | 71 | 56 | 665 | --- | 1 | --- | --- | --- | --- | 56 | 737 |
| San Francisco-Oakland | --- | --- | --- | 2,244 | --- | 65 | --- | 89 | --- | 12 | --- | 2,410 |
| Seattle-Tacoma | --- | 14 | --- | 1,195 | --- | --- | --- | --- | --- | --- | --- | 1,209 |
| Total | 1,868 | 3,225 | 13,462 | 15,145 | 36 | 265 | --- | 134 | 2 | 129 | 15,368 | 18,898 |
| Canadian cities: | | | | | | | | | | | | |
| Montreal | --- | 201 | 642 | 380 | 39 | 4 | --- | --- | --- | 822 | 681 | 1,407 |
| Ottawa | --- | 67 | 54 | 232 | --- | 3 | --- | --- | --- | 62 | 54 | 364 |
| Toronto | --- | 351 | 1,042 | 1,703 | --- | --- | --- | --- | --- | 196 | 1,042 | 2,250 |
| Vancouver | --- | 43 | 177 | 790 | 8 | 2 | --- | 6 | --- | 28 | 185 | 869 |
| Winnipeg | --- | 7 | 14 | 396 | --- | 1 | --- | --- | --- | 9 | 14 | 413 |
| Total | --- | 669 | 1,929 | 3,501 | 47 | 10 | --- | 6 | --- | 1,117 | 1,976 | 5,303 |
| **Tangerines** | | | | | | | | | | | | |
| U.S. cities: | | | | | | | | | | | | |
| Atlanta | --- | 40 | --- | 8 | --- | 1 | --- | --- | --- | 4 | --- | 53 |
| Baltimore-Washington | 3 | 54 | --- | 2 | --- | --- | --- | --- | --- | --- | 3 | 56 |
| Boston | 8 | 110 | 5 | 6 | 10 | 11 | --- | --- | --- | 7 | 23 | 134 |
| Buffalo | --- | 36 | --- | 2 | --- | --- | --- | --- | --- | 2 | --- | 40 |
| Chicago | --- | 77 | 10 | 7 | --- | --- | --- | --- | --- | 19 | 10 | 103 |
| Cincinnati | --- | 41 | --- | 1 | --- | 1 | --- | --- | --- | 6 | --- | 49 |
| Columbia | --- | 24 | --- | 1 | --- | --- | --- | --- | --- | --- | --- | 25 |
| Dallas | --- | --- | --- | 9 | --- | 14 | --- | --- | --- | 13 | --- | 36 |
| Denver | --- | 7 | --- | 63 | --- | -- | --- | --- | --- | 7 | --- | 77 |
| Detroit | --- | 82 | --- | 1 | --- | -- | --- | 1 | --- | 6 | --- | 90 |
| Los Angeles | --- | --- | --- | 243 | --- | 177 | --- | --- | --- | --- | --- | 420 |
| New Orleans | --- | --- | --- | 51 | --- | 18 | --- | --- | --- | 12 | --- | 81 |
| New York-Newark | 84 | 110 | 64 | --- | --- | --- | --- | --- | --- | 1 | 148 | 111 |
| Philadelphia | 3 | 76 | 3 | 1 | --- | 1 | --- | --- | --- | 1 | 6 | 79 |
| Pittsburgh | --- | 26 | --- | 13 | --- | --- | --- | --- | --- | 6 | --- | 45 |
| St. Louis | --- | 16 | --- | 2 | --- | --- | --- | --- | --- | 7 | --- | 25 |
| San Francisco-Oakland | --- | --- | --- | 266 | --- | 1 | --- | --- | --- | 1 | --- | 268 |
| Seattle-Tacoma | --- | 14 | --- | 64 | --- | 2 | --- | --- | --- | --- | --- | 80 |
| Total | 98 | 713 | 82 | 740 | 10 | 226 | --- | 1 | --- | 92 | 190 | 1,772 |

---

1/ Principal source of receipts of oranges at U.S. cities were Central America, Israel, South Africa, Mexico, Australia. Principal source of receipts of tangerines at U.S. cities were Mexico and Spain.

Source: See Page 45, Data Sources, Item 5.

GRAPEFRUIT, TANGELOS AND TEMPLES: Grapefruit receipts at 18 U.S. cities and 5 Canadian cities; tangelo and Temple receipts at 16 U.S. cities, September 1, 1985 through July 31, 1986, by source

| City | Florida | | California | | Arizona | | Texas | | Others 1/ | | Total | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Rail | Truck | Rail | Truck | Rail | Truck | Rail | Truck | Rail & boat | Truck | Rail & boat | Truck |
| | | | | | | 1,000 cartons | | | | | | |
| **Grapefruit** | | | | | | | | | | | | |
| U.S. cities: | | | | | | | | | | | | |
| Atlanta | --- | 324 | --- | 85 | --- | --- | --- | --- | --- | --- | --- | 409 |
| Baltimore-Washington | 66 | 539 | 8 | 90 | --- | 1 | --- | --- | --- | --- | 74 | 630 |
| Boston | 594 | 724 | 112 | 41 | --- | --- | --- | --- | --- | --- | 706 | 765 |
| Buffalo | --- | 270 | --- | 44 | --- | 1 | --- | --- | --- | --- | --- | 315 |
| Chicago | --- | 442 | 206 | 76 | --- | 5 | --- | --- | --- | --- | 206 | 523 |
| Cincinnati | --- | 359 | 17 | 41 | --- | 10 | --- | --- | --- | --- | 17 | 410 |
| Columbia | --- | 50 | --- | 8 | --- | --- | --- | --- | --- | --- | --- | 58 |
| Dallas | --- | --- | --- | 171 | --- | 76 | --- | 7 | --- | 8 | --- | 262 |
| Denver | --- | 191 | --- | 78 | --- | 14 | --- | --- | --- | --- | --- | 283 |
| Detroit | --- | 437 | 5 | 29 | --- | --- | --- | --- | --- | 2 | 5 | 468 |
| Los Angeles | --- | --- | --- | 1,213 | --- | 6 | --- | 5 | --- | 8 | --- | 1,232 |
| New Orleans | --- | 1 | --- | 74 | --- | 36 | --- | 1 | --- | 2 | --- | 114 |
| New York-Newark | 1,318 | 866 | 209 | 80 | --- | --- | --- | --- | --- | --- | 1,527 | 946 |
| Philadelphia | 238 | 497 | 39 | 33 | --- | 1 | --- | --- | --- | --- | 277 | 531 |
| Pittsburgh | --- | 312 | 6 | 81 | --- | --- | --- | --- | --- | --- | 6 | 393 |
| St. Louis | --- | 343 | --- | 55 | --- | 1 | --- | --- | --- | --- | --- | 399 |
| San Francisco-Oakland | --- | --- | --- | 828 | --- | 12 | --- | 9 | --- | 25 | --- | 874 |
| Seattle-Tacoma | --- | 387 | --- | 137 | --- | --- | --- | --- | --- | --- | --- | 524 |
| Total | 2,216 | 5,742 | 602 | 3,164 | --- | 163 | --- | 22 | --- | 45 | 2,818 | 9,136 |
| Canadian cities: | | | | | | | | | | | | |
| Montreal | --- | 595 | 10 | 25 | --- | --- | --- | 3 | --- | 16 | 10 | 639 |
| Ottawa | --- | 184 | --- | 7 | --- | 1 | --- | --- | --- | 2 | --- | 194 |
| Toronto | --- | 921 | 10 | 103 | --- | 2 | --- | --- | --- | 5 | 10 | 1,031 |
| Vancouver | --- | 147 | 16 | 169 | 2 | --- | --- | --- | --- | --- | 18 | 316 |
| Winnipeg | --- | 110 | --- | 23 | --- | --- | --- | --- | --- | 1 | --- | 134 |
| Total | --- | 1,957 | 36 | 327 | 2 | 3 | --- | 3 | --- | 24 | 38 | 2,314 |

| City | Tangelos - Truck | | | | | Temples - Truck | | |
|---|---|---|---|---|---|---|---|---|
| | Florida | Arizona & California | Texas | Mexico | Total | Florida | Other | Total |
| | | | | 1,000 cartons | | | | |
| U.S. cities: | | | | | | | | |
| Atlanta | 25 | 5 | --- | --- | 30 | 30 | --- | 30 |
| Baltimore-Washington | 30 | 5 | --- | --- | 35 | 40 | --- | 40 |
| Boston | 23 | 14 | --- | --- | 37 | 39 | --- | 39 |
| Buffalo | 18 | --- | --- | --- | 18 | 17 | --- | 17 |
| Chicago | 28 | 12 | --- | --- | 40 | 22 | --- | 22 |
| Cincinnati | 36 | 16 | --- | --- | 52 | 19 | --- | 19 |
| Columbia | 5 | --- | --- | --- | 5 | --- | --- | --- |
| Dallas | --- | 21 | --- | --- | 21 | --- | --- | --- |
| Denver | 12 | 10 | --- | --- | 22 | --- | --- | --- |
| Detroit | 57 | 6 | --- | --- | 63 | 34 | --- | 34 |
| Los Angeles | --- | 136 | --- | --- | 136 | --- | --- | --- |
| New Orleans | --- | 2 | --- | --- | 2 | --- | --- | --- |
| New York-Newark | 63 | --- | --- | --- | 63 | 42 | --- | 42 |
| Philadelphia | 47 | 9 | --- | --- | 56 | 29 | --- | 29 |
| Pittsburgh | 24 | 3 | --- | --- | 27 | 15 | --- | 15 |
| St. Louis | 14 | 12 | --- | --- | 26 | 6 | --- | 6 |
| San Francisco-Oakland | --- | 77 | --- | --- | 77 | --- | --- | --- |
| Seattle-Tacoma | 3 | 8 | --- | --- | 11 | --- | --- | --- |
| Total | 385 | 336 | --- | --- | 721 | 293 | --- | 293 |

---

1/ Principal source of receipts of grapefruit at U.S. cities were Central America, Israel, South Africa, Mexico, Australia.

Source: See Page 45, Data Sources, Item 5.

## ORANGES: Total fresh shipments in U.S. and to Canada by states of origin and imports to U.S., monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cartons | | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | 9 | 676 | 2,043 | 4,227 | 936 | 1,076 | 1,194 | 1,166 | 1,062 | 361 | 12 | 2 | 12,764 |
| 1982-83 | 271 | 2,157 | 2,724 | 4,256 | 1,411 | 1,513 | 1,642 | 1,818 | 1,618 | 614 | 77 | 14 | 18,115 |
| 1983-84 | 21 | 239 | 2,284 | 4,337 | 1,173 | 1,165 | 1,164 | 1,083 | 938 | 325 | 21 | 13 | 12,763 |
| 1984-85 | 3 | 929 | 2,247 | 3,569 | 1,340 | 700 | 993 | 1,058 | 1,123 | 385 | 36 | 7 | 12,390 |
| 1985-86 | 24 | 962 | 2,219 | 4,399 | 1,724 | 1,543 | 1,705 | 1,955 | 1,522 | 562 | 212 | 6 | 16,833 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | 9 | 177 | 347 | 272 | 311 | 538 | 895 | 644 | 52 | 7 | --- | 3,252 |
| 1982-83 | 110 | 489 | 420 | 237 | 131 | 286 | 727 | 843 | 315 | 80 | 14 | --- | 3,652 |
| 1983-84 | 2 | --- | 317 | 310 | 52 | 159 | 440 | 840 | 415 | 11 | --- | --- | 2,546 |
| 1984-85 | --- | 2 | 258 | 368 | 108 | 83 | 434 | 730 | 751 | 139 | 15 | --- | 2,888 |
| 1985-86 | --- | 1 | 245 | 378 | 130 | 25 | 447 | 633 | 650 | 130 | 22 | --- | 2,661 |
| California 1/ | | | | | | | | | | | | | |
| 1981-82 | 3,244 | 3,609 | 5,293 | 5,311 | 6,367 | 6,446 | 7,250 | 7,180 | 5,614 | 2,847 | 3,159 | 2,292 | 58,612 |
| 1982-83 | 1,459 | 484 | 3,387 | 6,037 | 7,431 | 7,253 | 7,073 | 8,978 | 6,820 | 5,277 | 3,635 | 3,013 | 60,847 |
| 1983-84 | 4,182 | 4,666 | 4,281 | 8,354 | 7,892 | 8,520 | 11,180 | 8,591 | 5,149 | 3,191 | 2,157 | 2,062 | 70,225 |
| 1984-85 | 2,987 | 1,894 | 4,958 | 7,148 | 6,342 | 7,421 | 9,676 | 7,301 | 4,641 | 3,265 | 2,535 | 2,782 | 60,950 |
| 1985-86 | 3,627 | 4,102 | 7,335 | 7,249 | 7,345 | 7,763 | 11,301 | 9,261 | 7,953 | 3,872 | 2,938 | 46 | 72,792 |
| Texas | | | | | | | | | | | | | |
| 1981-82 | 43 | 294 | 584 | 1,269 | 864 | 746 | 729 | 524 | 313 | 36 | --- | --- | 5,402 |
| 1982-83 | 24 | 392 | 846 | 1,248 | 743 | 761 | 777 | 587 | 93 | --- | --- | --- | 5,471 |
| 1983-84 | 34 | 240 | 676 | 1,338 | 5 | --- | --- | --- | --- | --- | --- | --- | 2,293 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | 68 | 212 | 124 | 66 | 2 | --- | --- | --- | --- | --- | 472 |
| Mexico 2/ | | | | | | | | | | | | | |
| 1981-82 | 20 | 75 | 24 | 36 | 43 | 20 | 17 | 16 | 139 | 176 | 23 | --- | 589 |
| 1982-83 | 6 | 69 | 42 | 30 | 25 | 18 | 15 | 4 | 5 | --- | --- | --- | 214 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | 1 | 15 | 28 | 7 | 10 | 2 | --- | --- | --- | 63 |
| Other countries 3/ | | | | | | | | | | | | | |
| 1981-82 | --- | --- | 1 | 19 | 2 | 5 | 26 | 29 | 29 | 7 | 1 | --- | 119 |
| 1982-83 | 1 | 3 | 10 | 29 | 23 | 3 | 8 | 23 | --- | --- | --- | --- | 100 |
| 1983-84 | 22 | 83 | 37 | 53 | 122 | 64 | 200 | 157 | 36 | 35 | 30 | --- | 839 |
| 1984-85 | 11 | 67 | 71 | 178 | 229 | 264 | 136 | 45 | 39 | 50 | --- | --- | 1,090 |
| 1985-86 | 110 | 141 | 72 | 5 | 30 | 70 | 93 | 170 | 145 | --- | --- | --- | 836 |
| Total | | | | | | | | | | | | | |
| 1981-82 | 3,316 | 4,663 | 8,122 | 11,209 | 8,484 | 8,604 | 9,754 | 9,810 | 7,801 | 3,479 | 3,202 | 2,294 | 80,738 |
| 1982-83 | 1,871 | 3,594 | 7,429 | 11,837 | 9,764 | 9,834 | 10,242 | 12,253 | 8,851 | 5,971 | 3,726 | 3,027 | 88,399 |
| 1983-84 | 4,261 | 5,228 | 7,595 | 14,392 | 9,244 | 9,908 | 12,984 | 10,671 | 6,538 | 3,562 | 2,208 | 2,075 | 88,666 |
| 1984-85 | 3,001 | 2,892 | 7,534 | 11,263 | 8,019 | 8,462 | 11,239 | 9,134 | 6,554 | 3,839 | 2,586 | 2,789 | 77,318 |
| 1985-86 | 3,761 | 5,206 | 9,939 | 12,244 | 9,368 | 9,495 | 13,555 | 12,029 | 10,272 | 4,564 | 3,172 | 52 | 93,657 |

---

1/ Includes small quantity tangelos and tangerines. 2/ See page 35 for footnote. 3/ Central America, Dominican Republic, Israel, Italy, Morocco, South Africa, Spain, West Indies.

Source: See Page 45, Data Sources, Item 5.

## GRAPEFRUIT: Total fresh shipments in U.S. and to Canada by states of origin and imports to U.S., monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | 445 | 2,903 | 2,624 | 3,368 | 2,224 | 2,526 | 2,844 | 2,534 | 1,509 | 634 | 16 | 14 | 21,641 |
| 1982-83 | 1,898 | 3,047 | 2,901 | 3,511 | 3,134 | 2,970 | 3,259 | 2,853 | 1,413 | 220 | 11 | 3 | 25,220 |
| 1983-84 | 16 | 2,363 | 2,287 | 3,596 | 2,439 | 3,105 | 3,210 | 2,398 | 1,489 | 539 | 224 | 7 | 22,183 |
| 1984-85 | 135 | 2,668 | 3,092 | 3,835 | 3,979 | 2,442 | 3,506 | 3,077 | 1,185 | 72 | 6 | 4 | 24,001 |
| 1985-86 | 352 | 2,804 | 4,196 | 4,407 | 4,000 | 3,804 | 3,824 | 3,241 | 1,458 | 213 | 8 | --- | 28,307 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | 75 | 49 | 94 | 160 | 192 | 125 | 157 | 68 | 568 | 16 | 2 | 1,506 |
| 1982-83 | 12 | 14 | 117 | 79 | 192 | 143 | 188 | 157 | 766 | 1,042 | 8 | --- | 2,718 |
| 1983-84 | --- | --- | --- | 1 | 2 | --- | 4 | 11 | 43 | 7 | --- | --- | 68 |
| 1984-85 | --- | --- | --- | --- | 27 | 8 | 6 | --- | 24 | 14 | --- | --- | 79 |
| 1985-86 | --- | --- | --- | --- | --- | --- | 17 | 6 | 48 | 29 | --- | --- | 100 |
| California | | | | | | | | | | | | | |
| 1981-82 | | | | | | | Data unavailable | | | | | | |
| 1982-83 | | | | | | | Data unavailable | | | | | | |
| 1983-84 | 206 | 11 | 1 | 8 | 8 | --- | 3 | 4 | 73 | 69 | 175 | 187 | 745 |
| 1984-85 | 150 | 5 | --- | 5 | --- | 2 | 28 | 35 | 115 | 222 | 221 | 151 | 934 |
| 1985-86 | 88 | 4 | 1 | -- | -- | 7 | 22 | 45 | 69 | 229 | 300 | 11 | 776 |
| Texas | | | | | | | | | | | | | |
| 1981-82 | 28 | 629 | 1,162 | 1,802 | 2,181 | 1,588 | 1,682 | 1,190 | 616 | 81 | --- | --- | 10,959 |
| 1982-83 | --- | 291 | 1,393 | 1,751 | 1,986 | 1,774 | 1,893 | 1,604 | 677 | 45 | --- | --- | 11,414 |
| 1983-84 | --- | 782 | 1,612 | 1,895 | 15 | --- | --- | --- | --- | --- | --- | --- | 4,304 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | 61 | 211 | 55 | 5 | --- | --- | --- | --- | --- | --- | 332 |
| Mexico 1/ | | | | | | | | | | | | | |
| 1981-82 | 78 | 22 | 10 | 2 | 8 | 3 | 1 | --- | 1 | --- | --- | --- | 125 |
| 1982-83 | 8 | 113 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 121 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | 1 | --- | --- | 2 | 1 | 1 | 1 | --- | --- | --- | --- | --- | 6 |
| Other countries | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | --- | --- | --- | --- | 1 | --- | --- | --- | 1 |
| 1982-83 | --- | --- | --- | --- | --- | 9 | 10 | 13 | 23 | 9 | --- | --- | 64 |
| 1983-84 | 11 | 30 | --- | 3 | 20 | 3 | --- | --- | --- | --- | --- | --- | 67 |
| 1984-85 | --- | 46 | 15 | 33 | --- | --- | 1 | --- | 1 | --- | --- | --- | 96 |
| 1985-86 | 20 | --- | 7 | 4 | 9 | 14 | 2 | --- | --- | --- | --- | --- | 56 |
| Total | | | | | | | | | | | | | |
| 1981-82 | 551 | 3,629 | 3,845 | 5,266 | 4,573 | 4,309 | 4,652 | 3,881 | 2,195 | 1,283 | 32 | 16 | 34,232 |
| 1982-83 | 1,918 | 3,465 | 4,411 | 5,341 | 5,312 | 4,896 | 5,350 | 4,627 | 2,879 | 1,316 | 19 | 3 | 39,537 |
| 1983-84 | 233 | 3,186 | 4,410 | 5,503 | 2,484 | 3,108 | 3,217 | 2,413 | 1,605 | 615 | 399 | 194 | 27,367 2/ |
| 1984-85 | 285 | 2,719 | 3,107 | 3,873 | 4,006 | 2,452 | 3,541 | 3,112 | 1,325 | 308 | 227 | 155 | 25,110 |
| 1985-86 | 461 | 2,808 | 4,265 | 4,624 | 4,065 | 3,831 | 3,866 | 3,292 | 1,575 | 471 | 308 | 11 | 29,577 |

---

1/ See page 35 for footnote. 2/ Not comparable, California data unavailable in earlier years.

Source: See Page 45, Data Sources, Item 5.

## TANGERINES, TANGELOS, TEMPLES AND K-EARLY: Total fresh shipments in U.S. and to Canada by states of origin and imports to U.S., monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | | |
| **Tangerines** | | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | 13 | 499 | 826 | 1,356 | 348 | 272 | 146 | 7 | --- | --- | --- | --- | 3,467 |
| 1982-83 | 52 | 597 | 959 | 1,003 | 667 | 448 | 166 | 68 | 32 | 3 | --- | 1 | 3,996 |
| 1983-84 | --- | 311 | 1,071 | 1,463 | 212 | 289 | 287 | 62 | --- | --- | --- | --- | 3,695 |
| 1984-85 | 1 | 365 | 447 | 475 | 278 | 101 | 148 | 17 | 2 | 8 | 3 | --- | 1,845 |
| 1985-86 | 6 | 257 | 455 | 594 | 387 | 258 | 266 | 75 | 19 | 1 | --- | --- | 2,318 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | 9 | 61 | 114 | 293 | 334 | 339 | 127 | 56 | --- | --- | --- | 1,333 |
| 1982-83 | --- | --- | 103 | 210 | 684 | 327 | 130 | 130 | 8 | --- | --- | --- | 1,592 |
| 1983-84 | --- | --- | --- | 3 | 27 | 10 | 2 | 4 | --- | --- | --- | --- | 46 |
| 1984-85 | --- | --- | --- | 1 | 14 | 11 | 2 | --- | --- | --- | --- | --- | 28 |
| 1985-86 | --- | --- | --- | --- | 10 | 30 | 21 | 3 | --- | --- | --- | --- | 64 |
| Texas | | | | | | | | | | | | | |
| 1981-82 | --- | 1 | 11 | 13 | 6 | 2 | --- | --- | --- | --- | --- | --- | 33 |
| 1982-83 | --- | 1 | 5 | 5 | 3 | 1 | --- | --- | --- | --- | --- | --- | 15 |
| 1983-84 | --- | 7 | 15 | 10 | --- | --- | --- | --- | --- | --- | --- | --- | 32 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | 1 | --- | --- | --- | --- | --- | --- | --- | --- | 1 |
| Mexico 1/ | | | | | | | | | | | | | |
| 1981-82 | --- | 77 | 294 | 318 | 194 | 31 | 1 | --- | --- | --- | --- | --- | 915 |
| 1982-83 | --- | 30 | 151 | 183 | 66 | 7 | --- | --- | --- | --- | --- | --- | 437 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | 30 | 40 | 19 | 2 | --- | --- | --- | --- | --- | --- | 91 |
| Tangelos: Florida | | | | | | | | | | | | | |
| 1981-82 | --- | 136 | 854 | 1,733 | 379 | 76 | --- | --- | --- | --- | --- | --- | 3,178 |
| 1982-83 | 17 | 337 | 1,233 | 1,529 | 209 | 41 | 10 | 1 | --- | --- | --- | --- | 3,377 |
| 1983-84 | --- | 29 | 846 | 1,809 | 286 | 35 | 2 | --- | --- | --- | --- | --- | 3,007 |
| 1984-85 | --- | 176 | 780 | 1,264 | 511 | 64 | 22 | 1 | --- | --- | --- | --- | 2,818 |
| 1985-86 | --- | 88 | 645 | 1,281 | 448 | 75 | 16 | 8 | 2 | --- | --- | --- | 2,563 |
| Temples: Florida | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | 83 | 878 | 463 | 64 | 2 | --- | --- | --- | --- | 1,490 |
| 1982-83 | --- | --- | 10 | 351 | 1,184 | 974 | 163 | 14 | 3 | --- | --- | --- | 2,699 |
| 1983-84 | --- | --- | --- | 6 | 563 | 589 | 97 | 3 | --- | --- | --- | --- | 1,258 |
| 1984-85 | --- | --- | --- | 47 | 799 | 215 | 72 | 12 | --- | --- | --- | --- | 1,145 |
| 1985-86 | --- | --- | --- | 34 | 919 | 493 | 218 | 51 | 6 | --- | 1 | --- | 1,722 |
| K-Early: Florida | | | | | | | | | | | | | |
| 1981-82 | 37 | 509 | 57 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 603 |
| 1982-83 | 164 | 249 | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 414 |
| 1983-84 | 2 | 516 | 252 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1,274 |
| 1984-85 | 63 | 121 | 5 | --- | 25 | --- | --- | --- | --- | --- | --- | --- | 214 |
| 1985-86 | --- | 196 | 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 213 |

---

1/ See page 35 for footnote.

Source: See Page 45, Data Sources, Item 5.

## MIXED RAIL CITRUS: Total fresh shipments in U.S. and to Canada by states of origin and imports to U.S., monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | --- | --- | --- | 1 | --- | 10 | --- | --- | 11 |
| 1982-83 | --- | --- | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3 |
| 1983-84 | --- | 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11 |
| 1984-85 | 63 | 121 | 5 | --- | 25 | --- | --- | --- | --- | --- | --- | --- | 214 |
| 1985-86 | --- | --- | --- | --- | --- | --- | --- | --- | 79 | 11 | 2 | --- | 92 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | --- | 1 | 2 | 8 | 2 | 4 | 1 | 5 | 4 | 1 | --- | 28 |
| 1982-83 | --- | 2 | 3 | 22 | 14 | 12 | 2 | 3 | 24 | 22 | --- | --- | 104 |
| 1983-84 | --- | --- | 15 | 5 | 10 | 1 | 1 | 1 | 3 | --- | --- | --- | 36 |
| 1984-85 | --- | --- | 2 | 4 | --- | 2 | 2 | --- | --- | --- | --- | --- | 10 |
| 1985-86 | --- | --- | 2 | 2 | 6 | 1 | --- | 3 | 12 | 2 | --- | --- | 28 |
| California | | | | | | | | | | | | | |
| 1981-82 | 42 | 10 | 20 | 7 | 33 | 52 | 33 | 14 | 41 | 84 | 99 | 43 | 478 |
| 1982-83 | 13 | 3 | 9 | 12 | 28 | 82 | 84 | 68 | 50 | 81 | 84 | 40 | 554 |
| 1983-84 | 69 | 14 | 18 | 22 | 120 | 131 | 110 | 48 | 40 | 50 | 36 | 59 | 717 |
| 1984-85 | 28 | 14 | 14 | 21 | 37 | 121 | 154 | 63 | 49 | 75 | 58 | 44 | 678 |
| 1985-86 | 21 | 6 | 9 | 12 | 66 | 79 | 79 | 45 | 71 | 73 | 81 | 5 | 547 |
| Texas | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982-83 | --- | --- | --- | --- | --- | 2 | --- | --- | 3 | 7 | --- | --- | 12 |
| 1983-84 | --- | --- | --- | 2 | --- | --- | --- | --- | --- | --- | --- | --- | 2 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Total | | | | | | | | | | | | | |
| 1981-82 | 42 | 10 | 21 | 9 | 41 | 54 | 37 | 16 | 46 | 98 | 100 | 43 | 517 |
| 1982-83 | 13 | 5 | 15 | 34 | 42 | 96 | 86 | 71 | 77 | 110 | 84 | 40 | 673 |
| 1983-84 | 69 | 25 | 33 | 29 | 130 | 132 | 111 | 49 | 43 | 50 | 36 | 59 | 766 |
| 1984-85 | 91 | 135 | 21 | 25 | 62 | 123 | 156 | 63 | 49 | 75 | 58 | 44 | 902 |
| 1985-86 | 21 | 6 | 11 | 14 | 72 | 80 | 79 | 48 | 162 | 86 | 83 | 5 | 667 |

Source: See Page 45, Data Sources, Item 5.

Footnote 2/ for page 32, 1/ for pages 33 and 34. Final Mexican shipments to the U. S. are reported by FAS as a combined total for oranges and tangerines. The total shown on pages 32 through 34 has been broken down proportionally into oranges and tangerines from Plant Quarantine data reported at the time of the crossing. Plant Quarantine releases give separate totals for these two types of citrus. Mexican shipments, through the U.S. to Canada are not included.

ORANGES, TANGELOS AND TEMPLES: Total fresh shipments exported by states of origin, monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | | |
| **Oranges** | | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | --- | 3 | 8 | 3 | 3 | 5 | 17 | 48 | 56 | 32 | 3 | --- | 178 |
| 1982-83 | 2 | 7 | 4 | 3 | 6 | 8 | 19 | 108 | 86 | 46 | 9 | 6 | 304 |
| 1983-84 | --- | --- | 4 | 3 | 3 | 5 | 5 | 10 | 10 | 2 | --- | --- | 42 |
| 1984-85 | --- | 1 | 2 | --- | --- | --- | --- | --- | 5 | --- | --- | --- | 8 |
| 1985-86 | --- | --- | --- | --- | --- | 4 | 58 | 105 | 30 | --- | --- | --- | 197 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | 1 | 155 | 83 | 24 | 118 | 311 | 412 | 138 | 18 | --- | --- | 1,260 |
| 1982-83 | --- | 1 | 34 | 32 | 24 | 41 | 261 | 791 | 360 | 106 | 15 | --- | 1,665 |
| 1983-84 | --- | --- | 14 | 17 | 3 | 58 | 360 | 334 | 38 | --- | --- | --- | 824 |
| 1984-85 | --- | --- | 1 | --- | --- | 96 | 305 | 307 | 15 | 3 | --- | --- | 727 |
| 1985-86 | --- | --- | --- | 16 | --- | 3 | 403 | 255 | 98 | 24 | --- | --- | 799 |
| California | | | | | | | | | | | | | |
| 1981-82 | 721 | 1,139 | 690 | 1,060 | 1,559 | 1,300 | 1,004 | 1,346 | 2,654 | 1,851 | 1,661 | 861 | 15,846 |
| 1982-83 | 501 | 165 | 479 | 889 | 1,847 | 1,557 | 1,514 | 2,194 | 2,410 | 2,605 | 2,825 | 1,382 | 18,368 |
| 1983-84 | 1,348 | 1,418 | 1,069 | 1,204 | 1,799 | 1,484 | 1,557 | 1,177 | 2,570 | 2,072 | 892 | 916 | 17,506 |
| 1984-85 | 861 | 557 | 911 | 1,131 | 1,434 | 1,464 | 1,462 | 1,574 | 2,771 | 2,564 | 1,498 | 1,553 | 17,780 |
| 1985-86 | 1,230 | 1,125 | 1,164 | 832 | 1,418 | 1,104 | 1,402 | 1,735 | 2,704 | 2,153 | 1,671 | 5 | 16,543 |
| Total 1/ | | | | | | | | | | | | | |
| 1981-82 | 721 | 1,143 | 853 | 1,146 | 1,586 | 1,423 | 1,332 | 1,806 | 2,848 | 1,901 | 1,664 | 861 | 17,284 |
| 1982-83 | 503 | 173 | 517 | 924 | 1,877 | 1,606 | 1,794 | 3,093 | 2,856 | 2,757 | 2,849 | 1,388 | 20,337 |
| 1983-84 | 1,348 | 1,418 | 1,087 | 1,224 | 1,805 | 1,547 | 1,922 | 1,521 | 2,618 | 2,074 | 892 | 916 | 18,372 |
| 1984-85 | 861 | 558 | 914 | 1,131 | 1,434 | 1,560 | 1,767 | 1,881 | 2,791 | 2,567 | 1,498 | 1,553 | 18,515 |
| 1985-86 | 1,230 | 1,125 | 1,164 | 848 | 1,418 | 1,111 | 1,863 | 2,095 | 2,832 | 2,177 | 1,671 | 5 | 17,539 |
| Tangelos: Florida | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | 1 | --- | --- | --- | --- | --- | --- | --- | 1 |
| 1982-83 | --- | --- | --- | --- | --- | 4 | --- | --- | --- | --- | --- | --- | 4 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Temples: Florida | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | 1 | --- | --- | --- | --- | --- | --- | --- | 1 |
| 1982-83 | --- | --- | --- | 16 | 11 | 3 | --- | --- | --- | --- | --- | --- | 30 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

---

1/ Includes small quantity from Texas.

Source: See Page 45, Data Sources, Item 5.

GRAPEFRUIT AND TANGERINES: Total fresh shipments exported by states of origin, monthly for crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | | |
| **Grapefruit** | | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | | |
| 1981-82 | 278 | 1,195 | 449 | 994 | 801 | 1,683 | 2,100 | 1,691 | 719 | 24 | --- | --- | 9,934 |
| 1982-83 | 668 | 1,079 | 202 | 958 | 1,608 | 1,081 | 2,061 | 1,749 | 116 | 1 | --- | --- | 9,523 |
| 1983-84 | 44 | 880 | 818 | 762 | 1,251 | 1,542 | 2,482 | 1,916 | 373 | 3 | --- | --- | 10,071 |
| 1984-85 | 5 | 789 | 727 | 797 | 1,049 | 651 | 873 | 517 | 88 | --- | --- | --- | 5,496 |
| 1985-86 | 63 | 1,675 | 780 | 762 | 1,900 | 1,551 | 2,369 | 1,770 | 199 | --- | --- | --- | 11,069 |
| Arizona | | | | | | | | | | | | | |
| 1981-82 | --- | --- | --- | --- | --- | --- | --- | --- | 13 | 21 | 8 | --- | 42 |
| 1982-83 | --- | --- | --- | --- | --- | --- | 3 | --- | 3 | 5 | --- | --- | 11 |
| 1983-84 | --- | --- | --- | --- | --- | --- | --- | 3 | 26 | 16 | --- | --- | 45 |
| 1984-85 | --- | --- | --- | --- | 3 | --- | 3 | --- | 13 | 8 | --- | --- | 27 |
| 1985-86 | --- | --- | 5 | --- | 5 | --- | --- | --- | 8 | --- | 2 | --- | 20 |
| California | | | | | | | | | | | | | |
| 1981-82 | | | | | | Data unavailable | | | | | | | |
| 1982-83 | | | | | | Data unavailable | | | | | | | |
| 1983-84 | 23 | --- | --- | --- | --- | --- | 3 | 3 | 11 | 26 | 41 | 61 | 168 |
| 1984-85 | 34 | --- | --- | --- | --- | --- | 5 | 3 | 18 | 18 | 19 | 18 | 115 |
| 1985-86 | 3 | --- | 3 | --- | --- | 3 | --- | --- | 8 | 30 | 40 | --- | 87 |
| Texas | | | | | | | | | | | | | |
| 1981-82 | --- | 81 | 261 | 178 | 349 | 621 | 389 | 90 | 21 | --- | --- | --- | 1,990 |
| 1982-83 | --- | 11 | 228 | 311 | 456 | 484 | 223 | 618 | 83 | --- | --- | --- | 2,414 |
| 1983-84 | --- | 46 | 340 | 218 | 4 | --- | --- | --- | --- | --- | --- | --- | 608 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | 1 | --- | --- | --- | --- | --- | --- | --- | --- | 1 |
| Total | | | | | | | | | | | | | |
| 1981-82 | 278 | 1,276 | 710 | 1,172 | 1,150 | 2,304 | 2,489 | 1,781 | 753 | 45 | 8 | --- | 11,966 |
| 1982-83 | 668 | 1,090 | 430 | 1,269 | 2,064 | 1,565 | 2,287 | 2,367 | 202 | 6 | --- | --- | 11,948 |
| 1983-84 | 67 | 926 | 1,158 | 980 | 1,255 | 1,542 | 2,485 | 1,922 | 410 | 45 | 41 | 61 | 10,892 1/ |
| 1984-85 | 39 | 789 | 727 | 797 | 1,052 | 651 | 881 | 520 | 119 | 26 | 19 | 18 | 5,638 |
| 1985-86 | 66 | 1,675 | 788 | 763 | 1,905 | 1,554 | 2,369 | 1,770 | 215 | 30 | 42 | --- | 11,177 |
| **Tangerines:** Florida | | | | | | | | | | | | | |
| 1981-82 | --- | 2 | 6 | 3 | 1 | 4 | 10 | 4 | --- | --- | --- | --- | 30 |
| 1982-83 | --- | 2 | 5 | 3 | 6 | 7 | 8 | 1 | 2 | --- | 2 | 1 | 37 |
| 1983-84 | --- | --- | 5 | 7 | 8 | 12 | 12 | 1 | --- | --- | --- | --- | 45 |
| 1984-85 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985-86 | --- | --- | --- | --- | --- | 2 | 2 | --- | --- | --- | --- | --- | 4 |

1/ Not comparable, California data unavailable in earlier years.

Source: See Page 45, Data Sources, Item 5.

## CITRUS: U.S. fresh exports, by months, crop year 1985-86

| Crop year | Jul | Aug | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cartons | | | | | | | |
| **Oranges** | | | | | | | | | | | | | |
| Hong Kong | 460 | 670 | 506 | 571 | 412 | 275 | 698 | 398 | 531 | 849 | 366 | 523 | 6,259 |
| Japan | 584 | 467 | 229 | 163 | 153 | 70 | 247 | 187 | 392 | 727 | 1,171 | 1,019 | 5,409 |
| Canada | 221 | 252 | 320 | 317 | 401 | 473 | 674 | 549 | 669 | 660 | 536 | 324 | 5,396 |
| Singapore | 63 | 109 | 102 | 96 | 53 | 52 | 69 | 44 | 60 | 108 | 87 | 111 | 954 |
| Malaysia | 44 | 43 | 48 | 27 | 16 | 27 | 54 | 25 | 46 | 84 | 84 | 52 | 550 |
| Australia | 0 | 0 | 0 | 0 | 29 | 26 | 91 | 84 | 25 | 13 | 0 | 0 | 268 |
| Netherlands | 44 | 57 | 9 | 0 | 0 | 0 | 2 | 12 | 8 | 12 | 29 | 37 | 210 |
| New Zealand | 0 | 1 | 0 | 1 | 0 | 17 | 6 | 65 | 5 | 46 | 22 | 0 | 163 |
| China (Taiwan) | 17 | 15 | 4 | 2 | 0 | 0 | 0 | 1 | 0 | 8 | 14 | 35 | 96 |
| France | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 7 | 12 | 22 | 2 | 0 | 54 |
| Sweden | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 5 | 2 | 5 | 13 | 16 | 43 |
| United Kingdom | 0 | 4 | 0 | 0 | 0 | 0 | 1 | 4 | 3 | 0 | 3 | 21 | 36 |
| Others | 7 | 2 | 12 | 9 | 9 | 9 | 11 | 10 | 15 | 10 | 14 | 4 | 112 |
| Total | 1,440 | 1,621 | 1,230 | 1,186 | 1,073 | 949 | 1,865 | 1,391 | 1,768 | 2,544 | 2,341 | 2,142 | 19,550 |
| **Grapefruit** | | | | | | | | | | | | | |
| Japan | 383 | 351 | 53 | 523 | 454 | 182 | 393 | 766 | 1,532 | 840 | 1,233 | 1,106 | 7,816 |
| France | 0 | 19 | 10 | 306 | 231 | 166 | 319 | 416 | 377 | 446 | 150 | 0 | 2,440 |
| Canada | 60 | 74 | 91 | 161 | 137 | 122 | 177 | 148 | 146 | 134 | 109 | 94 | 1,453 |
| Netherlands | 4 | 13 | 4 | 171 | 74 | 85 | 149 | 203 | 200 | 103 | 53 | 16 | 1,075 |
| West Germany | 0 | 0 | 0 | 31 | 78 | 18 | 98 | 51 | 17 | 24 | 11 | 1 | 329 |
| United Kingdom | 2 | 0 | 1 | 27 | 30 | 18 | 29 | 41 | 23 | 45 | 22 | 1 | 239 |
| Belgium-Luxembourg | 0 | 0 | 0 | 1 | 10 | 10 | 22 | 20 | 11 | 16 | 10 | 1 | 101 |
| Italy | 0 | 0 | 0 | 13 | 34 | 0 | 2 | 40 | 0 | 0 | 0 | 0 | 89 |
| Switzerland | 0 | 0 | 0 | 11 | 6 | 6 | 10 | 10 | 14 | 10 | 3 | 0 | 70 |
| Hong Kong | 7 | 9 | 4 | 6 | 4 | 7 | 7 | 4 | 5 | 6 | 3 | 8 | 70 |
| Others | 51 | 9 | 4 | 9 | 10 | 21 | 20 | 29 | 44 | 84 | 86 | 71 | 438 |
| Total | 507 | 475 | 167 | 1,259 | 1,068 | 635 | 1,226 | 1,728 | 2,369 | 1,708 | 1,680 | 1,298 | 14,120 |
| **Tangerines** | | | | | | | | | | | | | |
| Canada | 7 | 5 | 7 | 25 | 35 | 30 | 55 | 51 | 36 | 22 | 7 | 5 | 285 |
| Hong Kong | 8 | 14 | 13 | 11 | 0 | 5 | 9 | 10 | 3 | 0 | 1 | 2 | 76 |
| Netherlands | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 29 | 14 | 2 | 1 | 0 | 62 |
| France | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 9 |
| Japan | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 7 |
| New Zealand | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 6 |
| China (Taiwan) | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| Australia | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 0 | 0 | 5 |
| Others | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 8 | 4 | 1 | 2 | 2 | 22 |
| Total | 20 | 22 | 23 | 36 | 35 | 36 | 90 | 111 | 58 | 27 | 11 | 9 | 478 |

Source: See Page 45, Data Sources, Item 6.

## FLORIDA CITRUS: Certified citrus exports, crop years 1977-78 through 1985-86 1/

| Crop year | Oranges | | | Grapefruit | | | Specialty fruit | | | Grand total |
|---|---|---|---|---|---|---|---|---|---|---|
| | Commercial | Government | Total | Commercial | Government | Total | Commercial | Government | Total | |
| | | | | | 1,000 cartons | | | | | |
| 1977-78 | 363 | 41 | 404 | 6,594 | 10 | 6,604 | 150 | --- | 150 | 7,158 |
| 1978-79 | 968 | 48 | 1,016 | 10,511 | 20 | 10,531 | 152 | --- | 152 | 11,699 |
| 1979-80 | 270 | 29 | 299 | 9,957 | 17 | 9,974 | 181 | --- | 181 | 10,454 |
| 1980-81 | 271 | 36 | 307 | 10,226 | 14 | 10,240 | 42 | --- | 42 | 10,589 |
| 1981-82 | 167 | 11 | 178 | 9,922 | 12 | 9,934 | 32 | --- | 32 | 10,144 |
| 1982-83 | 295 | 15 | 310 | 9,514 | 8 | 9,522 | 68 | --- | 68 | 9,903 |
| 1983-84 | 26 | 16 | 42 | 9,938 | 14 | 9,952 | 44 | --- | 44 | 10,038 |
| 1984-85 | 8 | 2 | 10 | 5,658 | 6 | 5,664 | --- | --- | --- | 5,674 |
| 1985-86 | 202 | --- | 202 | 11,078 | --- | 11,078 | 4 | --- | 4 | 11,284 |

1/ Shipments certified in Florida for export to foreign countries other than Canada and Mexico.
Source: See Page 45, Data Sources, Item 7.

FLORIDA CITRUS: Certified citrus exports by weeks, crop year 1985-86 1/

| Week ended | Oranges | | | Grapefruit | | | Specialty fruit | | |
|---|---|---|---|---|---|---|---|---|---|
| | Commercial | Government | Total | Commercial | Government | Total | Commercial | Government | Total |
| | | | | 1,000 cartons | | | | | |
| Sep. 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 8 | --- | 8 | --- | --- | --- |
| 29 | --- | --- | --- | 10 | --- | 10 | --- | --- | --- |
| Oct. 6 | --- | --- | --- | 240 | --- | 240 | --- | --- | --- |
| 13 | --- | --- | --- | 301 | --- | 301 | --- | --- | --- |
| 20 | --- | --- | --- | 506 | --- | 506 | --- | --- | --- |
| 27 | --- | --- | --- | 376 | --- | 376 | --- | --- | --- |
| Nov. 3 | --- | --- | --- | 358 | --- | 358 | --- | --- | --- |
| 10 | --- | --- | --- | 141 | --- | 141 | --- | --- | --- |
| 17 | --- | --- | --- | 191 | --- | 191 | --- | --- | --- |
| 24 | --- | --- | --- | 320 | --- | 320 | --- | --- | --- |
| Dec. 1 | --- | --- | --- | 76 | --- | 76 | --- | --- | --- |
| 8 | --- | --- | --- | 47 | --- | 47 | --- | --- | --- |
| 15 | --- | --- | --- | 118 | --- | 118 | --- | --- | --- |
| 22 | --- | --- | --- | 395 | --- | 395 | --- | --- | --- |
| 29 | --- | --- | --- | 123 | --- | 123 | --- | --- | --- |
| Jan. 5 | --- | --- | --- | 192 | --- | 192 | --- | --- | --- |
| 12 | --- | --- | --- | 206 | --- | 206 | --- | --- | --- |
| 19 | --- | --- | --- | 463 | --- | 463 | --- | --- | --- |
| 26 | --- | --- | --- | 438 | --- | 438 | --- | --- | --- |
| Feb. 2 | --- | --- | --- | 718 | --- | 718 | --- | --- | --- |
| 9 | --- | --- | --- | 293 | --- | 293 | --- | --- | --- |
| 16 | --- | --- | --- | 466 | --- | 466 | --- | --- | --- |
| 23 | 2 | --- | 2 | 328 | --- | 328 | --- | --- | --- |
| Mar. 2 | 2 | --- | 2 | 482 | --- | 482 | 2 | --- | 2 |
| 9 | 5 | --- | 5 | 527 | --- | 527 | --- | --- | --- |
| 16 | 7 | --- | 7 | 532 | --- | 532 | 1 | --- | 1 |
| 23 | 9 | --- | 9 | 584 | --- | 584 | 1 | --- | 1 |
| 30 | 35 | --- | 35 | 580 | --- | 580 | --- | --- | --- |
| Apr. 6 | 45 | --- | 45 | 546 | --- | 546 | --- | --- | --- |
| 13 | 30 | --- | 30 | 472 | --- | 472 | --- | --- | --- |
| 20 | 22 | --- | 22 | 512 | --- | 512 | --- | --- | --- |
| 27 | 7 | --- | 7 | 224 | --- | 224 | --- | --- | --- |
| May 4 | 20 | --- | 20 | 183 | --- | 183 | --- | --- | --- |
| 11 | 12 | --- | 12 | 71 | --- | 71 | --- | --- | --- |
| 18 | 4 | --- | 4 | 31 | --- | 31 | --- | --- | --- |
| 25 | --- | --- | --- | 10 | --- | 10 | --- | --- | --- |
| Jun. 1 | 2 | --- | 2 | 10 | --- | 10 | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Jul. 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Aug. total | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Total | 202 | --- | 202 | 11,078 | --- | 11,078 | 4 | --- | 4 |

---

1/ Shipments certified in Florida for export to foreign countries other than Canada and Mexico.

Source: See Page 45, Data Sources, Item 7.

## CITRUS: Per capita consumption, fresh weight equivalent, United States, 1970 through 1985

| Year | Citrus fruit consumed in fresh form | | | | | | | All citrus processed | Total citrus |
|---|---|---|---|---|---|---|---|---|---|
| | Oranges 1/ | Grapefruit | Tangerines | Tangelos | Lemons | Limes | Total fresh | | |
| | Pounds | | | | | | | | |
| 1970 | 16.5 | 8.3 | 1.6 | .6 | 2.1 | .2 | 29.3 | 61.3 | 90.6 |
| 1971 | 15.7 | 8.6 | 1.8 | .7 | 2.2 | .2 | 29.2 | 68.1 | 97.3 |
| 1972 | 14.5 | 8.6 | 1.6 | .7 | 1.8 | .2 | 27.4 | 75.7 | 103.1 |
| 1973 | 14.4 | 8.6 | 1.7 | .6 | 1.9 | .2 | 27.4 | 75.6 | 103.0 |
| 1974 | 14.4 | 8.2 | 1.9 | .7 | 2.0 | .2 | 27.4 | 79.6 | 107.0 |
| 1975 | 15.9 | 8.4 | 2.0 | 1.0 | 1.9 | .2 | 29.4 | 90.1 | 119.5 |
| 1976 | 14.7 | 9.2 | 2.0 | .9 | 1.9 | .3 | 29.0 | 88.8 | 117.8 |
| 1977 | 13.4 | 7.7 | 1.8 | .9 | 2.1 | .3 | 26.2 | 89.6 | 115.8 |
| 1978 | 13.5 | 8.3 | 1.6 | .8 | 2.1 | .2 | 26.5 | 81.6 | 108.1 |
| 1979 | 12.4 | 7.6 | 1.6 | .7 | 2.0 | .2 | 24.5 | 84.3 | 108.8 |
| 1980 | 15.8 | 8.0 | 2.0 | .7 | 2.0 | .4 | 28.9 | 84.2 | 113.1 |
| 1981 | 13.5 | 6.9 | 1.3 | .8 | 2.0 | .4 | 24.9 | 79.8 | 104.7 |
| 1982 | 12.7 | 7.5 | 1.3 | .7 | 2.1 | .4 | 24.7 | 85.3 | 110.0 |
| 1983 | 16.1 | 8.1 | 1.4 | .7 | 2.4 | .6 | 29.3 | 91.4 | 120.7 |
| 1984 | 12.8 | 6.3 | 1.4 | .6 | 2.3 | .5 | 23.9 | 79.3 | 103.2 |
| 1985 | 12.4 | 5.7 | .8 | .6 | 2.4 | .6 | 22.5 | 92.9 | 115.4 |

1/ Includes Temples.
Source: See Page 45, Data Sources, Item 10.

## CITRUS: Florida fresh exports, 1984-85 and 1985-86 crop years

| Country | Grapefruit | | Oranges | | Tangerines | | Total | |
|---|---|---|---|---|---|---|---|---|
| | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 |
| | 1,000 cartons | | | | | | | |
| Japan | 2,563 | 6,172 | --- | 162 | --- | --- | 2,563 | 6,334 |
| France | 1,917 | 2,732 | --- | 1 | --- | --- | 1,917 | 2,733 |
| Holland | 510 | 1,116 | 5 | 35 | --- | 2 | 515 | 1,153 |
| West Germany | 230 | 324 | 2 | --- | --- | 2 | 232 | 326 |
| England | 136 | 232 | 1 | 3 | --- | --- | 137 | 235 |
| Belgium | 185 | 203 | --- | --- | --- | --- | 185 | 203 |
| Italy | 72 | 153 | --- | --- | --- | --- | 72 | 153 |
| Sweden | 12 | 45 | --- | --- | --- | --- | 12 | 45 |
| Switzerland | 28 | 40 | --- | --- | --- | --- | 28 | 40 |
| Taiwan | --- | 24 | --- | --- | --- | --- | --- | 24 |
| United Kingdom | --- | 8 | --- | --- | --- | --- | --- | 8 |
| Finland | 5 | 7 | --- | --- | --- | --- | 5 | 7 |
| Liberia | --- | 4 | --- | --- | --- | --- | --- | 4 |
| South Korea | --- | 4 | --- | --- | --- | --- | --- | 4 |
| Hong Kong | 1 | 3 | --- | --- | --- | --- | 1 | 3 |
| East Germany | --- | 2 | --- | --- | --- | --- | --- | 2 |
| Northern Ireland | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Singapore | 2 | 1 | --- | --- | --- | --- | 2 | 1 |
| China | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Norway | 1 | 1 | --- | --- | --- | --- | 1 | 1 |
| Hungary | --- | --- | --- | 1 | --- | --- | --- | 1 |
| India | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Iceland | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Swaziland | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Bahrein | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Great Britain | --- | 1 | --- | --- | --- | --- | --- | 1 |
| Venezuela | --- | --- | 2 | --- | --- | --- | 2 | --- |
| Kenya | 1 | --- | --- | --- | --- | --- | 1 | --- |
| Indonesia | 1 | --- | --- | --- | --- | --- | 1 | --- |
| Total | 5,664 | 11,078 | 10 | 202 | --- | 4 | 5,674 | 11,284 |

Source: See Page 45, Data Sources. Item 7.

FLORIDA CITRUS: Boxes of fruit processed by weeks, crop years 1984-85 and 1985-86

| Week ended | Oranges |  | Grapefruit |  | Temples |  |
|---|---|---|---|---|---|---|
|  | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 |
|  |  |  | 1,000 boxes |  |  |  |
| Sep. 1 | --- | --- | --- | --- | --- | --- |
| 8 | --- | 1 | --- | --- | --- | --- |
| 15 | --- | 1 | --- | --- | --- | --- |
| 22 | --- | 1 | 1 | 10 | --- | --- |
| 29 | 1 | 3 | 12 | 33 | --- | --- |
| Oct. 6 | 2 | 18 | 38 | 93 | --- | --- |
| 13 | 21 | 49 | 113 | 148 | --- | --- |
| 20 | 54 | 88 | 185 | 217 | --- | --- |
| 27 | 81 | 97 | 231 | 267 | --- | --- |
| Nov. 3 | 101 | 102 | 273 | 334 | --- | --- |
| 10 | 99 | 105 | 246 | 366 | --- | --- |
| 17 | 197 | 235 | 357 | 564 | --- | --- |
| 24 | 147 | 494 | 245 | 616 | --- | --- |
| Dec. 1 | 1,122 | 530 | 434 | 437 | --- | --- |
| 8 | 1,822 | 1,692 | 618 | 771 | --- | --- |
| 15 | 2,767 | 3,137 | 763 | 848 | --- | --- |
| 22 | 3,372 | 4,047 | 633 | 950 | 1 | --- |
| 29 | 1,964 | 2,284 | 220 | 442 | 4 | 2 |
| Jan. 5 | 3,265 | 5,129 | 466 | 781 | 24 | 16 |
| 12 | 4,901 | 5,246 | 615 | 786 | 70 | 124 |
| 19 | 4,938 | 6,629 | 760 | 1,000 | 87 | 210 |
| 26 | 6,057 | 6,084 | 749 | 945 | 264 | 179 |
| Feb. 2 | 7,186 | 6,026 | 1,136 | 1,090 | 535 | 161 |
| 9 | 6,804 | 5,103 | 1,463 | 1,320 | 345 | 148 |
| 16 | 6,275 | 4,682 | 1,629 | 1,445 | 307 | 206 |
| 23 | 5,237 | 3,837 | 2,174 | 1,599 | 258 | 207 |
| Mar. 2 | 3,964 | 2,772 | 2,173 | 1,899 | 253 | 177 |
| 9 | 2,902 | 2,013 | 2,432 | 2,008 | 124 | 169 |
| 16 | 2,401 | 1,190 | 2,539 | 1,695 | 154 | 214 |
| 23 | 2,033 | 1,489 | 2,041 | 1,724 | 123 | 80 |
| 30 | 2,170 | 1,771 | 2,157 | 1,275 | 28 | 31 |
| Apr. 6 | 1,610 | 2,706 | 1,313 | 1,117 | 5 | 27 |
| 13 | 2,606 | 3,592 | 981 | 768 | 14 | 27 |
| 20 | 2,617 | 4,515 | 583 | 522 | 4 | 13 |
| 27 | 3,387 | 5,065 | 515 | 347 | 5 | 6 |
| May 4 | 3,110 | 4,739 | 338 | 245 | 1 | 5 |
| 11 | 3,299 | 4,886 | 211 | 158 | 1 | 3 |
| 18 | 2,927 | 4,753 | 154 | 108 | --- | 1 |
| 25 | 2,613 | 4,226 | 87 | 70 | 1 | 3 |
| Jun. 1 | 2,264 | 3,608 | 37 | 51 | --- | 2 |
| 8 | 1,603 | 3,000 | 28 | 27 | --- | 3 |
| 15 | 816 | 2,037 | 7 | 12 | --- | 3 |
| 22 | 343 | 1,081 | 14 | 9 | --- | 4 |
| 29 | 92 | 616 | 17 | 8 | --- | 4 |
| Jul. 6 | 14 | 237 | 5 | 3 | 1 | 1 |
| 13 | 13 | 117 | 1 | 4 | 1 | 4 |
| 20 | 8 | 22 | 2 | 4 | 2 | --- |
| 31 | 7 | 19 | 2 | 3 | 2 | 1 |
| Aug. total | 36 | 43 | 14 | 11 | 10 | 6 |
| Total | 97,248 | 110,117 | 29,012 | 27,130 | 2,624 | 2,037 |

Source: See Page 45, Data Sources, Item 7.

(Continued)

FLORIDA CITRUS: Boxes of fruit processed by weeks, crop years 1984-85 and 1985-86 (Continued)

| Week ended | Tangelos | | Tangerines | | Honey Tangerines | | K-Early | |
|---|---|---|---|---|---|---|---|---|
| | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 |
| | | | | 1,000 boxes | | | | |
| Sep. 1 | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | 1 |
| 29 | --- | --- | --- | --- | --- | --- | 3 | 2 |
| Oct. 6 | --- | --- | 1 | 4 | --- | --- | 3 | 6 |
| 13 | 3 | 2 | 16 | 9 | --- | --- | 5 | 8 |
| 20 | 9 | 9 | 25 | 18 | --- | --- | 7 | 8 |
| 27 | 27 | 18 | 23 | 15 | --- | --- | 1 | 7 |
| Nov. 3 | 39 | 25 | 20 | 17 | --- | --- | 1 | 3 |
| 10 | 70 | 43 | 17 | 15 | --- | --- | 1 | --- |
| 17 | 58 | 95 | 23 | 24 | --- | --- | --- | --- |
| 24 | 30 | 73 | 18 | 31 | --- | --- | 1 | 1 |
| Dec. 1 | 96 | 55 | 30 | 21 | --- | --- | --- | 1 |
| 8 | 102 | 113 | 42 | 41 | --- | --- | --- | 1 |
| 15 | 158 | 172 | 54 | 51 | --- | --- | 1 | --- |
| 22 | 184 | 136 | 39 | 57 | --- | --- | --- | --- |
| 29 | 75 | 60 | 6 | 10 | 1 | 2 | --- | --- |
| Jan. 5 | 176 | 121 | 15 | 35 | 3 | 27 | --- | --- |
| 12 | 315 | 138 | 16 | 20 | 10 | 17 | --- | --- |
| 19 | 276 | 178 | 6 | 19 | 29 | 33 | --- | --- |
| 26 | 217 | 142 | 3 | 14 | 76 | 33 | --- | --- |
| Feb. 2 | 135 | 81 | 1 | 5 | 142 | 48 | --- | --- |
| 9 | 55 | 56 | --- | 1 | 77 | 27 | --- | 1 |
| 16 | 48 | 40 | --- | 1 | 51 | 21 | --- | --- |
| 23 | 16 | 15 | --- | 4 | 43 | 29 | --- | --- |
| Mar. 2 | 15 | 14 | 1 | --- | 31 | 30 | --- | --- |
| 9 | 15 | 19 | 1 | --- | 31 | 20 | --- | --- |
| 16 | 6 | 3 | --- | --- | 15 | 10 | --- | --- |
| 23 | 3 | 1 | --- | --- | 13 | 11 | --- | --- |
| 30 | 3 | 2 | --- | --- | 10 | 11 | --- | --- |
| Apr. 6 | 1 | 1 | --- | --- | 2 | 6 | --- | --- |
| 13 | --- | --- | --- | --- | 1 | 5 | --- | --- |
| 20 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 27 | --- | --- | --- | --- | 1 | --- | --- | --- |
| May 4 | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 18 | --- | --- | --- | --- | --- | 2 | --- | --- |
| 25 | --- | --- | --- | --- | --- | 3 | --- | --- |
| Jun. 1 | --- | --- | --- | --- | --- | 2 | --- | --- |
| 8 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 15 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 22 | --- | --- | --- | --- | 1 | 1 | --- | --- |
| 29 | --- | --- | --- | --- | 1 | 1 | --- | --- |
| Jul. 6 | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 20 | --- | --- | --- | --- | --- | 1 | --- | --- |
| 31 | --- | --- | --- | --- | --- | 1 | --- | --- |
| Aug. total | --- | --- | --- | --- | --- | 3 | --- | --- |
| Total | 2,132 | 1,612 | 357 | 412 | 538 | 349 | 23 | 39 |

Source: See Page 45, Data Sources, Item 8.

FLORIDA CITRUS: Distribution of recorded utilization, by types, by months, crop years 1982-83 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Percent | | | | | | |
| Fresh orange shipments | | | | | | | | | | | | | |
| 1982-83 | 2 | 12 | 16 | 21 | 7 | 7 | 9 | 11 | 10 | 5 | --- | --- | 100 |
| 1983-84 | --- | 1 | 16 | 32 | 9 | 10 | 10 | 9 | 9 | 4 | --- | --- | 100 |
| 1984-85 | --- | --- | 25 | 29 | 12 | 6 | 8 | 8 | 9 | 3 | --- | --- | 100 |
| 1985-86 | --- | --- | 19 | 25 | 10 | 9 | 11 | 11 | 9 | 6 | --- | --- | 100 |
| Processed orange usage | | | | | | | | | | | | | |
| 1982-83 | --- | 1 | 3 | 17 | 21 | 8 | 5 | 18 | 19 | 8 | --- | --- | 100 |
| 1983-84 | --- | --- | 1 | 16 | 31 | 20 | 6 | 8 | 13 | 5 | --- | --- | 100 |
| 1984-85 | --- | --- | 2 | 10 | 25 | 25 | 10 | 12 | 13 | 3 | --- | --- | 100 |
| 1985-86 | --- | --- | 2 | 12 | 24 | 15 | 7 | 16 | 18 | 6 | --- | --- | 100 |
| Fresh grapefruit shipments | | | | | | | | | | | | | |
| 1982-83 | 7 | 11 | 9 | 13 | 14 | 12 | 15 | 13 | 5 | 1 | --- | --- | 100 |
| 1983-84 | --- | 10 | 11 | 12 | 11 | 15 | 18 | 14 | 7 | 2 | --- | --- | 100 |
| 1984-85 | --- | 12 | 14 | 15 | 18 | 11 | 15 | 11 | 4 | --- | --- | --- | 100 |
| 1985-86 | --- | 13 | 11 | 12 | 16 | 14 | 16 | 14 | 4 | --- | --- | --- | 100 |
| Processed grapefruit usage | | | | | | | | | | | | | |
| 1982-83 | 2 | 5 | 8 | 11 | 17 | 23 | 21 | 9 | 3 | 1 | --- | --- | 100 |
| 1983-84 | --- | 2 | 4 | 9 | 9 | 31 | 29 | 11 | 3 | 1 | 1 | --- | 100 |
| 1984-85 | --- | 2 | 5 | 8 | 12 | 25 | 33 | 12 | 3 | --- | --- | --- | 100 |
| 1985-86 | --- | 4 | 8 | 12 | 15 | 23 | 26 | 11 | 1 | --- | --- | --- | 100 |
| Fresh tangerine shipments | | | | | | | | | | | | | |
| 1982-83 | 3 | 21 | 34 | 33 | 8 | 1 | --- | --- | --- | --- | --- | --- | 100 |
| 1983-84 | --- | 11 | 36 | 50 | 3 | --- | --- | --- | --- | --- | --- | --- | 100 |
| 1984-85 | --- | 26 | 32 | 36 | 6 | --- | --- | --- | --- | --- | --- | --- | 100 |
| 1985-86 | --- | 20 | 30 | 39 | 11 | -- | -- | -- | -- | -- | -- | -- | 100 |
| Fresh tangelo shipments | | | | | | | | | | | | | |
| 1982-83 | --- | 10 | 36 | 43 | 8 | 3 | --- | --- | --- | --- | --- | --- | 100 |
| 1983-84 | --- | 1 | 27 | 60 | 10 | 2 | --- | --- | --- | --- | --- | --- | 100 |
| 1984-85 | --- | 6 | 27 | 45 | 18 | 4 | --- | --- | --- | --- | --- | --- | 100 |
| 1985-86 | --- | 4 | 25 | 48 | 19 | 4 | --- | --- | --- | --- | --- | --- | 100 |
| Fresh Temple shipments | | | | | | | | | | | | | |
| 1982-83 | --- | --- | --- | 12 | 43 | 37 | 7 | 1 | --- | --- | --- | --- | 100 |
| 1983-84 | --- | --- | --- | --- | 37 | 51 | 10 | 2 | --- | --- | --- | --- | 100 |
| 1984-85 | --- | --- | --- | --- | 71 | 21 | 8 | --- | --- | --- | --- | --- | 100 |
| 1985-86 | --- | --- | --- | --- | 54 | 29 | 13 | 4 | --- | --- | --- | --- | 100 |
| Fresh Honey Tangerine shipments | | | | | | | | | | | | | |
| 1982-83 | --- | --- | --- | 4 | 37 | 34 | 15 | 6 | 4 | --- | --- | --- | 100 |
| 1983-84 | --- | --- | --- | --- | 20 | 35 | 36 | 9 | --- | --- | --- | --- | 100 |
| 1984-85 | --- | --- | --- | --- | 41 | 23 | 36 | --- | --- | --- | --- | --- | 100 |
| 1985-86 | --- | --- | --- | --- | 30 | 29 | 31 | 8 | 2 | --- | --- | --- | 100 |

## CITRUS FRUIT: Production, by selected countries, principal types, crop years 1981-82 through 1985-86

| Country | Crop years | | | | |
|---|---|---|---|---|---|
| | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 1/ |
| | | | 1,000 metric tons 2/ | | |
| Oranges 3/ | | | | | |
| Brazil | 9,942 | 9,210 | 9,588 | 11,302 | 10,526 |
| United States | 7,025 | 8,827 | 6,691 | 6,227 | 7,076 |
| Italy | 1,752 | 1,498 | 2,299 | 1,790 | 2,000 |
| Spain | 1,629 | 1,652 | 2,077 | 1,365 | 1,905 |
| Mexico | 1,650 | 1,380 | 1,300 | 950 | 1,500 |
| Egypt | 895 | 1,201 | 1,243 | 1,182 | 1,200 |
| Israel | 1,105 | 889 | 962 | 880 | 850 |
| Morocco | 695 | 670 | 747 | 686 | 805 |
| Turkey | 675 | 656 | 730 | 760 | 700 |
| Greece | 704 | 665 | 691 | 768 | 600 |
| Australia | 421 | 392 | 488 | 520 | 540 |
| South Africa | 546 | 510 | 512 | 486 | 535 |
| Argentina | 606 | 639 | 500 | 653 | 500 |
| Cuba | 360 | 400 | 385 | 390 | 390 |
| Lebanon | 215 | 225 | 200 | 220 | 215 |
| Cyprus | 144 | 148 | 194 | 147 | 158 |
| Gaza | 150 | 150 | 135 | 136 | 100 |
| Total | 28,514 | 29,112 | 28,742 | 28,462 | 29,600 |
| Grapefruit | | | | | |
| United States | 2,606 | 2,220 | 1,974 | 2,068 | 2,160 |
| Israel | 534 | 460 | 402 | 383 | 360 |
| Argentina | 148 | 147 | 147 | 157 | 155 |
| Cuba | 110 | 125 | 150 | 145 | 145 |
| South Africa | 87 | 73 | 89 | 102 | 105 |
| Cyprus | NA | NA | 98 | 89 | 93 |
| Mexico | 115 | 100 | 78 | 53 | 82 |
| Total | 3,600 | 3,125 | 2,938 | 2,997 | 3,100 |
| Lemons | | | | | |
| Italy | 791 | 630 | 855 | 715 | 800 |
| United States | 855 | 874 | 732 | 889 | 678 |
| Spain | 450 | 426 | 523 | 325 | 440 |
| Argentina | 384 | 382 | 320 | 360 | 320 |
| Turkey | 230 | 250 | 230 | 240 | 200 |
| Greece | 200 | 165 | 188 | 155 | 180 |
| Total | 2,910 | 2,727 | 2,848 | 2,684 | 2,618 |
| Tangerines | | | | | |
| Japan | 3,111 | 3,228 | 3,239 | 2,344 | 2,892 |
| Spain | 839 | 920 | 1,263 | 947 | 1,035 |
| Brazil | 734 | 571 | 530 | 510 | 510 |
| Italy | 379 | 338 | 470 | 390 | 450 |
| Morocco | 293 | 245 | 243 | 244 | 316 |
| United States | 400 | 363 | 336 | 273 | 256 |
| Argentina | 255 | 244 | 244 | 241 | 238 |
| Turkey | 175 | 198 | 230 | 219 | 210 |
| Mexico | 130 | 110 | 112 | 67 | 123 |
| Israel | NA | 86 | 104 | 99 | 110 |
| Egypt | NA | 113 | 106 | 104 | 105 |
| Total | 6,316 | 6,416 | 6,877 | 5,438 | 6,245 |

---

1/ Forecast. 2/ One metric ton is equivalent to 2,204.6 pounds. 3/ Includes tangerines and Temples in some countries.

Source: See Page 45, Data Sources, Item 6.

## DATA SOURCES

All data in this summary are official statistics of United States Department of Agriculture issued by the National Agricultural Statistics Service, except when another source is shown.

1. United States Department of Commerce
   Federal-State Agricultural Weather Service
   1408 24th Street, S. E.
   Ruskin, Florida 33570

2. Hume, H. Harold, The Cultivation of Citrus Fruits
   (New York: The Macmillan Co., 1926) - Data for
   1886-87 through 1908-09

3. Florida Citrus Processors Association
   P. O. Box 780
   Winter Haven, Florida 33880

4. Arizona Agricultural Statistics Service
   201 East Indianola, Suite 250
   Phoenix, Arizona 85012

   California Agricultural Statistics Service
   P. O. Box 1258
   Sacramento, California 95806

   Texas Agricultural Statistics Service
   P. O. Box 70
   Austin, Texas 78767

5. United States Department of Agriculture
   Agricultural Marketing Service
   Washington, D. C. 20250

6. United States Department of Agriculture
   Foreign Agricultural Service
   Washington, D. C. 20250

7. Florida Department of Agriculture and Consumer Services
   Division of Fruit and Vegetable Inspection
   P. O. Box 1072
   Winter Haven, Florida 33880

8. Citrus Administrative Committee
   P. O. Box R
   Lakeland, Florida 33802

9. Florida Citrus Mutual
   302 S. Mass. Ave.
   P. O. Box 89
   Lakeland, Florida 33802

10. United States Department of Agriculture
    Economic Research Service
    Washington, D. C. 20250

OTHER STATES' PRODUCTION AREAS: Texas, Arizona and California
(States not to scale)



Texas citrus

1. Lower Rio Grande Valley
30,600 acres



Arizona citrus

| | | |
|---|---|---|
| 1. | Western | 22,900 acres |
| 2. | Central | 15,400 acres |



California citrus

| | | |
|---|---|---|
| 1. | San Joaquin Valley | 144,200 acres |
| 2. | Southern California | 118,200 acres |

: This public document was promulgated at a cost of $1.42 per copy to the State :
: of Florida. It is published to inform citrus growers and others of trends in :
: Florida citrus production. M87T1 :

S 1685-12.u

# Florida Agricultural Statistics

# Vegetable Summary

## 1986

FLORIDA
AGRICULTURAL
STATISTICS SERVICE
1222 Woodward Street
Orlando, Florida 32803



FLORIDA VEGETABLES

Distribution of Crop Values, 1985–86 Season

# FLORIDA AGRICULTURAL STATISTICS

## Vegetable Summary

Florida Department of Agriculture
and Consumer Services
Doyle Conner, Commissioner
Tallahassee, Florida

Florida Agricultural
Statistics Service

Robert L. Freie, Chief
Orlando, Florida

Division of Marketing

H. Vance Young, Jr. Ph.D., Director
Tallahassee, Florida

Cooperating with

U.S. Department of Agriculture
Agricultural Marketing Service
and
National Agricultural Statistics Service

University of Florida
Institute of Food & Agricultural Sciences
Agricultural Experiment Stations
Department of Food & Resource Economics

### ACKNOWLEDGMENT

The acreage, production, and value statistics in this bulletin are official State and USDA estimates prepared by the Florida Agricultural Statistics Service. The county and area detail were made possible by the participation of the Department of Food and Resource Economics, University of Florida, in the estimating program. The Bureau of State Farmers' Markets, Florida Department of Agriculture, and the County Extension Agents, University of Florida, Cooperative Extension Service, were also very helpful in supplying area and county information. Shipment statistics were provided by the Market News sections of the Florida Department of Agriculture and the USDA Agricultural Marketing Service.

Grower organizations have provided valuable assistance and data throughout the season. These groups include the Florida Celery Committee, Florida Tomato Committee, Florida Sweet Corn Exchange, South Florida Vegetable Exchange, Zellwood Sweet Corn Exchange, and North Florida Growers Exchange. Sales agencies and transportation firms provided additional inputs needed to complete the statistical story.

Foremost, the growers, shippers, and processors volunteered most of the basic data used in developing these statistics. The public spirited cooperation of these individuals and groups is appreciated.

Fieldmen Larry Amlong, Palmetto; Wallace Jacobs, Jupiter; Charles Robertson, Homestead; and James Spires of Immokalee collected much of the basic acreage, production, and price statistics in this bulletin. This report was assembled under the direction of Jerry Campbell and Bill Erwin of the Florida Agricultural Statistics Service and Buck Buchanan, Market News Section. The authors also wish to thank Ray Crickenberger, Marcelo Diaz, Kitty Hildreth, Pat Quittence, Tommy Scherer, Pat Todd, and others of the Florida Agricultural Statistics Service who assisted in compiling and preparing this report.

1222 Woodward Street, Orlando, Florida 32803 - Ph.(305)648-6020

Published April 1987

# FLORIDA


ESCAMBIA
SANTA ROSA
OKALOOSA
WALTON
HOLMES
JACKSON
WASHINGTON
BAY
CALHOUN
GULF
LIBERTY
FRANKLIN
GADSDEN
LEON
WAKULLA
JEFFERSON
MADISON
TAYLOR
HAMILTON
SUWANNEE
LAFAYETTE
COLUMBIA
BAKER
NASSAU
DUVAL
UNION
BRADFORD
CLAY
SAINT JOHNS
DIXIE
GILCHRIST
ALACHUA
PUTNAM
FLAGLER
LEVY
MARION
VOLUSIA
CITRUS
SUMTER
LAKE
SEMINOLE
HERNANDO
ORANGE
BREVARD
PASCO
POLK
OSCEOLA
HILLSBOROUGH
PINELLAS
INDIAN RIVER
MANATEE
HARDEE
HIGHLANDS
OKEECHOBEE
SAINT LUCIE
SARASOTA
DE SOTO
MARTIN
CHARLOTTE
GLADES
Lake Okeechobee
PALM BEACH
LEE
HENDRY
COLLIER
BROWARD
DADE
MONROE
TO MONROE COUNTY
SCALE IN MILES
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
1
2
3
4
5
6
7
8

PRINCIPAL VEGETABLES
BY
PRODUCING AREAS

1. WEST
    - A. Escambia county - Potatoes.
    - B. Holmes-Jackson-Washington counties - Butter beans, field peas, watermelons.
    - C. Gadsden county - Pole beans, squash, sweet corn, tomatoes.
2. NORTH
    - D. Starke-Brooker-Lake Butler - Lima beans, snap beans, cucumbers, green peppers, squash, strawberries.
    - E. Hastings - Cabbage, potatoes.
    - F. Gainesville-Alachua - Bush beans, cucumbers, peppers, potatoes, squash.
    - G. Island Grove-Hawthorne - Cucumbers, peppers, sweet corn, squash, watermelons.
3. NORTH CENTRAL
    - H. Oxford-Pedro - Tomatoes, watermelons.
    - I. Sanford-Oviedo-Zellwood - Cabbage, carrots, celery, sweet corn, cucumbers, escarole, greens, lettuce, peppers, radishes, spinach.
    - J. Webster - Cucumbers, eggplant, peppers.
4. WEST CENTRAL
    - K. Plant City-Balm - Bush and pole beans, lima beans, cabbage, cucumbers, eggplant, field peas, greens, squash, strawberries, watermelons.
    - L. Palmetto-Ruskin - Cabbage, cauliflower, potatoes, strawberries, tomatoes, watermelons.
    - M. Sarasota - Cabbage, celery, sweet corn, escarole, lettuce, radishes.
    - N. Wauchula - Cucumbers, eggplant, peppers, tomatoes, watermelons.
5. EAST CENTRAL
    - O. Ft. Pierce - Tomatoes, watermelons.
6. SOUTHWEST
    - P. Ft. Myers-Immokalee - Sweet corn cucumbers, eggplant, peppers, potatoes, squash, tomatoes, watermelons.
7. EVERGLADES
    - Q. Bush beans, cabbage, celery, Chinese cabbage, sweet corn, escarole, greens, lettuce. potatoes, radishes.
8. SOUTHEAST
    - R. Martin county - Cabbage, potatoes, tomatoes, watermelons.
    - S. Pompano - Bush beans, lima beans, sweet corn, cucumbers, eggplant, peppers, squash, tomatoes.
    - T. Homestead - Bush and pole beans, cabbage, sweet corn, cucumbers, potatoes, squash, strawberries, tomatoes.

▨ Commercial Vegetables ░ Watermelons

## **Florida**: Usual dates for planting and harvesting vegetables, melons, potatoes, and strawberries

| Crop | Planting Dates 1/ | Usual Harvest Dates Begins | Most active | Ends |
|---|---|---|---|---|
| Snap Beans 2/ | Aug 15 - Apr 1 | Oct 15 | Nov 1 - May 1 | Jun 15 |
| Cabbage | Sep 1 - Mar 15 | Oct 25 | Jan 1 - Apr 15 | Jun 15 |
| Carrots | Aug 15 - Feb 15 | Nov 1 | Dec 15 - May 25 | June 10 |
| Cantaloups | Jan 15 - Mar 15 | Mar 10 | May 15 - Jun 20 | Jul 10 |
| Cauliflower | Sep 15 - Jan 1 | Dec 15 | Jan 1 - Mar 15 | Apr 15 |
| Celery | Aug 1 - Apr 15 | Oct 25 | Dec 15 - Jun 1 | Jul 10 |
| Chinese Cabbage | Sep 1 - Apr 1 | Oct 20 | Nov 15 - May 15 | Jun 1 |
| Sweet Corn | Jul 25 - May 10 | Sep 25 | Nov 15 - Jun 15 | Jun 15 |
| Cucumbers | Aug 1 - Apr 1 | Sep 20 | Nov 1 - Dec 15<br>Apr 20 - Jun 1 | Jul 1 |
| Eggplant | Jul 15 - Apr 1 | Oct 1 | Nov 15 - Jul 1 | Aug 1 |
| Escarole and Endive | Aug 25 - Apr 1 | Oct 20 | Nov 15 - May 25 | Jun 1 |
| Lettuce and Romaine | Aug 25 - Apr 1 | Oct 20 | Dec 1 - May 1 | Jun 1 |
| Parsley | Aug 25 - Apr 1 | Oct 20 | Nov 15 - May 25 | Jun 1 |
| Green Peppers | Aug 1 - Mar 15 | Oct 20 | Nov 15 - Jun 15 | Jul 1 |
| Potatoes | Sep 15 - Mar 1 | Dec 26 | Feb 1 - Jun 1 | Jul 1 |
| Radishes | Sep 1 - May 15 | Sep 20 | Nov 15 - May 1 | Jun 15 |
| Spinach (Proc.) | Nov 1 - Jan 1 | Jan 15 | Feb 1 - Mar 1 | Mar 15 |
| Squash 3/ | Aug 15 - Apr 1 | Sep 1 | Nov 15 - May 15 | Jul 1 |
| Strawberries | Oct 1 - Nov 15 | Dec 15 | Feb 1 - Apr 1 | May 15 |
| Tomatoes | Jul 25 - Mar 15 | Oct 15 | Nov 15 - Jun 1 | Jul 1 |
| Watermelons | Dec 15 - Apr 1 | Apr 1 | May 1 - Jul 1 | Jul 15 |

---

1/ Usual date direct seeded or transplanted. 2/ Includes Pole Beans.

3/ A small acreage of summer squash is marketed locally during July and August.

# Contents

| ITEM | PAGE NUMBER |
|---|---|
| Definitions and Explanations | 1 |
| Narrative Summary of 1985-86 Crop Year | 2 |
| Narrative Summaries of Individual Crops, 1985-86 Crop Year | 3-11 |
| Summary of Acreage, Production, and Value by Crops, 1984-85 and 1985-86 Crop Years | 12 |
| Summary of Harvested Acreage and Value, 1971-72 through 1985-86 | 13 |

| Individual Crop Data | Narrative Summary | Acreage, Production and Value | Shipments | Unloads |
|---|---|---|---|---|
| Snap Beans | 3 | 14 | 48 | 59 |
| Cabbage | 3 | 17 | 49 | 59 |
| Cantaloups | 11 | — | — | 59 |
| Carrots | 4 | 20 | 49 | 60 |
| Cauliflower | 11 | — | 50 | 60 |
| Celery | 4 | 19 | 50 | 60 |
| Chinese Cabbage | 4 | — | 50 | 61 |
| Sweet Corn | 5 | 21 | 51 | 61 |
| Cucumbers | 5 | 23 | 51 | 61 |
| Eggplant | 6 | 26 | 52 | 62 |
| Escarole-Endive | 6 | 28 | 52 | 62 |
| Greens | 11 | -- | 52 | 62 |
| Lettuce | 7 | 30 | 53 | 63 |
| Okra | 11 | -- | 53 | 64 |
| Dry Onions | -- | -- | 54 | -- |
| Parsley | 11 | -- | 54 | -- |
| Peas | 11 | — | 56 | 68 |
| Green Peppers | 7 | 32 | 54 | 64-65 |
| Potatoes | 8 | 34 | 55 | 65-66 |
| Radishes | 8 | 37 | 55 | 66 |
| Spinach | 8 | — | — | 66 |
| Squash | 9 | 38 | 56 | 67 |
| Strawberries | 9 | 40 | 56 | 67 |
| Tomatoes | 10 | 42 | 57 | 67-68 |
| Watermelons | 10 | 46 | 57 | 68 |
| Other Vegetables | -- | -- | 58 | -- |
| Mixed Vegetables | -- | — | — | 64 |
| Summary of Shipments by Crops, by Months, 1985-86 | -- | -- | 48 | -- |

# DEFINITIONS AND EXPLANATIONS

SEASONAL GROUPS--During the growing season, estimates were prepared for most crops on a six month seasonal group basis. The periods are for the crop year July-December and January through June. The two six month periods were combined in this publication into a crop year total for all crops. Production sold or utilized is shown by months.

PLANTED ACREAGE is the total acreage which has been planted for harvest during the crop year. Acreage lost and replanted to the same crop in time for harvest in the same quarter is counted only once. Acreage harvested and planted again to the same crop is counted twice.

HARVESTED ACREAGE is the acreage partially or completely harvested. Acreage lost before or at maturity through natural or economic causes is not included in the acreage for harvest.

YIELD is the average production per acre of merchantable quality harvested and sold or utilized.

PRODUCTION is the quantity actually harvested and sold or utilized.

UNIT VALUE for fresh market sales is the equivalent price received, f.o.b. shipping point basis and encompasses all grades and sizes marketed or utilized. Included are packing charges, selling charges, precooling, top ice, or other costs which contribute to the value of the product at shipping point. The value per unit for quantities sold to processors is the average value paid for usable quantities, on a "delivered to plant door" basis. This value includes transportation and other normal costs incident to delivery at plant door.

TOTAL VALUE is the equivalent value of production sold or utilized based on the unit value. Cullage and other quantities not sold or utilized because of natural or economic factors are excluded.

OTHER COUNTIES include harvested acreage for all counties for which either published data would result in the disclosure of individual operations or acreage totals for specific commodities are of minor importance in the State.

All shipments and unloads, rail, truck, air, and boat, are recorded nationally in 10,000 pound units each day. Annual releases are in 1,000 cwt. In this publication, shipments and unloads for some commodities were converted to most common trading units. Rail and piggyback weights and conversion factors were determined by several Market News Service field offices. Mixed car (rail) loadings by stations have been prorated by commodities.

Where possible, the national Market News Service in Washington, D. C. has established a single uniform weight per commodity to be used nationally in converting to weight units for the various means of transportation. Weights per common container used and number of units per rail car or truck may be obtained by writing the MNS office in Winter Park, Florida.

PRODUCTION AND PRICE UNIT--The official USDA vegetable crop estimates are published on a weight basis. For this bulletin, the official estimates for most vegetable crops have been converted to what is believed to be the most commonly used containers. If changes in container weights are necessary, all data pertaining to the production of the commodity in question are revised to maintain comparability between years. The table below gives the net weight used per container and the number of containers per hundredweight for Florida produce.

Most common unit, estimated net weight, and units per hundredweight, Florida produce, 1985-86 crop season

| Commodity | Unit | Est. net weight | No. of units per cwt | Commodity | Unit | Est. net weight | No of units per cwt |
|---|---|---|---|---|---|---|---|
| | | Pounds | | | | Pounds | |
| Snap Beans | Bushel | 30 | 3.333 | Lettuce, Romaine | Carton | 22 | 4.545 |
| Cabbage | Crate | 53 | 1.887 | Okra | Bushel | 30 | 3.333 |
| Carrots | Sack | 48 | 2.083 | Parsley | Crate | 21 | 4.762 |
| Cauliflower | Carton | 25 | 4.000 | Green Pepper | Bushel | 25 | 4.000 |
| Celery | Crate | 60 | 1.667 | Potatoes | Sack | 100 | -- |
| Chinese Cabbage | Crate | 50 | 2.000 | Radishes | Carton | 15 | 6.667 |
| Sweet Corn | Crate | 42 | 2.381 | Squash | Bushel | 42 | 2.381 |
| Cucumbers | Bushel 1 1/9 | 55 | 1.818 | Strawberries | Flat | 12 | 8.333 |
| Eggplant | Bushel | 33 | 3.030 | Tomatoes | Carton | 25 | 4.000 |
| Escarole | Crate | 25 | 4.000 | Watermelons | Cwt | 100 | -- |
| Lettuce, Iceberg | Carton | 50 | 2.000 | | | | |

# SUMMARY OF THE 1985-86 VEGETABLE SEASON

The farm value of Florida-grown vegetables, melons, potatoes, and strawberries sold in the 1985-86 crop year totaled $1.2 billion, 13 percent more than the 1984-85 crop year. Crops increasing in value were snap beans, carrots, celery, eggs, escarole, lettuce, green pepper, radishes, squash, tomatoes, and watermelons. Crops with lower values than the previous year were cabbage, sweet corn, cucumbers, potatoes and strawberries. All crops which showed declines in value, had lower season average prices and with the exception of potatoes, had less production to sell. There were some rather large reductions in harvested acres from the previous year. Snap beans had the largest reduction from the previous year--$8,730 acres. Other crops with acreage reductions included: potatoes, cabbage, sweet corn, and green peppers. Those crops with the largest gain in harvested acres were; lettuce, tomatoes, carrots, and radishes.

Average yields for snap beans, celery, eggplant, green peppers,Irish potatoes, squash, tomatoes and watermelons were higher than a year ago. Yields for cabbage, carrots, sweet corn, cucumbers, escarole, lettuce, radishes and strawberries averaged below the previous season.

Season average prices for carrots, celery, eggplant, escarole, lettuce, green peppers, radishes, squash, tomatoes and watermelons increased from the previous year. However, season average prices for all other crops were down from a year earlier.

Land preparation, planting and transplanting were active for fall vegetable crops by mid-July. Normal summer weather with hot days, warm nights and evening thunderstorms prevailed into September. Planting progressed generally on schedule. Weather during September and October continued favorable. Rainfall was limited throughout October and into November. Irrigation was necessary, at times, in all production areas.

Temperatures were generally mild during November. Hurricane Kate brought strong winds and locally heavy rainfall to the vegetable areas during Thanksgiving week. Damage was minimal. The first frost was reported in the north and central areas the third week in December.

The first hard freeze came the following week. All areas, with the exception of Dade County were affected. Damage to hardy crops and strawberries was minimal. However, there were heavy losses to cucumbers and squash in the southwest and Ft. Pierce-Stuart areas. Production was reduced on tomatoes and peppers.

Early January was characterized by mild, almost springlike temperatures. During the latter half of the month, two cold fronts passed through. The first was rather mild--some scattered frost with very little damage. The second however, was severe. Numerous crops in all areas were affected to some degree. The most notable damage was to the Everglades sweet corn crop. Much of the newly planted acreage had to be replanted. The Dade County snap bean crop also suffered extensive damage.

February, just as January did, started with some very mild weather. Rainfall was generally light with irrigation active throughout this time. Cold fronts the last of February and early March further damaged young spring crops and reduced winter crop supplies. Cold weather took one last shot at the spring crop the end of March, with freezing in the north and north central watermelon areas. Extensive replanting was required.

April and May were months of mostly warm days and mild nights. Irrigation was active throughout the month. Crops made good progress. Harvest was underway on spring crops while declining seasonally for winter crops.

June weather was typically summer--hot days, mild nights and almost daily thunderstorms. Harvest was essentially complete for most crops, in the major producing areas, by the end of the month.

Most of the weather data for this summary were supplies through the National Weather Service, U.S. Department of Commerce, Ruskin, Florida. Information on the effects of weather on crops was provided by the Florida Agricultural Statistics Service fieldmen.

## SNAP BEANS
## 1985-86

Florida growers produced 4.1 million bushels of bush and pole beans during the 1985-86 season for fresh and processing utilization, unchanged from a year earlier. Acreage harvested for fresh and processing totaled 38,170 acres, down 19 percent from the 46,900 acres harvested during the previous season. The average yield for the 1985-86 season was 106 bushels per acre for fresh market and 133 bushels per acre for processing, as compared with 87 bushels and 100 bushels, respectively, for the previous year.

The average f.o.b. price of $10.23 per bushel for fresh market was $1.24 higher than the previous year. At $3.19 per bushel, the price for processing beans was down $1.31 from last season. Total value, at $41.3 million, was 14 percent above last year.

Snap bean production extended from mid-October through early June. The fall crop peaked in December. Marketings then declined through February. Production began to rise in March with the spring crop peaking in April. Production during April amounted to about 17 percent of the marketings during the year--36 percent below the freeze delayed crop of a year earlier.

Heavy rains in September hampered planting in the west central and Dade County areas. However, by mid-October, drier weather prevailed and near ideal planting and growing conditions carried into November. Strong winds, the last week of the month, resulted in some plant damage and scarring of the beans. Freezing temperatures the last week of January, throughout much of the southeastern and Dade County areas, resulted in considerable frostburn but only a minimal amount of lost acreage. Yields were reduced somewhat. Another frost in early March did some additional damage--reducing yields and quality. Weather for the remainder of the spring season was generally favorable. Quality was generally good throughout the season. Yields were up somewhat, from a year earlier in all areas except the west.

Bush beans are grown in all areas of Florida with the exception of the east central and southwest areas. The southeast continues to be the major producing area. Pole beans are grown primarily in Dade County, with small acreages in Gadsden and Marion counties and the west central area.

Earliest fall supplies of snap beans originate from west Florida. The northern and west central areas, the Everglades and southeastern districts also provide fall production. The southeast is the sole source of supply during the winter. The other areas resume production in the spring.

## CABBAGE
## 1985-86

Florida's cabbage growers produced 5.6 million crates and bags of cabbage during the 1985-86 season. Production at this level is 28 percent less than the previous year. The gross value was $26.7 million, a 47 percent decrease from the previous year's total of $50.8 million. The average f.o.b. price was $4.81 per crate or bag, down $1.77 from the $6.58 received for the prior season's crop. The lower average price, combined with the reduced production, accounted for the decrease in value.

Total plantings were 18,850 acres, down slightly from the 19,600 acres (largest planted acreage since 1973-74) planted during the 1984-85 season. Acreage harvested amounted to 14,400 acres. This was 14 percent less than last season. The average yield of 386 crates or bags per acre was down 77 bags from the previous season's average and the lowest since the 1969-70 crop.

Cabbage was available for market in early November and continued through June. Production during the fall months was down 21 percent from the previous fall. Production during the winter and spring period was down 28 percent from the year before. The peak months were March and April followed by February and May.

The Hastings area, which includes the three counties of Flagler, Putnam, and St. Johns, is the leading producing area in the State. This area accounted for 53 percent of the State's production during the 1985-86 season. The leading cabbage producing county is St. Johns with 4,000 acres harvested, or 28 percent of the State's total.

Transplanting got underway by mid-September. The most active period was October through December. Direct seeding in fields occurred between August and November. Only a small percentage of the total acreage planted is seeded direct in fields.

First cuttings began around mid-November. Volume increased in each succeeding month through April. Harvest then tapered off to the end of June when the last cabbage was cut in Hastings. Winter production accounted for 46 percent of the total production, slightly below the most recent 5 year average for that time period. Spring production accounted for 45 percent and the fall months, 9 percent of total production. Yields, for the fall crop, were lowered by disease problems. The winter crop was plagued by freezes and extended cold periods, which adversely affected yields.

## CARROTS
## 1985-86

Production of carrots in Florida for fresh market and processing utilization during the 1985-86 season totaled 849 thousand cwt, down 20 percent from the previous season. Fresh use constituted 79 percent and processing 21 percent. This compares with 75 percent fresh and 25 percent processing the previous year. Approximately 18 percent of the fresh carrots were mini or finger carrots compared with 25 percent a year earlier. The remaining 82 percent were the regular type carrots.

There were 12,300 acres harvested from the 13,000 acres planted during the 1985-86 crop year. This compares with 11,500 acres harvested from the 12,500 acres planted a year earlier. Average price received for the 1985-86 crop was $13.00 per cwt compared with $10.30 per cwt received the previous year. Total value was $11.0 million, up slightly from the $10.9 million for the 1984-85 crop year.

The muck soils around Lake Apopka, near Zellwood, and in the Everglades area south of Lake Okeechobee provided a good medium for growth. By far the majority of carrots are grown in the Zellwood area. The mini or finger carrot harvest usually begins in late October or early November and ends by late May. Regular size carrots are harvested from November through June.

Young carrots are subject to cold damage during January and February, in the Zellwood area. During the winter of 1986, there were numerous frosts and freezes in this area which adversely affected the carrot crop. While yields were below a year ago, quality and size were generally good throughout the year.

## CELERY
## 1985-86

Florida celery marketings of 5.9 million crates were harvested from 8,500 acres during the 1985-86 growing season. The average yield of 695 crates per acre compares with 665 crates the previous year.

The season average price was almost $1.00 higher than the previous year at $7.36 f.o.b. per crate, compared with $6.38 per crate during the 1984-85 season. Prices averaged higher in all months except June during the 1985-86 season when compared with the previous year.

The Everglades, with 80 percent of the harvested acreage in the State, was the foremost area of production throughout the season. The north central area supplemented by a light supply from the Sarasota and Fellsmere areas, accounted for the remaining 20 percent of acreage and provided continuous supplies during the season.

Plant bed preparation and seeding were in progress by mid-June in both major production areas. Transplanting was underway in August and became active by mid-September. Plantings in the Everglades were completed by the end of the first week in April. Plantings in the North Central area continued until near the end of April. Growers in the Sarasota area planted from October through the end of May.

Light harvest began by early November in the Zellwood and Everglades areas. Growing conditions, as is normal, were hot and humid in the summer and early fall months. Cooler weather by November was beneficial for growth and development. The numerous winter cold spells did no significant damage.

Celery production was active from November through June with May being the peak month. Cutting was completed in all areas by the end of June.

Quality and size were mostly good throughout the season. Yields were the highest since the 1978-79 season. Approximately 10 percent of the crop was not harvested for various reasons. Growers passed some acreage in order to maintain good size and quality celery.

Prices for the winter crop were above those of the previous year but considerably below the exceptionally good market of two years prior. Prices for the spring crop started above those of the year before but, by season's end, had fallen below the prior season's.

Celery is subject to a Federal marketing order administered by the Florida Celery Committee. Field supervisors provided the basic acreage and production data. In cooperation with the Celery Committee, these data are assembled into weekly, monthly, and annual reports and published in this Annual Summary.

## CHINESE CABBAGE
## 1985-86

Chinese cabbage is grown primarily on the mucklands of the Zellwood and Everglades areas. The organic soils provide a very good medium for rapid growth. Harvest was underway by mid-November and had reached a good volume when freezing weather occurred the end of January. Supplies during February were reduced somewhat but were recovered by March with good supplies through May. The season was over by mid-June. Quality was generally good throughout the growing season. Shipments for 1985-86 totaled 244,000 crates compared with 211,000 crates a year earlier.

## SWEET CORN
1985-86

Florida, while experiencing a 5 percent decrease in production from a year earlier, continued as the Nation's leading grower of fresh market sweet corn during the 1985-86 season, producing 10.6 million crates. Harvested acres totaled 50,200 compared with 51,900 harvested the previous year. Yields averaged 211 crates per acre, down 3 crates from the previous crop year.

The season average f.o.b. price of $5.69 per crate was 37 cents below the $6.06 per crate average for the 1984-85 season. Sweet corn maintained it's fourth place ranking in value of vegetables produced in the State and was exceeded only by tomatoes, potatoes, and green peppers.

First plantings for the fall season were underway in the Everglades and Zellwood areas in July. Seeding on the East Coast got underway in early October. Harvest began in the Zellwood area the first week of October and continued through mid-November. Harvest commenced in the Everglades at midmonth and provided the bulk of supplies through December. December supplies were supplemented by corn from the southeastern area. A frost in late December hastened the decline of the fall Everglades crop, with most growers completing harvest by early January. Harvest of the Dade County winter crop was underway by the end of December.

A cold front the first week in February brought freezing temperatures to the Everglades and Pompano areas. Growth was slowed in the Pompano area but little acreage was lost. The Everglades was not so lucky as much of the newly planted crop was killed. Replanting was extensive. Dade County continued to provide the bulk of supplies followed by the southeastern area.

A freeze the first of March, again did extensive damage in the Everglades. A very large acreage was replanted. Crops in other areas escaped with little or no damage. Dade County and the southeastern area continued to supply the winter market with good quality corn.

Harvest of the spring crop got underway in the Everglades in late April and became the main source of supply in early May as the East Coast and Dade County completed harvest for the season. Spring harvest got underway in mid-May in the Zellwood area. Volume declined seasonally in the Everglades by early June and the Zellwood area became the main source of supply into early July. The season was over by mid-July.

A small acreage provides supplemental supplies from Zellwood and the west Central area during the early fall and from Sarasota in the early spring.

## CUCUMBERS
1985-86

Florida's production of cucumbers for fresh market during the 1985-86 crop year totaled 5.2 million bushels, the same as for the 1984-85 crop. The 17,900 acres planted for fresh market was up 1,100 acres from the previous year. Acres harvested for fresh market totaled 16,900, up 800 acres from a year earlier. Acreage harvested for fresh market yielded an average of 310 bushels per acre, down 16 bushels from the previous season.

Total fresh market production was valued at $35.9 million compared with $37.4 million for the 1984-85 season. The fresh market price for 1985-86 averaged $6.86 per bushel compared with $7.13 the previous year and the lowest since the $5.77 received for the 1977-78 crop.

Supplies in 1985-86 were generally available from October through June and on a more limited basis from January through March. Many of the recorded shipments moving out-of-State, during this latter time period, were from offshore and truck imports resold in mixed loads.

Monthly prices for the 1985-86 season were generally lower than prices for the 1984-85 season. Only for the months of October, November, and January, did prices exceed those of the previous year.

Cucumber acreage is well distributed across the State. The southwest area, with 36 percent of the planted acreage during 1985-86, is the largest area. The west central area accounted for 29 percent of the planted acres in the State. The southeast area was third with 20 percent of the planted acreage. The west and north central areas provided the remainder of the acreage.

Harvest of the fall crop commenced in the west central area by the end of September and was up to a good volume by mid-October. By late October, the Pompano crop was coming in. Fall production peaked in November as the southwest also came into production. The west central crop "picked out" in early December and volume from the other areas, then in production, declined. Supplemental supplies were provided by small acreages in the northern area.

Freezing weather the end of December, decimated the remaining crop in the southwest. Damage was minor in other areas. The Dade County crop was just coming in. Adverse weather continued to plague the crop throughout the winter.

Harvest of the spring crop was underway in the southwest by the end of March--about the same time additional acreage was coming into production in Pompano. These areas provided most of the supply through late April when the west central area started picking. Peak harvest was during April and May. Pompano and the southwest were completed by early June followed by the west central area the end of June. Harvest of the spring crop in the northern area ran through June.

# EGGPLANT
## 1985-86

Plantings totaled 2,500 acres, down 7 percent from the 1984-85 season. Yields increased, averaging 675 bushels per acre compared with 658 bushels for the previous season. Production of eggplant fell 4 percent below last year's production to 1,586,000 bushels. However, total sales rose to $9.1 million compared with $7.1 million a year earlier. This increase was due to both the higher yield per acre and price per bushel which more than offset the decrease in harvested acres. The season average price of $5.73 per bushel is $1.43 higher than a year ago. Compared with a year earlier, prices during most of the fall and spring months were higher while the winter crop prices were lower.

Weather was generally conducive to good plant growth throughout the fall in all areas. The fall crop was harvested in good condition. A late December cold spell caused considerable damage in the Pompano area. Bloom damage was severe, which would later reduce February supplies. The crop made a good recovery over the coming weeks and planting was kept on schedule. Another cold spell, the first of February, rendered minimal damage to both the Pompano and Dade County crops. From this point through the end of the season, weather conditions were generally favorable in all growing areas.

The distribution of marketings was generally normal. Harvest began in late September, reached a peak in November and dropped during the winter. Harvest began to increase in April, reached a peak in May, and was virtually complete by July. The southeastern area around Pompano accounted for just under half of the harvested acreage. The northern and central areas combined, contributed just over one-third of the acreage harvested with the remaining acreage in the southwest.

Production is generally continuous throughout the entire crop year in the southeast and southwest. The crops in the western, northern, and central areas are for fall and spring harvest only because these areas receive too much freezing weather to grow eggplant during the winter months.

First sales were from cuttings in the western and northern areas in late September. Harvest followed the usual pattern and progressed southward in the fall, continued through the winter in the southern areas, and then moved back northward in the spring.

# ESCAROLE-ENDIVE
## 1985-86

Production of escarole and endive during the 1985-86 season totaled 2.6 million crates, down 7 percent from a year earlier. This reduction reflects a decrease in harvested acreage (from 5,700 to 5,500 acres) and a lower yield (from 500 to 480 crates per acre).

Prices during the season averaged $5.42 per crate, compared with $4.83 a year earlier. The total value of sales, at $14.3 million, was 4 percent above the previous year. The Everglades, which had 69 percent of the harvested acreage in the 1985-86 season, began seeding in late August. Weekly planting schedules continued through March. Light harvest began in late October and supplies were continuous through May. The planting of a small fall crop in the muckland around Zellwood got underway in late August and provided supplemental supplies throughout the fall months. Most of Zellwood's acreage was grown during the spring and provided good volume, especially in the late spring months. The small acreage grown around the Lake Placid and Sarasota mucklands furnished supplemental supplies during much of the season.

Sales started slowly in late October and increased to a good volume by November. Marketings reached peak levels in the December through April period. Sales were complete for the season by early June.

Fall weather allowed the crop to make good progress in all areas. Quality and size were mostly good. Cold weather in late December burned some of the crop being grown in the central area. Again, a freeze the first week of February reduced supplies coming from the central area. Weather for the remainder of the year caused no major problems. Size and quality of the winter and spring crops were generally good.

## LETTUCE
1985-86

Acreage, production, and value statistics of lettuce in this bulletin combine the various types into a single estimate. The types in order of importance, are: Iceberg, romaine, Boston, bibb, and leaf.

Florida lettuce growers produced 2.4 million cwt of iceberg and specialty types during the 1985-86 season--a slight increase from the previous year. The average yield of 163 cwt per acre compares with 170 cwt per acre for the previous season. Growers harvested 14,400 acres compared with 13,500 acres for 1984-85. The season average f.o.b. price for all lettuce, of $19.13 per cwt was $3.23 above the $15.90 per cwt received the previous year and the highest average price since the $25.16 received for the 1981-82 crop. Monthly prices with the exception of January and February cuttings, were above the prices of a year ago.

The Everglades muckland accounted for 85 percent of 1985-86 planted acreage and was the source of a continuous supply of good quality lettuce which began in early November and ended in late May. Other than the Everglades, Zellwood is the other major producing area. Sarasota and the Lake Placid mucklands contributed light supplies during much of the season.

Seeding was underway in early September. All areas were actively planting by early October. The Everglades and Sarasota areas had continuous plantings through March.

Specialty types are grown in all production areas, while virtually all of the iceberg type is grown in the Everglades. Very light harvest of specialty types was underway by the first of November and continued light until late November. Volume gained significantly in December with growers cutting in most areas. In addition, the iceberg crop was coming into production in the Everglades. The Everglades continued to provide the bulk of the volume during the winter period. Supplies of all lettuce peaked in April, a month later than usual, and declined to the season's end by late May. Moderate supplies are available from the Zellwood area during the fall and spring; but, are rather light during the winter months.

Weather conditions from early fall through late December were favorable for good growth. A freeze in late January caused some damage in the Zellwood area to most types. Another freeze came in early February, and affected all production areas. Supplies were down, as a result, in February. A heavy volume was available from all areas during March and April. Quality was generally good throughout the season.

## PEPPERS
1985-86

Florida produced 11.3 million bushels of peppers during the 1985-86 season, an increase of 7 percent from the previous year and the highest production of record. The average yield of 586 bushels per acre, also a record high, was 16 percent above the 507 bushels per acre last season. Harvested acreage, at 19,200 acres, was 1,600 acres below the previous year and the lowest since the 1980-81 crop.

Total planted acreage decreased 1,600 acres from the previous season. An increase in acreage for the north central was more than offset by decreases for the north, southeast, and southwest areas. West central acreage was unchanged. The southeast accounted for 39 percent of the State's total pepper acreage. The southwest had 31 percent; the west central area, 13 percent; the north, 8 percent; and the north central area, 9 percent.

The season average f.o.b. price of $6.83 per bushel was up from an average of $6.59 for the previous season. However, prices were below last year except for November, December, March and April. The total value of $76.8 million was 11 percent above the previous year. Marketings were light in October but increased to a good level by December. Supplies declined during the winter months but began an upward swing in April. The peak spring production occurred in May. The season then declined and was mostly over by the end of June.

Planting got underway in early August in all production areas. From the start, disease was a constant problem that was never fully controlled in the fall crop. Spray programs were active throughout the season. Harvest was underway in the Pompano and west central areas by late October and followed a couple of weeks later by the southwest. Yields were generally below normal as a result of disease and weather problems. The fall season ended for the west central area, the end of December, just before the first freeze. Damage from this freeze was minimal--scattered bloom loss and foliage burn in Pompano and the southwest.

Freezing weather again the first week of February resulted in bloom drop and foliage burn. Some newly planted acreage in the west central area was replanted. Weather, from February on, was generally favorable. The last of the spring crop was harvested in early July, in the northern area. Yields for the winter and spring crops were improved from the fall crop.

## POTATOES
## 1985-86

Potato production in Florida during 1986, including both winter and spring, totaled 8.5 million cwt, 8 percent more than the 1985 crop. A total of 33,400 acres were planted for harvest in 1986. Out of this total, 32,600 acres were harvested, about 7 percent less than the acreage harvested in 1985. The value of the crop was placed at $67.6 million, down 9 percent from the previous year. This decrease is attributed to a $1.50 decrease in the average price received for the crop. The price received for all potatoes averaged $7.90 per cwt compared with $9.40 in 1985.

The average yield for all potatoes was 262 cwt per acre, 36 cwt above last year. In the Hastings area, which includes Flagler, Putnam, and St. Johns counties, the average yield was 280 cwt per acre, up 35 cwt from last year. Spring potatoes grown in other areas of the State had an average yield of 190 cwt per acre, down 20 cwt from a year earlier. The winter crop averaged 210 cwt, up 45 cwt from the 1985 crop.

The "red-skinned" varieties are the dominant variety grown for winter harvest in south Florida. Most of the winter crop is sold for table stock but a few are sold to the potato chip industry. In the Hastings area, the "white-skinned" varieties dominate. Most of the Hastings production goes to the potato chip industry, although fresh market or table stock sales are increasing in importance.

The winter potato harvest was underway in late January and progressed through March and April. Winter harvest was very active in April. Harvest of the spring crop in the Hastings area got underway in mid-April with peak harvest in May. Digging continued into June and then declined sharply about midmonth. Abandonment was about normal throughout the season. Weather conditions were favorable for both winter and spring crops. Record yields were set for the Hastings area and winter crops.

## SPINACH
## 1985-86

Spinach statistics have not been published separately for Florida in recent years to avoid disclosure of individual operations. However, data for these seasons have been included in the "Other Vegetable" series shown in this publication. Data for 1973 and earlier are available upon request. Harvested acreage for 1986 increased from a year earlier. Most of the crop is grown in the north central area.

## SQUASH
## 1985-86

Florida's production of squash during the 1985-86 season, at 3.2 million bushels, was 13 percent above last year. The total of 15,800 acres harvested decreased 4 percent from the previous year. The yield, a record high 202 bushels per acre, was up 30 bushels from last year.

The season average price of $12.60 per bushel, also a record high, was up $1.60 from the 1984-85 season. Monthly prices, with the exception of March and June, were higher than the previous year. Total cash receipts amounted to $40.2 million.

Florida produces acorn, butternut, yellow crookneck, yellow straightneck, white, and zucchini squash. Dade County, with 30 percent of the State's harvested acreage in 1985-86, produces yellow crookneck squash almost exclusively. The Pompano area, in addition to being a major producing area, is also an important market for squash grown in other areas of the State. This is especially true when local supplies reach low levels during the winter months. The southwest area produces a continuous supply of most types. Central, north, and west Florida provide a good volume of most types during the fall and spring season.

Squash is one of the few crops grown in Florida that is shipped every month of the year, although shipments during the summer are light and mostly confined to local markets. The 1985-86 season got off to a good start. Marketings increased to a fall peak in November and early December, then declined seasonally during the winter months. A freeze in late December caused heavy damage in the southwest and Pompano areas. Dade County luckily escaped this weather. Some salvage harvest was possible in the affected areas. Another cold spell in early February further damaged the winter crop in Pompano and the southwest. Dade County also was affected. A third cold spell the first week of March damaged mature fields in the same three production areas. Scrapping was active, but yields were reduced. From this point on, the weather was generally beneficial in all production areas. Peak movement, as is usual, occurred in April.

## RADISHES
## 1985-86

In the 1985-86 crop year, radish plantings amounted to 29,400 acres compared with 29,100 acres planted during the previous year. Acres harvested totaled 26,100, 500 acres above the 1984-85 season. Yield per acre averaged 216 cartons compared with 247 cartons a year earlier. Production totaled 5,638 thousand cartons, a decrease of 11 percent from the previous year. The crop was valued at $21.3 million, up $2.7 million from a year earlier. The average f.o.b. price was $3.78 per carton, up 82 cents from the 1984-85 season.

A good supply of both red and white radishes was available from Zellwood, Lake Placid, and the Everglades from October through May with a light volume going into June. The peak fall harvest occurred in November. The spring peak occurred in April. Seeding of the 1985-86 crop was underway in the Everglades and north central areas in early September. Early crops progressed very favorably. Light harvest was underway by mid-October and became quite active in November. In February, some acreage was lost from freezing weather. As a result, some replanting was necessary in the central area and supplies were reduced in later weeks from both production areas. Heavy rains during March, in the Everglades, caused some acreage loss. However, for the remainder of the crop year, the weather was generally favorable. Supplemental supplies were available from Lake Placid and Sarasota during the year.

## STRAWBERRIES
## 1985-86

Florida strawberry growers produced 7.6 million flats of berries during the 1985-86 season, down 14 percent from the previous year. Harvested acreage totaling 4,900 acres decreased 400 acres from a year earlier. The average yield of 1,543 flats per acre decreased 7 percent from the 1,667 flat average of a year earlier. The f.o.b. return per flat for the season was $6.64, a decrease of 30 cents per flat from the previous season. The value of the crop was $50.2 million, down $11.1 million from the $61.3 million received a year earlier.

Laying of plastic and other field work were in full swing by late September in the Hillsborough-Manatee area. Transplanting began by early October and increased rapidly for several weeks. The last fields were transplanted by early November. Light harvest was underway by mid-December in the Plant City and Dade areas. A late December freeze and also one in early February did minimal damage as growers protected fields with sprinkler systems in both Hillsborough-Manatee and Bradford County. Plants generally recovered in good condition. Crop conditions improved through mid-March when disease and hail took their toll. Yields were reduced and by early April, many fields were open to U-Pic. Just under 45 percent of the crop was harvested in March compared to over 50 percent in the two years prior. Supplies decreased seasonally during April and ended by the last of May. Prices were lower in February and April than for the previous season but were higher for the remainder of the season.

Harvest began in Bradford County in early April and continued through May. Most of the acreage in Dade County was for U-Pic and roadside stand operations.

## TOMATOES
## 1985-86

The total value of the Florida tomato crop for fresh market and processing was a record high $458 million for the 1985-86 season, up 37 percent from the 1984-85 season. The average price received for fresh tomatoes was $7.62 for a 25-pound carton, $1.88 higher than the previous season and also a record high.

Total production of 61.1 million 25-pound carton equivalents was up 3 percent and a new production record for the State. Tomatoes utilized for fresh market amounted to 98 percent of the total and the remaining 2 percent went to processors. The processing segment is a secondary utilization, usually following the fresh market harvest. The Palmetto-Ruskin area accounted for 39 percent of the total production and the southwest, 30 percent. Dade County had 15 percent, Ft. Pierce-Pompano, 10 percent and the remaining 6 percent was produced in the north, north central, and western areas of the State.

The average yield for fresh market tomatoes was 1,243 (25-pound) cartons, up 20 cartons from the previous year. Demand for Florida tomatoes was mostly good during the entire year. Average monthly prices held above $5.00 for all except the last of the crop in June. The highest average monthly price of $10.85 was received in December.

Tomato planting got underway in July in all areas except Dade County where growers started around the middle of September. Wet weather during September and October impeded planting progress and also caused disease problems that took a while to get under control. A late December freeze caused some foliage burn in all production areas but very little loss of fruit. However, a cold spell the first week of February caused some plant and fruit loss in all areas except Dade County. The last cold weather, a freakish front, froze foliage in Dade County only, the first week of March. Spring quarter weather was mostly springlike--mild days and cool nights during April, turning to hot days and mild nights by early May. Precipitation was limited during the quarter. Crops were in generally good condition throughout the spring season. Harvest was complete by the first of May in Dade County; early May in the southwest; the middle of June in Palmetto-Ruskin; and in the Gadsden County area, by the first week of July.

Fall shipments peaked in December with 11.9 percent of the total production. January was the peak month during the winter season, accounting for 11.4 percent. The spring production peaked in May with 24.2 percent of the total.

## WATERMELONS
## 1985-86

Watermelon acreage planted during the 1985-86 season totaled 53,550 acres--a 9 percent decrease from the 1984-85 period. Of the total acres planted, 47,550 acres were harvested. This was 12 percent less than the previous season. The crop of 8.7 million cwt was 2 percent less than last season's production of 9.0 million cwt. The average yield for the State was 184 cwt per acre, up 11 percent from the previous year. The area yields varied from 130 cwt in the Panhandle to 259 cwt in the south.

The average price received was $6.23 per cwt, up 28 cents from last season. Prices received by growers for melons were highest in the south and west central area where the harvest begins early. The total value of the crop was placed at $54.5 million. This was 2 percent above the previous year, but 12 percent below the record high value set 2 years ago.

Some light seeding was underway by mid-December in the southwest, with planting becoming very active by early January. A cold spell the end of December burned some leaves but otherwise did no harm. Seeding was underway in the west central area by early January and transplanting by the end of the month. Growers were not so lucky when freezing weather came the first of February. A considerable acreage was damaged badly enough in both areas, to require replanting. Frost in early March did minimal damage--mostly in the north-north central areas. The crop in the southern areas never seemed to recover fully from the adverse weather. Further, non-irrigated fields in the northern area suffered through droughty weather during much of the spring.

The watermelon harvest got underway by mid-April in the Immokalee area. The season progressed northward into the central area during May and into the northern areas in June and came to an end in the western counties by the end of July. Heaviest shipping occurred during May and June. In addition to the spring crop, there is a relatively small fall crop primarily in the Immokalee area that furnishes the market from mid-fall through the end of December.

# OTHER CROPS
## 1985-86

Cantaloups are grown in Florida primarily in the spring and summer in the southwest and north central areas. Much of the production is sold through roadside stands and local markets. The peak harvest period is normally May and June. Harvest begins in the southwest and progresses northward seasonally. Some cantaloups also are grown during the fall months in the southwest and west central areas. Acreage continues at a relatively low level. However, this crop is not part of the regular program for vegetables and melons. Researchers continue to work toward developing new varieties that will be better adapted to Florida's soils and climate. There appears to be some promise that acreage may expand in the future.

Cauliflower is grown in the Zellwood, Hillsborough-Manatee, and Everglades areas. Harvested acreage was unchanged from a year earlier. Supplies are available from December to April. At the present time statistics are not available for publication. Shipment information is recorded by Market News Service. In the 1985-86 season there were 81 thousand cwt (369 thousand 22-pound cartons) shipped out of the State compared with 101 thousand cwt shipped the previous season.

Tropical vegetable production during the 1985-86 season increased from the previous year primarily because of a 33 percent increase in harvested acres from the previous year. By far the majority of the acreage is grown in Dade County. Commercial production began in the early 60's. Tropical vegetables is a colloquial expression applied to certain vegetables eaten primarily by those of Latin American and Caribbean origin. The most common name for each crop followed by the scientific name is listed below. Other common terms for various vegetables are shown in parentheses. The crops consist primarily of boniato-Ipomea batata (sweet potato); calabaza-Cucurbita (pumpkin); malanga-Xanthosoma caracu or Colocasia esculenta (dasheen, jautia); and cassava-Manihot esculenta (crantz, yucca, tapioca). The boniato, Calabaza, and Malanga constitute the bulk of the production. The Dade County Agricultural Extension Service reported 11,100 acres of tropical vegetables planted in the 1985 calendar year. Peak production of malanga occurs in February through April. Efforts are being made to provide more even supplies throughout the year. Available land continues to be a limiting factor for all agricultural production in Dade County. New varieties of calabaza are being brought in from Columbia, South America to select those that do best in south Florida. Miami is an important point of consumption for the Florida production. Also, considerable amounts are consumed in the Tampa Bay area. The supplies shipped out of State are primarily for the New York City and Philadelphia areas.

Collard, turnip, mustard, and other greens are grown throughout the State and centered around large population areas and in the muck soils of the Everglades and Zellwood areas. Good volume was available from December through April. Shipments totaled 152 thousand cwt during the 1985-86 season, 37 percent more than a year earlier.

Okra is grown in many areas of the State during the warm season of the year. However, Dade County produces okra for local use as well as for shipments to other States. Peak production takes place in May and June with a good supply in October and November.

Green onions and leeks are produced in the north central area. Supplies are marketed primarily for local use at roadside stands and markets. There are several large producers who ship to other States. Supplies of dry onions are limited. Most of the dry onions are produced in southern and west central areas of the State.

Parsley is available in both the curley and plain types. The bulk of the commercial volume shipped to other States is produced in the Everglades and Zellwood areas. Light supplies sold for local use are available from Sarasota, Lake Placid, and other areas.

Southern peas are grown primarily in the northwest, west central, and Everglades areas of Florida. Dade County also produces a considerable amount of southern peas. Light supplies are available from September through December. Heavy movement occurs in May and June, especially in northwest Florida. A high percentage of the crop is utilized for processing. Good supplies are sold through local markets for fresh use. Market News Service shipment statistics for out-of-State markets show 38 thousand cwt for fresh market during the 1985-86 season.

Watercress is available the year around. The major source of supply has been the Oviedo area. Most of the production is shipped to northern and eastern markets in the United States. A limited supply is available from local State farmers markets, especially the Sanford market.

**Vegetables, melons, potatoes, and strawberries**: Acreage, yield, production and value, Florida, crop years 1984-85 and 1985-86

| Crop | Planted acreage | | Harvested acreage | | Yield per acre | |
|---|---|---|---|---|---|---|
| | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 |
| | Acres | | | | Cwt | |
| Vegetables: | | | | | | |
| Snap beans 1/ | 49,600 | 39,800 | 46,900 | 38,170 | 26 | 32 |
| Cabbage | 19,600 | 18,850 | 16,650 | 14,400 | 246 | 205 |
| Carrots 1/ | 12,500 | 13,000 | 11,500 | 12,300 | 92 | 69 |
| Celery | 9,300 | 9,400 | 8,600 | 8,500 | 399 | 417 |
| Sweet corn | 61,500 | 59,500 | 51,900 | 50,200 | 90 | 89 |
| Cucumbers | 16,800 | 17,900 | 16,100 | 16,900 | 179 | 171 |
| Eggplant | 2,680 | 2,500 | 2,500 | 2,350 | 217 | 223 |
| Escarole | 6,300 | 6,100 | 5,700 | 5,500 | 125 | 120 |
| Lettuce | 16,050 | 16,000 | 13,500 | 14,400 | 170 | 163 |
| Green Peppers | 22,700 | 21,100 | 20,800 | 19,200 | 127 | 147 |
| Radishes | 29,100 | 29,400 | 25,600 | 26,100 | 37 | 32 |
| Squash | 17,700 | 16,700 | 16,500 | 15,800 | 72 | 85 |
| Tomatoes 1/ | 49,400 | 48,700 | 47,400 | 48,200 | 312 | 317 |
| Total | 313,230 | 298,950 | 283,650 | 272,020 | -- | -- |
| Other vegetables 2/ | 40,350 | 43,405 | 37,130 | 40,280 | 94 | 98 |
| Watermelons | 59,000 | 53,550 | 54,000 | 47,550 | 166 | 184 |
| Potatoes | 35,700 | 33,400 | 35,100 | 32,600 | 225 | 261 |
| Strawberries | 5,300 | 5,000 | 5,300 | 4,900 | 200 | 185 |
| Total, all crops | 453,580 | 434,305 | 415,180 | 397,350 | -- | -- |

| | Production | | Value per cwt | | Total value | |
|---|---|---|---|---|---|---|
| | 1984-85 | 1985-86 | 1984-85 | 1985-86 | 1984-85 | 1985-86 |
| | 1,000 Cwt | | Dollars per cwt | | 1,000 Dollars | |
| Vegetables: | | | | | | |
| Snap beans 1/ | 1,224 | 1,219 | 29.50 | 33.90 | 36,132 | 41,309 |
| Cabbage | 4,087 | 2,946 | 12.40 | 9.10 | 50,775 | 26,714 |
| Carrots 1/ | 1,058 | 849 | 10.80 | 13.00 | 10,897 | 11,037 |
| Celery | 3,432 | 3,546 | 10.60 | 12.30 | 36,515 | 43,519 |
| Sweet corn | 4,671 | 4,451 | 14.40 | 13.50 | 67,413 | 60,270 |
| Cucumbers | 2,883 | 2,881 | 13.00 | 12.50 | 37,353 | 35,920 |
| Eggplant | 543 | 523 | 13.00 | 17.40 | 7,075 | 9,093 |
| Escarole | 713 | 660 | 19.30 | 21.70 | 13,786 | 14,296 |
| Lettuce | 2,295 | 2,350 | 15.90 | 19.10 | 36,491 | 44,949 |
| Green peppers | 2,635 | 2,813 | 26.40 | 27.30 | 69,460 | 76,786 |
| Radishes | 947 | 846 | 19.70 | 25.20 | 18,656 | 21,312 |
| Squash | 1,188 | 1,341 | 26.20 | 30.00 | 31,119 | 40,219 |
| Tomatoes 1/ | 14,806 | 15,264 | 22.60 | 30.00 | 334,091 | 457,823 |
| Total | 40,482 | 39,689 | -- | -- | 749,763 | 883,247 |
| Other vegetables 2/ | 3,486 | 3,958 | 23.30 | 24.50 | 81,224 | 96,984 |
| Watermelons | 8,964 | 8,749 | 6.00 | 6.20 | 53,336 | 54,506 |
| Potatoes 3/ | 7,894 | 8,505 | 9.40 | 7.90 | 74,323 | 67,315 |
| Strawberries | 1,060 | 907 | 57.80 | 55.30 | 61,268 | 50,157 |
| Total, all crops | 61,886 | 61,808 | -- | -- | 1,019,914 | 1,152,209 |

1/ Fresh & processing. 2/ Other fresh and processing vegetables, cantaloups, and processing cucumbers. 3/ Production sold.

**Vegetables, melons, potatoes, and strawberries**: Harvested acreage, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Harvested acreage | | | | |
|---|---|---|---|---|---|
| | Vegetables | Watermelons | Potatoes | Strawberries | Total |
| | | | Acres | | |
| 1971-72 | 277,550 | 56,100 | 32,600 | 1,600 | 367,850 |
| 1972-73 | 287,490 | 48,700 | 30,200 | 1,400 | 367,790 |
| 1973-74 | 278,450 | 44,500 | 30,900 | 1,300 | 355,150 |
| 1974-75 | 286,350 | 43,600 | 27,500 | 1,200 | 358,650 |
| 1975-76 | 296,700 | 55,000 | 31,000 | 1,400 | 384,100 |
| 1976-77 | 283,350 | 51,000 | 30,100 | 1,500 | 365,950 |
| 1977-78 | 318,400 | 50,000 | 32,300 | 2,000 | 402,700 |
| 1978-79 | 324,950 | 43,000 | 28,000 | 2,400 | 398,350 |
| 1979-80 | 324,800 | 42,500 | 27,300 | 2,500 | 397,100 |
| 1980-81 | 315,500 | 49,000 | 29,900 | 3,200 | 397,600 |
| 1981-82 | 304,470 | 48,000 | 29,900 | 5,000 | 387,370 |
| 1982-83 | 318,190 | 49,000 | 31,300 | 5,400 | 403,890 |
| 1983-84 | 317,390 | 60,000 | 33,600 | 5,100 | 416,090 |
| 1984-85 | 320,780 | 54,000 | 35,100 | 5,300 | 415,180 |
| 1985-86 | 312,300 | 47,550 | 32,600 | 4,900 | 397,350 |

**Vegetables, melons, potatoes, and strawberries**: Value of production, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Value of production | | | | |
|---|---|---|---|---|---|
| | Vegetables | Watermelons | Potatoes | Strawberries | Total |
| | | | 1,000 dollars | | |
| 1971-72 | 305,198 | 16,291 | 15,933 | 6,320 | 343,742 |
| 1972-73 | 337,802 | 23,921 | 30,275 | 8,127 | 400,125 |
| 1973-74 | 331,526 | 21,894 | 42,715 | 6,706 | 402,841 |
| 1974-75 | 417,866 | 35,168 | 24,813 | 8,375 | 486,222 |
| 1975-76 | 447,735 | 25,839 | 41,931 | 8,862 | 524,367 |
| 1976-77 | 482,974 | 26,507 | 41,670 | 8,960 | 560,111 |
| 1977-78 | 553,785 | 26,800 | 35,171 | 16,646 | 632,402 |
| 1978-79 | 669,297 | 32,250 | 30,435 | 22,157 | 754,139 |
| 1979-80 | 678,194 | 46,549 | 36,217 | 27,930 | 788,890 |
| 1980-81 | 709,148 | 52,714 | 73,001 | 27,888 | 862,751 |
| 1981-82 | 759,940 | 54,648 | 62,272 | 52,358 | 929,218 |
| 1982-83 | 926,317 | 58,212 | 56,011 | 52,531 | 1,093,071 |
| 1983-84 | 887,505 | 62,124 | 70,526 | 38,842 | 1,058,997 |
| 1984-85 | 830,987 | 53,336 | 74,323 | 61,268 | 1,019,914 |
| 1985-86 | 980,231 | 54,506 | 67,315 | 50,157 | 1,152,209 |

1/ Vegetable crops include snap beans, cabbage, carrots, celery, sweet corn, cucumbers, eggplant, escarole, lettuce, green peppers, squash, tomatoes, radishes, spinach, other fresh and processing vegetables, and cantaloups.

## **Snap beans**: Acreage and yield, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Planted |  |  | Harvested |  |  | Yield per acre |  |  |
|---|---|---|---|---|---|---|---|---|---|
|  | Total | Fresh | Proc | Total | Fresh | Proc | Fresh & Proc | Fresh | Proc |
|  | Acres |  |  |  |  |  | Bushels |  |  |
| 1971-72 |  | 37,600 |  |  | 36,100 |  |  | 118 |  |
| 1972-73 |  | 38,500 |  |  | 37,100 |  |  | 111 |  |
| 1973-74 |  | 39,800 |  |  | 36,900 |  |  | 102 |  |
| 1974-75 |  | 36,500 |  |  | 35,300 |  |  | 120 |  |
| 1975-76 |  | 38,900 |  |  | 37,500 |  |  | 119 |  |
| 1976-77 | 51,500 | 39,600 | 11,900 | 40,000 | 29,500 | 10,500 | 127 | 125 | 133 |
| 1977-78 | 54,000 | 40,500 | 13,500 | 51,000 | 39,000 | 12,000 | 109 | 101 | 133 |
| 1978-79 | 60,800 | 45,700 | 15,100 | 54,100 | 40,600 | 13,500 | 117 | 102 | 163 |
| 1979-80 | 56,900 | 48,900 | 8,000 | 54,300 | 47,000 | 7,300 | 94 | 89 | 129 |
| 1980-81 | 50,800 | 49,100 | 1,700 | 42,600 | 41,100 | 1,500 | 86 | 85 | 133 |
| 1981-82 | 52,600 | 50,400 | 2,200 | 48,300 | 46,300 | 2,000 | 83 | 82 | 100 |
| 1982-83 | 49,350 | 48,700 | 650 | 47,000 | 46,400 | 600 | 90 | 90 | 100 |
| 1983-84 | 48,900 | 46,200 | 2,700 | 46,500 | 44,000 | 2,500 | 97 | 96 | 100 |
| 1984-85 | 49,600 | 48,200 | 1,400 | 46,900 | 45,700 | 1,200 | 87 | 87 | 100 |
| 1985-86 | 39,800 | 39,500 | 300 | 38,170 | 37,900 | 270 | 107 | 106 | 133 |

## **Snap beans**: Production and value, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Production |  | Value per bushel |  | Total value |  |
|---|---|---|---|---|---|---|
|  | Fresh | Proc | Fresh | Proc | Fresh | Proc |
|  | 1,000 bushels |  | Dollars |  | 1,000 dollars |  |
| 1971-72 | 4,267 |  | 4.62 |  | 19,697 |  |
| 1972-73 | 4,107 |  | 5.29 |  | 21,729 |  |
| 1973-74 | 3,757 |  | 5.52 |  | 20,728 |  |
| 1974-75 | 4,243 |  | 6.14 |  | 26,038 |  |
| 1975-76 | 4,453 |  | 5.74 |  | 25,560 |  |
| 1976-77 | 3,680 | 1,400 | 6.29 | 2.76 | 23,136 | 3,864 |
| 1977-78 | 3,957 | 1,600 | 8.06 | 2.48 | 31,889 | 3,960 |
| 1978-79 | 4,140 | 2,196 | 7.58 | 2.22 | 31,386 | 4,875 |
| 1979-80 | 4,173 | 939 | 8.11 | 2.97 | 33,861 | 2,790 |
| 1980-81 | 3,473 | 200 | 10.39 | 3.45 | 36,089 | 690 |
| 1981-82 | 3,786 | 200 | 10.33 | 3.00 | 39,112 | 600 |
| 1982-83 | 4,154 | 60 | 10.60 | 3.00 | 44,041 | 180 |
| 1983-84 | 4,210 | 250 | 9.22 | 4.50 | 38,824 | 1,125 |
| 1984-85 | 3,960 | 120 | 8.99 | 4.50 | 35,592 | 540 |
| 1985-86 | 4,028 | 36 | 10.23 | 3.19 | 41,194 | 115 |

---

1/ Data prior to crop years 1976-77 for the processing segment are not published separately in order to avoid disclosing individual operations but included in "other" vegetables.

### **Snap beans**: Production sold, for fresh market monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 bushels | | | | | |
| 1981-82 | 120 | 563 | 660 | 343 | 317 | 733 | 660 | 367 | 23 | 3,786 |
| 1982-83 | 134 | 600 | 763 | 427 | 373 | 427 | 717 | 636 | 77 | 4,154 |
| 1983-84 | 77 | 720 | 763 | 240 | 290 | 873 | 690 | 530 | 27 | 4,210 |
| 1984-85 | 73 | 607 | 800 | 520 | 73 | 323 | 1,067 | 497 | -- | 3,960 |
| 1985-86 | 64 | 577 | 680 | 517 | 416 | 494 | 681 | 558 | 41 | 4,028 |
| | | | | | Percent | | | | | |
| 1981-82 | 3.2 | 14.9 | 17.4 | 9.0 | 8.4 | 19.4 | 17.4 | 9.7 | .6 | 100.0 |
| 1982-83 | 3.2 | 14.4 | 18.4 | 10.3 | 9.0 | 10.3 | 17.3 | 15.3 | 1.8 | 100.0 |
| 1983-84 | 1.9 | 17.1 | 18.1 | 5.7 | 6.9 | 20.7 | 16.4 | 12.6 | .6 | 100.0 |
| 1984-85 | 1.9 | 15.3 | 20.2 | 13.1 | 1.8 | 8.2 | 26.9 | 12.6 | -- | 100.0 |
| 1985-86 | 1.6 | 14.3 | 16.9 | 12.8 | 10.3 | 12.3 | 16.9 | 13.9 | 1.0 | 100.0 |

### **Snap beans**: Average value per bushel for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | | |
| 1981-82 | 9.20 | 8.50 | 10.75 | 13.80 | 13.35 | 8.70 | 10.30 | 10.15 | 9.05 | 10.33 |
| 1982-83 | 6.10 | 12.30 | 7.95 | 11.55 | 14.80 | 13.95 | 9.75 | 9.00 | 9.35 | 10.60 |
| 1983-84 | 7.15 | 7.00 | 8.10 | 18.55 | 16.10 | 7.60 | 9.65 | 8.15 | 11.20 | 9.22 |
| 1984-85 | 5.75 | 12.10 | 7.90 | 11.55 | 14.15 | 15.40 | 6.40 | 5.55 | -- | 8.99 |
| 1985-86 | 10.95 | 10.20 | 7.70 | 11.55 | 10.20 | 10.05 | 10.65 | 11.60 | 11.40 | 10.23 |

**Snap beans**: Acreage and production for fresh market by areas, Florida, 1985-86 crop year

| Areas | Acreage: Planted | Acreage: Harvested | Yield per Acre | Production |
|---|---|---|---|---|
| | Acres | | Bushels | 1,000 bushels |
| West | 550 | 540 | 85 | 46 |
| North Central 1/ | | | | |
| North | 3,950 | 3,660 | 90 | 329 |
| West Central | 2,550 | 2,400 | 90 | 216 |
| East Central | -- | -- | -- | -- |
| Southwest | -- | -- | -- | -- |
| Everglades 2/ | | | | |
| Southeast | 32,450 | 31,300 | 110 | 3,437 |
| State | 39,500 | 37,900 | 106 | 4,028 |

1/ Included with north. 2/ Included with southeast.

**Snap beans**: Acreage harvested for fresh market by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Alachua | 1,550 | 2,050 | 1,900 | 1,900 | 2,000 | 1,800 |
| Broward | 4,000 | 4,000 | 3,400 | 2,800 | 3,200 | 1,250 |
| Dade (bush) | 10,000 | 13,800 | 17,400 | 18,000 | 18,800 | 20,000 |
| Dade (pole) | 2,500 | 2,500 | 2,600 | 3,100 | 3,000 | 3,000 |
| Gadsden | 750 | 650 | 700 | 500 | 550 | 200 |
| Hillsborough | 1,650 | 1,900 | 1,300 | 1,400 | 1,600 | 1,800 |
| Palm Beach (East) | 17,500 | 16,700 | 15,300 | 13,000 | 13,700 | 6,800 |
| Palm Beach (West) 1/ | | | | | | |
| Other counties | 3,150 | 4,700 | 3,800 | 3,300 | 2,850 | 3,050 |
| State | 41,100 | 46,300 | 46,400 | 44,000 | 45,700 | 37,900 |

1/ Included with other counties.

**Cabbage**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage: Planted | Acreage: Harvested | Yield per acre | Production | Value per crate | Total value |
|---|---|---|---|---|---|---|
| | Acres | | Crates | 1,000 crates | Dollars | 1,000 dollars |
| 1971-72 | 19,100 | 17,600 | 406 | 7,140 | 2.20 | 15,741 |
| 1972-73 | 18,300 | 17,400 | 444 | 7,726 | 3.09 | 23,839 |
| 1973-74 | 19,600 | 17,800 | 453 | 8,060 | 2.18 | 17,571 |
| 1974-75 | 17,400 | 16,900 | 532 | 8,989 | 2.91 | 26,115 |
| 1975-76 | 18,200 | 17,200 | 483 | 8,300 | 2.32 | 19,262 |
| 1976-77 | 17,100 | 16,300 | 453 | 7,385 | 6.53 | 48,225 |
| 1977-78 | 17,700 | 16,500 | 395 | 6,513 | 4.59 | 29,873 |
| 1978-79 | 18,300 | 17,800 | 472 | 8,408 | 6.17 | 51,907 |
| 1979-80 | 18,600 | 15,800 | 454 | 7,170 | 3.05 | 21,866 |
| 1980-81 | 17,600 | 15,800 | 459 | 7,260 | 3.73 | 27,115 |
| 1981-82 | 16,500 | 14,200 | 411 | 5,841 | 5.75 | 33,611 |
| 1982-83 | 16,300 | 14,700 | 438 | 6,438 | 3.52 | 22,687 |
| 1983-84 | 19,000 | 11,000 | 423 | 4,658 | 8.75 | 40,736 |
| 1984-85 | 19,600 | 16,650 | 463 | 7,711 | 6.58 | 50,775 |
| 1985-86 | 18,850 | 14,400 | 386 | 5,558 | 4.81 | 26,714 |

**Cabbage**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 crates | | | | |
| 1981-82[1/] | 58 | 470 | 1,062 | 638 | 1,328 | 1,700 | 532 | 53 | 5,841 |
| 1982-83[1/] | 40 | 413 | 1,017 | 1,317 | 1,317 | 1,196 | 959 | 179 | 6,438 |
| 1983-84 | 64 | 360 | 296 | 296 | 636 | 1,440 | 1,440 | 126 | 4,658 |
| 1984-85 | 32 | 624 | 1,481 | 1,058 | 1,270 | 1,906 | 1,270 | 70 | 7,711 |
| 1985-86 | 33 | 483 | 715 | 824 | 1,012 | 1,568 | 888 | 35 | 5,558 |
| | | | | | Percent | | | | |
| 1981-82[1/] | 1.0 | 8.1 | 18.2 | 10.9 | 22.7 | 29.1 | 9.1 | .9 | 100.0 |
| 1982-83[1/] | .6 | 6.4 | 15.8 | 20.5 | 20.5 | 18.5 | 14.9 | 2.8 | 100.0 |
| 1983-84 | 1.4 | 7.7 | 6.4 | 6.4 | 13.6 | 30.9 | 30.9 | 2.7 | 100.0 |
| 1984-85 | .4 | 8.1 | 19.2 | 13.7 | 16.5 | 24.7 | 16.5 | .9 | 100.0 |
| 1985-86 | .6 | 8.7 | 12.9 | 14.8 | 18.2 | 28.2 | 16.0 | .6 | 100.0 |

1/ October included with November.

## **Cabbage**: Average value per crate for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | |
| 1981-82[1/] | 6.90 | 3.95 | 5.30 | 6.60 | 4.55 | 5.75 | 9.95 | 10.60 | 5.75 |
| 1982-83[1/] | 6.75 | 3.90 | 3.25 | 3.20 | 3.10 | 3.55 | 4.50 | 4.00 | 3.52 |
| 1983-84 | 8.50 | 6.35 | 14.50 | 16.80 | 16.45 | 8.00 | 4.50 | 3.50 | 8.75 |
| 1984-85 | 7.30 | 6.10 | 6.90 | 7.80 | 7.60 | 5.55 | 5.30 | 5.00 | 6.58 |
| 1985-86 | 5.05 | 7.15 | 7.20 | 4.35 | 4.05 | 3.65 | 4.90 | 4.65 | 4.81 |

1/ October included with November.

## **Cabbage**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Crates | 1,000 crates |
| Hastings | 11,900 | 8,250 | 360 | 2,970 |
| Other North & West | 350 | 300 | 320 | 96 |
| North Central | 2,650 | 2,250 | 355 | 799 |
| East & West Central | 2,250 | 2,050 | 440 | 902 |
| South | 1,700 | 1,550 | 510 | 791 |
| State | 18,850 | 14,400 | 386 | 5,558 |

## **Cabbage**: Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Flagler | 1,900 | 1,800 | 1,900 | 1,300 | 2,100 | 1,850 |
| Hillsborough | 500 | 200 | 200 | 200 | 300 | 350 |
| Lake & Orange | 1,000 | 800 | 900 | 800 | 1,100 | 800 |
| Manatee | 550 | 350 | 400 | 300 | 450 | 650 |
| Putnam | 2,600 | 2,700 | 2,700 | 1,800 | 2,900 | 2,400 |
| Seminole | 1,200 | 1,000 | 1,200 | 1,000 | 1,600 | 850 |
| St. Johns | 4,700 | 4,700 | 4,500 | 3,000 | 4,900 | 4,000 |
| Volusia | 600 | 600 | 700 | 500 | 800 | 500 |
| Other counties | 2,750 | 2,050 | 2,200 | 2,100 | 2,500 | 3,000 |
| State | 15,800 | 14,200 | 14,700 | 11,000 | 16,650 | 14,400 |

## **Celery**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage | | Yield per acre | Production | Value per crate | Total value |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | Acres | | Crates | 1,000 crates | Dollars | 1,000 dollars |
| 1971-72 | 12,600 | 11,600 | 661 | 7,668 | 4.94 | 37,904 |
| 1972-73 | 12,700 | 11,500 | 705 | 8,102 | 3.84 | 31,125 |
| 1973-74 | 12,200 | 10,400 | 641 | 6,665 | 3.19 | 21,285 |
| 1974-75 | 11,500 | 10,600 | 655 | 6,940 | 3.73 | 25,877 |
| 1975-76 | 10,400 | 9,700 | 687 | 6,665 | 6.14 | 40,930 |
| 1976-77 | 10,700 | 10,100 | 578 | 5,833 | 6.70 | 39,082 |
| 1977-78 | 11,300 | 10,900 | 588 | 6,410 | 7.36 | 47,178 |
| 1978-79 | 12,300 | 11,700 | 695 | 8,135 | 6.78 | 55,142 |
| 1979-80 | 12,700 | 12,200 | 673 | 8,210 | 5.70 | 46,774 |
| 1980-81 | 11,700 | 10,400 | 605 | 6,291 | 7.09 | 44,613 |
| 1981-82 | 10,100 | 9,500 | 537 | 5,097 | 7.58 | 38,639 |
| 1982-83 | 9,700 | 9,400 | 666 | 6,257 | 8.77 | 54,880 |
| 1983-84 | 9,500 | 9,200 | 672 | 6,180 | 10.44 | 64,546 |
| 1984-85 | 9,300 | 8,600 | 665 | 5,720 | 6.38 | 36,515 |
| 1985-86 | 9,400 | 8,500 | 695 | 5,910 | 7.36 | 43,519 |

## **Celery**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 crates | | | | | |
| 1981-82 | 162 | 438 | 720 | 495 | 945 | 989 | 1,033 | 315 | -- | 5,097 |
| 1982-83 | 115 | 608 | 720 | 663 | 1,052 | 1,107 | 1,273 | 663 | 55 | 6,256 |
| 1983-84 | 218 | 774 | 570 | 830 | 1,142 | 1,193 | 1,038 | 415 | -- | 6,180 |
| 1984-85 | 445 | 695 | 733 | 642 | 917 | 1,007 | 1,098 | 183 | -- | 5,720 |
| 1985-86 | 293 | 727 | 706 | 672 | 912 | 1,031 | 1,098 | 471 | -- | 5,910 |
| | | | | | Percent | | | | | |
| 1981-82 | 3.2 | 8.6 | 14.1 | 9.7 | 18.5 | 19.4 | 20.3 | 6.2 | -- | 100.0 |
| 1982-83 | 1.9 | 9.7 | 11.5 | 10.6 | 16.8 | 17.7 | 20.3 | 10.6 | .9 | 100.0 |
| 1983-84 | 3.5 | 12.6 | 9.2 | 13.4 | 18.5 | 19.3 | 16.8 | 6.7 | -- | 100.0 |
| 1984-85 | 7.8 | 12.2 | 12.8 | 11.2 | 16.1 | 17.6 | 19.2 | 3.2 | -- | 100.0 |
| 1985-86 | 5.0 | 12.3 | 11.9 | 11.4 | 15.4 | 17.4 | 18.6 | 8.0 | -- | 100.0 |

**Celery**: Average value per crate for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | | |
| 1981-82 | 8.65 | 7.50 | 8.15 | 9.20 | 7.70 | 6.20 | 7.50 | 8.10 | -- | 7.58 |
| 1982-83 | 6.30 | 5.50 | 4.85 | 5.40 | 6.35 | 12.40 | 12.90 | 9.50 | 8.70 | 8.77 |
| 1983-84 | 11.30 | 14.65 | 14.45 | 13.75 | 9.05 | 7.60 | 8.00 | 8.05 | -- | 10.44 |
| 1984-85 | 7.70 | 5.75 | 5.40 | 5.00 | 4.90 | 6.20 | 8.75 | 8.20 | -- | 6.38 |
| 1985-86 | 9.30 | 6.00 | 7.02 | 5.64 | 5.82 | 8.94 | 8.76 | 7.50 | -- | 7.36 |

**Celery**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Crates | 1,000 crates |
| Central | 2,000 | 1,700 | 688 | 1,170 |
| Everglades | 7,400 | 6,800 | 697 | 4,740 |
| State | 9,400 | 8,500 | 695 | 5,910 |

**Celery**: Acreage harvested by areas, Florida, crop years 1980-81 through 1985-86

| Areas | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | | Acres | | |
| Central | 1,500 | 1,600 | 1,450 | 1,700 | 1,700 | 1,700 |
| Everglades | 8,900 | 7,900 | 7,950 | 7,500 | 6,900 | 6,800 |
| State | 10,400 | 9,500 | 9,400 | 9,200 | 8,600 | 8,500 |

**Carrots**: Acreage, production and value, Florida, crop years 1981-82 through 1985-86

| Crop year | Acreage | | Yield per acre | Production | Value per cwt | Total value |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | Acres | | Cwt | 1,000 cwt | Dollars | 1,000 dollars |
| 1981-82 | 10,500 | 9,400 | 98 | 921 | 14.30 | 13,170 |
| 1982-83 | 10,600 | 10,000 | 110 | 1,100 | 10.50 | 11,550 |
| 1983-84 | 12,000 | 10,600 | 69 | 730 | 14.60 | 10,658 |
| 1984-85 | 12,500 | 11,500 | 92 | 1,058 | 10.30 | 10,897 |
| 1985-86 | 13,000 | 12,300 | 69 | 849 | 13.00 | 11,037 |

## **Sweet Corn**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage |  | Yield per acre | Production | Value per crate | Total value |
|---|---|---|---|---|---|---|
|  | Planted | Harvested |  |  |  |  |
|  | Acres |  | Crates | 1,000 crates | Dollars | 1,000 dollars |
| 1971-72 | 62,800 | 55,700 | 195 | 10,857 | 2.71 | 29,470 |
| 1972-73 | 54,500 | 52,900 | 244 | 12,888 | 2.95 | 37,966 |
| 1973-74 | 54,400 | 49,900 | 237 | 11,845 | 3.18 | 37,706 |
| 1974-75 | 55,200 | 52,700 | 227 | 11,988 | 3.77 | 45,141 |
| 1975-76 | 60,400 | 57,400 | 231 | 13,243 | 3.64 | 48,182 |
| 1976-77 | 63,300 | 50,300 | 238 | 11,990 | 3.68 | 44,070 |
| 1977-78 | 64,000 | 56,500 | 224 | 12,674 | 3.89 | 49,238 |
| 1978-79 | 58,400 | 54,500 | 222 | 12,112 | 4.25 | 51,423 |
| 1979-80 | 57,200 | 51,800 | 215 | 11,157 | 5.03 | 56,138 |
| 1980-81 | 57,800 | 51,900 | 217 | 11,259 | 4.82 | 54,246 |
| 1981-82 | 55,400 | 50,100 | 215 | 10,764 | 5.68 | 61,167 |
| 1982-83 | 62,500 | 57,700 | 196 | 11,281 | 5.74 | 64,745 |
| 1983-84 | 59,900 | 55,200 | 198 | 10,936 | 5.58 | 61,016 |
| 1984-85 | 61,500 | 51,900 | 214 | 11,121 | 6.06 | 67,413 |
| 1985-86 | 59,500 | 50,200 | 211 | 10,598 | 5.69 | 60,270 |

## **Sweet Corn**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct 1/ | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1,000 crates |  |  |  |  |  |  |  |  |  |  |
| 1981-82 | 531 | 757 | 607 | 267 | 88 | 443 | 2,750 | 3,105 | 2,040 | 176 | 10,764 |
| 1982-83 | 657 | 731 | 486 | 281 | 188 | 376 | 848 | 3,481 | 3,481 | 752 | 11,281 |
| 1983-84 | 700 | 969 | 586 | 88 | 174 | 260 | 1,043 | 3,645 | 3,038 | 433 | 10,936 |
| 1984-85 | 767 | 1,114 | 440 | 353 | 2/ | 2/ | 1,319 | 4,488 | 2,464 | 176 | 11,121 |
| 1985-86 | 597 | 792 | 709 | 337 | 165 | 248 | 849 | 3,751 | 2,995 | 155 | 10,598 |
|  | Percent |  |  |  |  |  |  |  |  |  |  |
| 1981-82 | 4.9 | 7.0 | 5.7 | 2.5 | .8 | 4.1 | 25.6 | 28.8 | 19.0 | 1.6 | 100.0 |
| 1982-83 | 5.8 | 6.5 | 4.3 | 2.5 | 1.7 | 3.3 | 7.5 | 30.9 | 30.9 | 6.6 | 100.0 |
| 1983-84 | 6.4 | 8.9 | 5.3 | .8 | 1.6 | 2.4 | 9.5 | 33.3 | 27.8 | 4.0 | 100.0 |
| 1984-85 | 6.9 | 10.0 | 4.0 | 3.2 | 2/ | 2/ | 11.9 | 40.3 | 22.1 | 1.6 | 100.0 |
| 1985-86 | 5.6 | 7.5 | 6.7 | 3.2 | 1.6 | 2.3 | 8.0 | 35.4 | 28.2 | 1.5 | 100.0 |

1/ September included with October. 2/ Sales under .1 percent of total sales for season.

### **Sweet Corn**: Average value per crate for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | | |
| 1981-82 | 6.55 | 6.55 | 4.65 | 5.75 | 7.25 | 9.70 | 8.50 | 4.75 | 5.60 | 6.20 | 5.55 | 5.68 |
| 1982-83 | 6.10 | 6.15 | 6.55 | 7.70 | 8.05 | 9.95 | 10.25 | 7.40 | 5.40 | 4.50 | 4.45 | 5.74 |
| 1983-84 | -- | 4.65 | 4.35 | 5.45 | 12.20 | 11.60 | 8.80 | 6.95 | 5.45 | 5.05 | 5.60 | 5.58 |
| 1984-85 | -- | 4.85 | 4.75 | 5.85 | 6.45 | -- | -- | 6.15 | 7.05 | 5.05 | 6.95 | 6.06 |
| 1985-86 | -- | 4.75 | 4.49 | 4.41 | 9.24 | 11.21 | 10.25 | 8.19 | 5.46 | 5.04 | 4.49 | 5.69 |

### **Sweet Corn**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Crates | 1,000 crates |
| West 1/ | | | | |
| North | 1,400 | 1,200 | 165 | 198 |
| North Central | 16,500 | 15,850 | 249 | 3,945 |
| West Central 2/ | | | | |
| East Central | -- | -- | -- | -- |
| Southwest 3/ | | | | |
| Everglades | 25,700 | 21,500 | 200 | 4,300 |
| Southeast | 15,900 | 11,650 | 185 | 2,155 |
| State | 59,500 | 50,200 | 211 | 10,598 |

1/ West included with North. 2/ West Central included with North Central. 3/ Southwest included with Southeast.

### **Sweet Corn**: Acreage harvested by areas, Florida, crop years 1980-81 through 1985-86

| Areas | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| West 1/ | | | | | | |
| North | 900 | 1,000 | 1,200 | 1,400 | 1,350 | 1,200 |
| North Central | 12,700 | 12,700 | 13,000 | 14,400 | 15,050 | 15,850 |
| West Central 2/ | | | | | | |
| Southwest 3/ | | | | | | |
| Everglades | 27,200 | 25,300 | 29,300 | 26,700 | 25,600 | 21,500 |
| Southeast | 11,100 | 11,100 | 14,200 | 12,700 | 9,900 | 11,650 |
| State | 51,900 | 50,100 | 57,700 | 55,200 | 51,900 | 50,200 |

1/ West included with North. 2/ West Central included with North Central. 3/ Southwest included with Southeast.

### **Cucumbers**: Acreage and yield, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Planted |  |  | Harvested |  |  | Yield per acre |  |  |
|---|---|---|---|---|---|---|---|---|---|
|  | Total | Fresh | Proc | Total | Fresh | Proc | Fresh & Proc | Fresh | Proc |
|  | Acres |  |  |  |  |  | Bushels |  |  |
| 1971-72 |  | 15,900 |  |  | 14,500 |  |  | 219 |  |
| 1972-73 |  | 15,300 |  |  | 14,400 |  |  | 214 |  |
| 1973-74 |  | 14,100 |  |  | 13,000 |  |  | 202 |  |
| 1974-75 |  | 15,000 |  |  | 14,600 |  |  | 241 |  |
| 1975-76 |  | 16,000 |  |  | 15,400 |  |  | 246 |  |
| 1976-77 | 22,200 | 16,100 | 6,100 | 20,700 | 15,000 | 5,700 | 203 | 221 | 155 |
| 1977-78 | 23,100 | 16,500 | 6,600 | 22,000 | 15,000 | 6,200 | 220 | 246 | 155 |
| 1978-79 | 23,300 | 16,600 | 6,700 | 22,000 | 15,700 | 6,300 | 238 | 268 | 164 |
| 1979-80 | 23,100 | 15,400 | 7,700 | 21,700 | 14,500 | 7,200 | 235 | 280 | 145 |
| 1980-81 | 21,200 | 15,800 | 5,400 | 19,900 | 14,900 | 5,000 | 241 | 273 | 145 |
| 1981-82 |  | 16,100 |  |  | 15,300 |  |  | 308 |  |
| 1982-83 |  | 15,900 |  |  | 15,000 |  |  | 316 |  |
| 1983-84 |  | 16,000 |  |  | 15,100 |  |  | 307 |  |
| 1984-85 |  | 16,800 |  |  | 16,100 |  |  | 326 |  |
| 1985-86 |  | 17,900 |  |  | 16,900 |  |  | 310 |  |

### **Cucumbers**: Production and value, Florida, crop years 1971-72 through 1985-86 1/

| Crop year | Production |  | Value per bushel |  | Total value |  |
|---|---|---|---|---|---|---|
|  | Fresh | Proc | Fresh | Proc | Fresh | Proc |
|  | 1,000 bushels |  | Dollars |  | 1,000 dollars |  |
| 1971-72 | 3,175 |  | 4.56 |  | 14,477 |  |
| 1972-73 | 3,075 |  | 4.29 |  | 13,184 |  |
| 1973-74 | 2,624 |  | 5.58 |  | 14,643 |  |
| 1974-75 | 3,513 |  | 5.24 |  | 18,404 |  |
| 1975-76 | 3,791 |  | 4.17 |  | 15,806 |  |
| 1976-77 | 3,318 | 882 | 5.95 | 4.77 | 19,726 | 4,210 |
| 1977-78 | 3,884 | 960 | 5.77 | 5.03 | 22,398 | 4,831 |
| 1978-79 | 4,209 | 1,031 | 7.61 | 5.42 | 32,050 | 5,585 |
| 1979-80 | 4,056 | 1,047 | 8.67 | 10.01 | 35,168 | 10,483 |
| 1980-81 | 4,072 | 727 | 8.85 | 8.09 | 36,054 | 5,880 |
| 1981-82 | 4,707 |  | 7.00 |  | 32,970 |  |
| 1982-83 | 4,742 |  | 7.77 |  | 36,851 |  |
| 1983-84 | 4,635 |  | 7.33 |  | 33,971 |  |
| 1984-85 | 5,242 |  | 7.13 |  | 37,353 |  |
| 1985-86 | 5,239 |  | 6.86 |  | 35,920 |  |

---

1/ Data prior to 1976-77 for the processing segment are not published separately in order to avoid disclosing individual operations but included in "other" vegetables. Pickles processed in 1981-82 to date are also included in "other" vegetables.

## **Cucumbers**: Production sold, for fresh market monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 bushels | | | | | |
| 1981-82 | 409 | 836 | 409 | 113 | 93 | 484 | 1,196 | 1,025 | 142 | 4,707 |
| 1982-83 | 293 | 760 | 624 | 194 | 78 | 111 | 531 | 1,453 | 1/ 698 | 4,742 |
| 1983-84 | 220 | 824 | 585 | 111 | 91 | 336 | 897 | 1,262 | 309 | 4,635 |
| 1984-85 | 436 | 813 | 455 | 198 | 80 | 260 | 1,533 | 1,369 | 98 | 5,242 |
| 1985-86 | 320 | 964 | 526 | 250 | 151 | 258 | 1,247 | 1,289 | 1/ 234 | 5,239 |
| | | | | | Percent | | | | | |
| 1981-82 | 8.7 | 17.7 | 8.7 | 2.4 | 2.0 | 10.3 | 25.4 | 21.8 | 3.0 | 100.0 |
| 1982-83 | 6.2 | 16.0 | 13.2 | 4.1 | 1.6 | 2.3 | 11.2 | 30.6 | 1/ 14.8 | 100.0 |
| 1983-84 | 4.7 | 17.8 | 12.6 | 2.4 | 2.0 | 7.2 | 19.4 | 27.2 | 6.7 | 100.0 |
| 1984-85 | 8.3 | 15.5 | 8.7 | 3.8 | 1.5 | 5.0 | 29.2 | 26.1 | 1.9 | 100.0 |
| 1985-86 | 6.1 | 18.4 | 10.0 | 4.8 | 2.9 | 4.9 | 23.8 | 24.6 | 1/ 4.5 | 100.0 |

1/ July included with June.

## **Cucumbers**: Average value per bushel for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | |
| 1981-82 | 5.50 | 6.85 | 7.25 | 14.30 | 12.45 | 7.85 | 6.15 | 7.05 | 6.65 | -- | 7.00 |
| 1982-83 | 6.30 | 6.60 | 7.15 | 10.80 | 14.50 | 19.25 | 13.50 | 6.05 | 6.05 | 6.05 | 7.77 |
| 1983-84 | 4.45 | 5.00 | 4.80 | 11.00 | 9.90 | 11.40 | 9.25 | 7.15 | 8.95 | -- | 7.33 |
| 1984-85 | 4.45 | 8.15 | 9.45 | 8.95 | 10.10 | 13.30 | 6.45 | 5.80 | 6.35 | -- | 7.13 |
| 1985-86 | 6.00 | 8.40 | 8.50 | 9.90 | 9.65 | 9.90 | 5.90 | 4.90 | 5.50 | 5.50 | 6.86 |

## **Cucumbers**: Acreage and production for fresh market by areas, Florida, 1985-86 crop year

| Areas | Acreage Planted | Acreage Harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | Acres | Bushels | 1,000 bushels |
| West 1/ | | | | |
| North | 1,650 | 1,600 | 190 | 304 |
| North Central | 1,100 | 1,000 | 250 | 250 |
| East Central 2/ | | | | |
| West Central | 5,150 | 4,800 | 290 | 1,392 |
| Southwest | 6,400 | 6,100 | 364 | 2,222 |
| Everglades 3/ | | | | |
| Southeast | 3,600 | 3,400 | 315 | 1,071 |
| State | 17,900 | 16,900 | 310 | 5,239 |

1/ Included in North. 2/ Included in West Central. 3/ Included in Southeast.

## **Cucumbers**: Acreage harvested for fresh market by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | Acres | | | | | |
| Alachua | 1,100 | 1,050 | 1,000 | 1,150 | 1,050 | 900 |
| Collier | 2,450 | 2,500 | 2,100 | 1,900 | 1,600 | 2,100 |
| Desoto | 950 | 900 | 700 | 800 | 700 | 800 |
| Hardee | 2,150 | 2,300 | 2,700 | 2,800 | 2,300 | 2,400 |
| Hendry | 1,650 | 1,700 | 1,600 | 1,500 | 1,200 | 1,600 |
| Hillsborough | 300 | 300 | 350 | 350 | 300 | 350 |
| Lee | 1,400 | 1,450 | 1,450 | 1,600 | 2,000 | 2,000 |
| Manatee | 1/ | 550 | 750 | 650 | 550 | 850 |
| Palm Beach (East) | 900 | 900 | 1,200 | 1,300 | 2,400 | 2,700 |
| Seminole | 100 | 150 | 250 | 200 | 150 | 100 |
| Sumter | 600 | 550 | 400 | 300 | 300 | 200 |
| Volusia | 80 | 90 | 100 | 100 | 120 | 100 |
| Other counties | 3,220 | 2,860 | 2,400 | 2,450 | 3,430 | 2,800 |
| State | 14,900 | 15,300 | 15,000 | 15,100 | 16,100 | 16,900 |

1/ Included in other counties.

## **Eggplant**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage |  | Yield per acre | Production | Value per bushel | Total value |
|---|---|---|---|---|---|---|
|  | Planted | Harvested |  |  |  |  |
|  | Acres |  | Bushels | 1,000 bushels | Dollars | 1,000 dollars |
| 1971-72 | 1,800 | 1,750 | 597 | 1,045 | 3.12 | 3,257 |
| 1972-73 | 1,850 | 1,800 | 596 | 1,073 | 3.48 | 3,734 |
| 1973-74 | 1,850 | 1,800 | 643 | 1,158 | 3.62 | 4,189 |
| 1974-75 | 2,200 | 2,150 | 692 | 1,488 | 3.71 | 5,521 |
| 1975-76 | 2,400 | 2,300 | 688 | 1,582 | 3.06 | 4,841 |
| 1976-77 | 2,250 | 1,950 | 701 | 1,367 | 3.90 | 5,332 |
| 1977-78 | 2,400 | 2,250 | 660 | 1,485 | 3.80 | 5,636 |
| 1978-79 | 3,100 | 2,800 | 585 | 1,639 | 4.14 | 6,784 |
| 1979-80 | 3,100 | 2,800 | 600 | 1,679 | 4.36 | 7,328 |
| 1980-81 | 3,100 | 2,800 | 592 | 1,658 | 5.67 | 9,394 |
| 1981-82 | 2,640 | 2,530 | 657 | 1,661 | 5.76 | 9,568 |
| 1982-83 | 2,590 | 2,500 | 666 | 1,666 | 5.06 | 8,429 |
| 1983-84 | 2,300 | 2,100 | 710 | 1,491 | 5.84 | 8,713 |
| 1984-85 | 2,680 | 2,500 | 658 | 1,646 | 4.30 | 7,075 |
| 1985-86 | 2,500 | 2,350 | 675 | 1,586 | 5.73 | 9,093 |

## **Eggplant**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct 1/ | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1,000 bushels |  |  |  |  |  |  |  |  |  |  |
| 1981-82 | 158 | 233 | 209 | 170 | 64 | 148 | 212 | 255 | 191 | 21 | 1,661 |
| 1982-83 | 145 | 267 | 221 | 215 | 94 | 51 | 94 | 236 | 270 | 73 | 1,666 |
| 1983-84 | 128 | 215 | 212 | 103 | 45 | 112 | 179 | 246 | 206 | 45 | 1,491 |
| 1984-85 | 130 | 243 | 221 | 179 | 43 | 21 | 285 | 315 | 179 | 30 | 1,646 |
| 1985-86 | 135 | 226 | 164 | 200 | 110 | 85 | 192 | 278 | 178 | 18 | 1,586 |
|  | Percent |  |  |  |  |  |  |  |  |  |  |
| 1981-82 | 9.5 | 14.0 | 12.6 | 10.2 | 3.9 | 8.9 | 12.8 | 15.3 | 11.5 | 1.3 | 100.0 |
| 1982-83 | 8.7 | 16.0 | 13.3 | 12.9 | 5.6 | 3.1 | 5.6 | 14.2 | 16.2 | 4.4 | 100.0 |
| 1983-84 | 8.6 | 14.4 | 14.2 | 7.0 | 3.0 | 7.5 | 12.0 | 16.5 | 13.8 | 3.0 | 100.0 |
| 1984-85 | 7.9 | 14.8 | 13.4 | 10.9 | 2.6 | 1.3 | 17.3 | 19.1 | 10.9 | 1.8 | 100.0 |
| 1985-86 | 8.5 | 14.3 | 10.3 | 12.7 | 6.9 | 5.4 | 12.1 | 17.5 | 11.2 | 1.1 | 100.0 |

1/ September included with October.

**Eggplant**: Average value per bushel for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | | |
| 1981-82 | 6.00 | 5.65 | 5.15 | 4.90 | 5.45 | 6.45 | 5.25 | 6.15 | 6.85 | 6.00 | 5.25 | 5.76 |
| 1982-83 | 3.15 | 3.00 | 4.40 | 2.95 | 4.10 | 10.05 | 9.75 | 10.25 | 5.95 | 4.30 | 4.30 | 5.06 |
| 1983-84 | -- | 4.90 | 4.55 | 2.85 | 4.95 | 10.50 | 7.45 | 5.55 | 4.95 | 7.20 | 6.20 | 5.84 |
| 1984-85 | -- | 4.70 | 4.40 | 2.65 | 5.75 | 5.30 | 10.55 | 4.85 | 3.75 | 3.70 | 3.65 | 4.30 |
| 1985-86 | -- | 5.35 | 7.20 | 4.25 | 4.15 | 4.85 | 9.40 | 5.45 | 6.30 | 5.55 | 5.45 | 5.73 |

**Eggplant**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Bushels | 1,000 bushels |
| West 1/ | | | | |
| North | 400 | 380 | 480 | 182 |
| North Central | 400 | 390 | 540 | 211 |
| West Central | 50 | 50 | 640 | 32 |
| East Central | -- | -- | -- | -- |
| Southwest | 450 | 410 | 620 | 254 |
| Everglades | -- | -- | -- | -- |
| Southeast | 1,200 | 1,120 | 810 | 907 |
| State | 2,500 | 2,350 | 675 | 1,586 |

1/ West included with North.

**Eggplant**: Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Alachua | 260 | 160 | 200 | 130 | 200 | 200 |
| Broward | 250 | 230 | 190 | 230 | 200 | 250 |
| Palm Beach (East) | 1,080 | 1,000 | 1,370 | 850 | 890 | 800 |
| Other counties | 1,210 | 1,140 | 740 | 890 | 1,210 | 1,100 |
| State | 2,800 | 2,530 | 2,500 | 2,100 | 2,500 | 2,350 |

## **Escarole**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage: Planted | Acreage: Harvested | Yield per acre | Production | Value per crate | Total value |
|---|---|---|---|---|---|---|
| | Acres | | Crates | 1,000 crates | Dollars | 1,000 dollars |
| 1971-72 | 9,200 | 7,900 | 440 | 3,476 | 1.86 | 6,448 |
| 1972-73 | 8,100 | 6,500 | 582 | 3,784 | 2.27 | 8,578 |
| 1973-74 | 7,900 | 6,000 | 516 | 3,096 | 2.27 | 7,015 |
| 1974-75 | 7,000 | 5,700 | 584 | 3,328 | 2.61 | 8,688 |
| 1975-76 | 6,700 | 5,800 | 532 | 3,088 | 3.19 | 9,860 |
| 1976-77 | 6,900 | 6,000 | 513 | 3,080 | 4.07 | 12,521 |
| 1977-78 | 6,600 | 6,100 | 535 | 3,264 | 4.63 | 15,124 |
| 1978-79 | 7,100 | 6,500 | 515 | 3,348 | 4.05 | 13,547 |
| 1979-80 | 7,500 | 6,300 | 481 | 3,028 | 3.72 | 11,263 |
| 1980-81 | 7,500 | 6,200 | 470 | 2,912 | 3.91 | 11,376 |
| 1981-82 | 5,900 | 5,300 | 512 | 2,712 | 6.65 | 18,024 |
| 1982-83 | 6,200 | 5,600 | 519 | 2,908 | 5.17 | 15,039 |
| 1983-84 | 6,250 | 5,700 | 505 | 2,876 | 4.92 | 14,136 |
| 1984-85 | 6,300 | 5,700 | 500 | 2,852 | 4.83 | 13,786 |
| 1985-86 | 6,100 | 5,500 | 480 | 2,640 | 5.42 | 14,296 |

## **Escarole**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Total |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 crates | | | | |
| 1981-82 | 32 | 232 | 396 | 248 | 412 | 532 | 532 | 1/ 328 | 2,712 |
| 1982-83 | 8 | 264 | 420 | 444 | 400 | 420 | 508 | 1/ 444 | 2,908 |
| 1983-84 | 24 | 272 | 440 | 404 | 472 | 536 | 428 | 300 | 2,876 |
| 1984-85 | 24 | 280 | 416 | 660 | 364 | 428 | 404 | 276 | 2,852 |
| 1985-86 | 22 | 266 | 402 | 464 | 319 | 456 | 428 | 283 | 2,640 |
| | | | | | Percent | | | | |
| 1981-82 | 1.2 | 8.5 | 14.6 | 9.2 | 15.2 | 19.6 | 19.6 | 1/ 12.1 | 100.0 |
| 1982-83 | .3 | 9.1 | 14.4 | 15.3 | 13.8 | 14.4 | 17.5 | 1/ 15.2 | 100.0 |
| 1983-84 | .8 | 9.5 | 15.3 | 14.0 | 16.4 | 18.6 | 15.0 | 10.4 | 100.0 |
| 1984-85 | .8 | 9.8 | 14.6 | 23.1 | 12.8 | 15.0 | 14.2 | 9.7 | 100.0 |
| 1985-86 | .8 | 10.1 | 15.3 | 17.6 | 12.1 | 17.2 | 16.2 | 10.7 | 100.0 |

1/ June included in May.

### **Escarole:** Average value per crate for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | | |
| 1981-82 | 4.75 | 5.35 | 8.55 | 10.95 | 8.75 | 4.10 | 4.70 | 8.45 | 10.75 | 6.65 |
| 1982-83 | 3.50 | 4.00 | 5.00 | 5.05 | 4.00 | 5.75 | 5.60 | 6.10 | 6.25 | 5.17 |
| 1983-84 | 5.00 | 5.00 | 4.10 | 7.90 | 4.30 | 3.45 | 4.60 | 6.10 | -- | 4.92 |
| 1984-85 | 3.85 | 4.15 | 3.50 | 5.05 | 8.60 | 4.50 | 3.75 | 4.30 | -- | 4.83 |
| 1985-86 | 5.38 | 5.08 | 6.20 | 6.93 | 5.33 | 4.30 | 4.47 | 5.48 | -- | 5.42 |

### **Escarole:** Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Crates | 1,000 crates |
| Central | 1,870 | 1,700 | 490 | 833 |
| Everglades | 4,230 | 3,800 | 476 | 1,807 |
| State | 6,100 | 5,500 | 480 | 2,640 |

### **Escarole:** Acreage harvested by areas, Florida, crop years 1980-81 through 1985-86

| Areas | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Central | 1,800 | 1,750 | 1,750 | 1,800 | 1,900 | 1,700 |
| Everglades | 4,400 | 3,550 | 3,850 | 3,900 | 3,800 | 3,800 |
| State | 6,200 | 5,300 | 5,600 | 5,700 | 5,700 | 5,500 |

**Lettuce**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage | | Yield per acre | Production | Value per cwt | Total value |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | Acres | | Cwt | 1,000 cwt | Dollars | 1,000 dollars |
| 1971-72 | 7,400 | 5,500 | 110 | 605 | 10.80 | 6,534 |
| 1972-73 | 7,300 | 5,900 | 177 | 1,044 | 8.65 | 9,032 |
| 1973-74 | 9,300 | 7,000 | 165 | 1,154 | 6.72 | 7,759 |
| 1974-75 | 8,600 | 7,100 | 181 | 1,287 | 8.95 | 11,513 |
| 1975-76 | 9,400 | 8,000 | 184 | 1,473 | 10.35 | 15,247 |
| 1976-77 | 11,700 | 9,500 | 151 | 1,430 | 12.34 | 17,650 |
| 1977-78 | 11,400 | 10,000 | 195 | 1,952 | 19.09 | 37,272 |
| 1978-79 | 14,100 | 12,900 | 199 | 2,562 | 18.75 | 48,032 |
| 1979-80 | 15,400 | 13,900 | 193 | 2,688 | 13.67 | 36,750 |
| 1980-81 | 16,700 | 14,200 | 188 | 2,671 | 13.39 | 35,759 |
| 1981-82 | 14,100 | 12,300 | 183 | 2,250 | 25.16 | 56,599 |
| 1982-83 | 14,400 | 12,900 | 190 | 2,451 | 18.83 | 46,151 |
| 1983-84 | 15,600 | 13,000 | 179 | 2,328 | 16.84 | 39,210 |
| 1984-85 | 16,050 | 13,500 | 170 | 2,295 | 15.90 | 36,491 |
| 1985-86 | 16,000 | 14,400 | 163 | 2,350 | 19.13 | 44,949 |

**Lettuce**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Total |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 cwt | | | | |
| 1981-82 | 5 | 59 | 391 | 287 | 377 | 556 | 467 | 108 | 2,250 |
| 1982-83 | -- | 81 | 394 | 435 | 277 | 356 | 454 | 454 | 2,451 |
| 1983-84 | 4 | 79 | 355 | 208 | 491 | 681 | 378 | 132 | 2,328 |
| 1984-85 | 9 | 87 | 363 | 404 | 312 | 606 | 404 | 110 | 2,295 |
| 1985-86 | -- | 91 | 367 | 372 | 249 | 378 | 545 | 348 | 2,350 |
| | | | | | Percent | | | | |
| 1981-82 | .2 | 2.6 | 17.4 | 12.8 | 16.8 | 24.7 | 20.7 | 4.8 | 100.0 |
| 1982-83 | -- | 3.3 | 16.1 | 17.8 | 11.3 | 14.5 | 18.5 | 18.5 | 100.0 |
| 1983-84 | .2 | 3.4 | 15.2 | 8.9 | 21.1 | 29.3 | 16.2 | 5.7 | 100.0 |
| 1984-85 | .4 | 3.8 | 15.8 | 17.6 | 13.6 | 26.4 | 17.6 | 4.8 | 100.0 |
| 1985-86 | -- | 3.9 | 15.6 | 15.8 | 10.6 | 16.1 | 23.2 | 14.8 | 100.0 |

### **Lettuce**: Average value per cwt for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Average |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | |
| 1981-82 | 23.40 | 24.70 | 31.50 | 38.00 | 23.00 | 19.00 | 22.50 | 18.80 | 25.16 |
| 1982-83 | -- | 22.20 | 19.80 | 17.20 | 12.30 | 15.60 | 21.50 | 22.70 | 18.83 |
| 1983-84 | 20.00 | 21.40 | 24.00 | 18.50 | 15.60 | 15.30 | 13.70 | 14.20 | 16.84 |
| 1984-85 | 20.00 | 20.40 | 17.70 | 21.00 | 14.40 | 13.50 | 13.40 | 13.40 | 15.90 |
| 1985-86 | -- | 28.50 | 20.50 | 17.00 | 12.80 | 17.20 | 19.90 | 22.90 | 19.13 |

### **Lettuce**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Cwt | 1,000 cwt |
| Central | 2,350 | 1,950 | 139 | 271 |
| Everglades | 13,650 | 12,450 | 167 | 2,079 |
| State | 16,000 | 14,400 | 163 | 2,350 |

### **Lettuce**: Acreage harvested by areas, Florida, crop years 1980-81 through 1985-86

| Areas | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | | Acres | | |
| Central | 1,700 | 1,550 | 1,650 | 1,800 | 1,800 | 1,950 |
| Everglades | 12,500 | 10,750 | 11,250 | 11,200 | 11,700 | 12,450 |
| State | 14,200 | 12,300 | 12,900 | 13,000 | 13,500 | 14,400 |

## **Green Peppers**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage: Planted | Acreage: Harvested | Yield per acre | Production | Value per bushel | Total value |
|---|---|---|---|---|---|---|
| | Acres | Acres | Bushels | 1,000 bushels | Dollars | 1,000 dollars |
| 1971-72 | 14,100 | 12,800 | 435 | 5,564 | 4.09 | 22,772 |
| 1972-73 | 14,800 | 14,100 | 459 | 6,468 | 4.14 | 26,762 |
| 1973-74 | 14,100 | 13,400 | 473 | 6,336 | 4.90 | 31,034 |
| 1974-75 | 15,600 | 14,900 | 510 | 7,604 | 4.96 | 37,695 |
| 1975-76 | 16,800 | 15,900 | 454 | 7,220 | 5.45 | 39,326 |
| 1976-77 | 21,100 | 16,800 | 400 | 6,720 | 5.66 | 38,054 |
| 1977-78 | 20,400 | 18,800 | 434 | 8,164 | 5.17 | 42,188 |
| 1978-79 | 19,800 | 18,100 | 445 | 8,056 | 6.13 | 49,413 |
| 1979-80 | 18,700 | 17,300 | 414 | 7,156 | 7.13 | 51,035 |
| 1980-81 | 20,400 | 18,300 | 435 | 7,968 | 8.10 | 64,516 |
| 1981-82 | 21,500 | 19,300 | 412 | 7,944 | 7.00 | 55,592 |
| 1982-83 | 21,400 | 19,700 | 482 | 9,492 | 9.45 | 89,687 |
| 1983-84 | 23,000 | 20,700 | 467 | 9,660 | 7.75 | 74,833 |
| 1984-85 | 22,700 | 20,800 | 507 | 10,540 | 6.59 | 69,460 |
| 1985-86 | 21,100 | 19,200 | 586 | 11,250 | 6.83 | 76,786 |

## **Green Peppers**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 bushels | | | | | |
| 1981-82 | 84 | 928 | 1,052 | 940 | 472 | 884 | 1,704 | 1,468 | 412 | 7,944 |
| 1982-83 | 72 | 964 | 1,372 | 1,416 | 920 | 920 | 1,276 | 1,348 | 1,204 | 9,492 |
| 1983-84 | 52 | 776 | 1,680 | 928 | 500 | 860 | 1,932 | 2,004 | 928 | 9,660 |
| 1984-85 | 188 | 1,360 | 1,612 | 1,476 | 220 | 220 | 2,068 | 2,804 | 592 | 10,540 |
| 1985-86 | 208 | 1,234 | 1,451 | 1,194 | 790 | 1,079 | 2,014 | 2,320 | 960 | 11,250 |
| | | | | | Percent | | | | | |
| 1981-82 | 1.1 | 11.7 | 13.2 | 11.8 | 5.9 | 11.1 | 21.5 | 18.5 | 5.2 | 100.0 |
| 1982-83 | .7 | 10.2 | 14.5 | 14.9 | 9.7 | 9.7 | 13.4 | 14.2 | 12.7 | 100.0 |
| 1983-84 | .6 | 8.0 | 17.4 | 9.6 | 5.2 | 8.9 | 20.0 | 20.7 | 9.6 | 100.0 |
| 1984-85 | 1.8 | 12.9 | 15.3 | 14.0 | 2.1 | 2.1 | 19.6 | 26.6 | 5.6 | 100.0 |
| 1985-86 | 1.8 | 11.0 | 12.9 | 10.6 | 7.0 | 9.6 | 17.9 | 20.6 | 8.6 | 100.0 |

### **Green Peppers**: Average value per bushel for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Dollars | | | | | |
| 1981-82 | 8.30 | 6.65 | 6.90 | 6.55 | 8.90 | 7.05 | 6.20 | 8.20 | 5.35 | 7.00 |
| 1982-83 | 7.95 | 5.50 | 5.20 | 9.90 | 16.40 | 13.75 | 11.25 | 9.50 | 6.50 | 9.45 |
| 1983-84 | 8.75 | 8.70 | 5.45 | 8.75 | 14.75 | 9.30 | 7.15 | 7.80 | 5.90 | 7.75 |
| 1984-85 | 8.95 | 5.25 | 5.90 | 6.80 | 11.80 | 7.10 | 7.80 | 5.70 | 5.70 | 6.59 |
| 1985-86 | 8.00 | 7.85 | 6.40 | 5.90 | 5.65 | 8.00 | 8.75 | 5.60 | 5.60 | 6.83 |

### **Green Peppers**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Bushels | 1,000 bushels |
| West 1/ | | | | |
| North | 1,750 | 1,500 | 390 | 585 |
| North Central | 1,900 | 1,650 | 419 | 691 |
| West Central | 2,750 | 2,650 | 580 | 1,537 |
| East Central | -- | -- | -- | -- |
| Southwest | 6,600 | 6,000 | 560 | 3,360 |
| Everglades 2/ | | | | |
| Southeast | 8,100 | 7,400 | 686 | 5,077 |
| State | 21,100 | 19,200 | 586 | 11,250 |

1/ West included with North.
2/ Everglades included with Southeast.

### **Green Peppers**: Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Alachua | 1,000 | 1,100 | 1,100 | 1,500 | 1,400 | 1,000 |
| Broward | 280 | 330 | 550 | 700 | 800 | 650 |
| Charlotte | 550 | 620 | 600 | 500 | 500 | 200 |
| Collier | 4,000 | 3,800 | 3,400 | 3,000 | 2,800 | 3,100 |
| Hardee | 140 | 180 | 120 | 150 | 200 | 300 |
| Hendry | 1,760 | 1,700 | 1,600 | 1,300 | 1,200 | 1,300 |
| Hillsborough | 1,100 | 1,000 | 1,250 | 1,300 | 1,600 | 1,000 |
| Lee | 1,800 | 1,900 | 1,750 | 1,650 | 1,600 | 1,350 |
| Palm Beach (East) | 3,400 | 4,000 | 5,300 | 6,100 | 5,600 | 5,600 |
| Seminole | 600 | 600 | 400 | 500 | 400 | 400 |
| Sumter | 900 | 700 | 900 | 1,000 | 900 | 1,000 |
| Volusia | 210 | 220 | 200 | 200 | 200 | 250 |
| Other counties | 2,560 | 3,150 | 2,100 | 2,800 | 3,600 | 3,050 |
| State | 18,300 | 19,300 | 19,700 | 20,700 | 20,800 | 19,200 |

## **Potatoes**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage | | Yield per acre | Production | Value per cwt | Total value |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | Acres | | Cwt | 1,000 cwt | Dollars | 1,000 dollars |
| Winter: | | | | | | |
| 1981 | 8,400 | 8,400 | 155 | 1,302 | 20.40 | 26,561 |
| 1982 | 7,500 | 7,200 | 185 | 1,332 | 13.80 | 18,382 |
| 1983 | 6,800 | 6,600 | 140 | 924 | 14.80 | 13,675 |
| 1984 | 7,600 | 7,400 | 160 | 1,184 | 17.30 | 20,483 |
| 1985 | 7,800 | 7,800 | 165 | 1,287 | 18.40 | 23,681 |
| 1986 | 7,400 | 7,200 | 210 | 1,512 | 16.20 | 24,494 |
| Spring (Hastings): | | | | | | |
| 1981 | 21,000 | 20,500 | 245 | 5,023 | 8.50 | 42,696 |
| 1982 | 24,000 | 23,500 | 230 | 5,405 | 7.50 | 40,538 |
| 1983 | 24,000 | 23,500 | 210 | 4,935 | 8.10 | 39,974 |
| 1984 | 26,000 | 25,000 | 260 | 6,500 | 7.35 | 47,775 |
| 1985 | 26,500 | 26,000 | 245 | 6,370 | 7.60 | 48,412 |
| 1986 | 25,000 | 24,500 | 280 | 6,860 | 6.05 | 41,503 |
| Spring (Other): | | | | | | |
| 1981 | 1,100 | 1,000 | 240 | 240 | 15.60 | 3,744 |
| 1982 | 1,300 | 1,200 | 210 | 252 | 13.30 | 3,352 |
| 1983 | 1,300 | 1,200 | 155 | 186 | 12.70 | 2,362 |
| 1984 | 1,300 | 1,200 | 200 | 240 | 9.45 | 2,268 |
| 1985 | 1,400 | 1,300 | 210 | 273 | 9.50 | 2,594 |
| 1986 | 1,000 | 900 | 190 | 171 | 9.60 | 1,642 |
| All seasons: | | | | | | |
| 1971-72 | 33,700 | 32,600 | 141 | 4,606 | 3.46 | 15,933 |
| 1972-73 | 30,200 | 30,200 | 182 | 5,510 | 5.49 | 30,275 |
| 1973-74 | 31,300 | 30,900 | 179 | 5,533 | 7.72 | 42,715 |
| 1974-75 | 27,600 | 27,500 | 194 | 5,344 | 4.64 | 24,813 |
| 1975-76 | 31,900 | 31,000 | 203 | 6,293 | 6.66 | 41,931 |
| 1976-77 | 30,500 | 30,100 | 206 | 6,207 | 6.71 | 41,670 |
| 1977-78 | 32,800 | 32,300 | 175 | 5,658 | 6.21 | 35,171 |
| 1978-79 | 30,700 | 28,000 | 215 | 6,008 | 5.06 | 30,435 |
| 1979-80 | 29,600 | 27,300 | 194 | 5,304 | 6.80 | 36,217 |
| 1980-81 | 30,500 | 29,900 | 220 | 6,565 | 11.10 | 73,001 |
| 1981-82 | 30,800 | 31,900 | 219 | 6,989 | 8.90 | 62,272 |
| 1982-83 | 32,100 | 31,300 | 193 | 6,045 | 9.25 | 56,011 |
| 1983-84 | 34,900 | 33,600 | 236 | 7,924 | 8.90 | 70,526 |
| 1984-85 | 35,700 | 35,100 | 226 | 7,930 | 9.40 | 74,687 |
| 1985-86 | 33,400 | 32,600 | 262 | 8,543 | 7.90 | 67,639 |

**Potatoes**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Jan | Feb | Mar | Apr | May | June 1/ | Total |
|---|---|---|---|---|---|---|---|
| | | | | 1,000 cwt | | | |
| 1981-82 | 26 | 116 | 464 | 1,735 | 3,442 | 1,138 | 5,921 |
| 1982-83 | 9 | 110 | 303 | 680 | 2,947 | 1,969 | 6,018 |
| 1983-84 | 12 | 106 | 400 | 2,271 | 3,611 | 1,487 | 7,889 |
| 1984-85 | 13 | 153 | 499 | 1,456 | 4,311 | 1,462 | 7,894 |
| 1985-86 | 15 | 181 | 511 | 1,739 | 4,146 | 1,913 | 8,505 |
| | | | | Percent | | | |
| 1981-82 | .4 | 1.7 | 6.7 | 25.1 | 49.7 | 16.4 | 100.0 |
| 1982-83 | .2 | 1.8 | 5.0 | 11.3 | 49.0 | 32.7 | 100.0 |
| 1983-84 | .1 | 1.3 | 5.1 | 28.8 | 45.8 | 18.9 | 100.0 |
| 1984-85 | .2 | 1.9 | 6.3 | 18.5 | 54.6 | 18.5 | 100.0 |
| 1985-86 | .2 | 2.1 | 6.9 | 19.7 | 48.6 | 22.5 | 100.0 |

1/ Includes small quantities sold in July.

**Potatoes**: Average value per cwt for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Jan | Feb | Mar | Apr | May | June | Average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| 1981-82 | 17.00 | 16.80 | 13.40 | 11.40 | 6.90 | 7.85 | 8.90 |
| 1982-83 | 13.30 | 13.30 | 18.10 | 12.20 | 9.65 | 6.10 | 9.25 |
| 1983-84 | 20.00 | 20.00 | 16.10 | 11.00 | 7.70 | 5.80 | 8.90 |
| 1984-85 | 14.30 | 14.30 | 16.40 | 13.45 | 7.75 | 7.20 | 9.40 |
| 1985-86 | 13.00 | 13.00 | 15.40 | 11.80 | 6.15 | 5.55 | 7.90 |

## **Potatoes**: Acreage and production by areas, Florida, 1985-86 crop year

| Seasons and areas | Acreage |  | Yield per acre | Production |
|---|---|---|---|---|
|  | Planted | Harvested |  |  |
|  | Acres |  | Cwt | 1,000 cwt |
| Spring |  |  |  |  |
| Hastings | 25,000 | 24,500 | 280 | 6,860 |
| Other Spring 1/ | 1,000 | 900 | 190 | 171 |
| Winter |  |  |  |  |
| Southwest | 1,600 | 1,600 | 185 | 296 |
| Southeast | 5,800 | 5,600 | 217 | 1,216 |
| State | 33,400 | 32,600 | 262 | 8,543 |

1/ Includes West, North, Central, and Martin County (Spring).

## **Potatoes**: Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
|  | Acres |  |  |  |  |  |
| Dade | 6,400 | 5,200 | 5,100 | 5,400 | 5,500 | 5,000 |
| Flagler | 1,700 | 2,500 | 2,500 | 2,800 | 3,000 | 2,000 |
| Putnam | 3,200 | 4,000 | 4,000 | 4,200 | 4,500 | 4,300 |
| St. Johns | 15,600 | 17,000 | 17,000 | 18,000 | 18,500 | 18,200 |
| Other counties | 3,000 | 3,200 | 2,700 | 3,200 | 3,600 | 3,100 |
| Winter total | 8,400 | 7,200 | 6,600 | 7,400 | 7,800 | 7,200 |
| Spring total | 18,800 | 21,500 | 24,700 | 24,700 | 26,200 | 25,400 |
| State total | 27,300 | 29,900 | 31,900 | 31,300 | 33,600 | 32,600 |

## **Radishes**: Acreage, production, and value, Florida, crop years 1976-77 through 1985-86

| Crop year | Acreage |  | Yield per acre | Production | Value per carton | Total value |
|---|---|---|---|---|---|---|
|  | Planted | Harvested |  |  |  |  |
|  | Acres |  | Cartons | 1,000 cartons | Dollars | 1,000 dollars |
| 1976-77 | 31,000 | 27,300 | 291 | 7,933 | 2.06 | 16,303 |
| 1977-78 | 32,000 | 28,200 | 287 | 8,087 | 2.74 | 22,198 |
| 1978-79 | 33,600 | 29,600 | 273 | 8,093 | 2.18 | 17,603 |
| 1979-80 | 32,600 | 28,400 | 247 | 7,007 | 3.30 | 23,122 |
| 1980-81 | 32,900 | 29,000 | 247 | 7,153 | 2.79 | 19,957 |
| 1981-82 | 27,700 | 24,500 | 240 | 5,880 | 4.05 | 23,814 |
| 1982-83 | 27,400 | 24,700 | 247 | 6,093 | 4.58 | 27,877 |
| 1983-84 | 28,800 | 25,400 | 207 | 5,267 | 4.36 | 22,989 |
| 1984-85 | 29,100 | 25,600 | 247 | 6,313 | 2.96 | 18,656 |
| 1985-86 | 29,400 | 26,100 | 216 | 5,638 | 3.78 | 21,312 |

## **Radishes**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  | 1,000 cartons |  |  |  |  |  |
| 1981-82 | 473 | 527 | 820 | 526 | 820 | 947 | 707 | 1,000 | 60 | 5,880 |
| 1982-83 | 120 | 727 | 794 | 913 | 673 | 673 | 913 | 1,160 | 120 | 6,093 |
| 1983-84 | 107 | 527 | 687 | 580 | 1,000 | 840 | 580 | 840 | 106 | 5,267 |
| 1984-85 | 313 | 947 | 886 | 567 | 567 | 1,013 | 887 | 1,013 | 120 | 6,313 |
| 1985-86 | 232 | 912 | 807 | 680 | 584 | 672 | 864 | 824 | 63 | 5,638 |
|  |  |  |  |  | Percent |  |  |  |  |  |
| 1981-82 | 8.0 | 9.0 | 14.0 | 9.0 | 14.0 | 16.0 | 12.0 | 17.0 | 1.0 | 100.0 |
| 1982-83 | 2.0 | 12.0 | 13.0 | 15.0 | 11.0 | 11.0 | 15.0 | 19.0 | 2.0 | 100.0 |
| 1983-84 | 2.0 | 10.0 | 13.0 | 11.0 | 19.0 | 16.0 | 11.0 | 16.0 | 2.0 | 100.0 |
| 1984-85 | 5.0 | 15.0 | 14.0 | 9.0 | 9.0 | 16.0 | 14.0 | 16.0 | 2.0 | 100.0 |
| 1985-86 | 4.1 | 16.2 | 14.3 | 12.1 | 10.4 | 11.9 | 15.3 | 14.6 | 1.1 | 100.0 |

## **Radishes**: Average value per crate for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  | Dollars |  |  |  |  |  |
| 1981-82 | 3.30 | 3.65 | 3.95 | 4.65 | 4.05 | 2.75 | 4.65 | 4.70 | 2.90 | 4.05 |
| 1982-83 | 2.90 | 3.95 | 3.10 | 3.50 | 5.00 | 9.00 | 5.95 | 3.15 | 3.85 | 4.58 |
| 1983-84 | 2.45 | 5.15 | 3.55 | 6.20 | 2.85 | 3.10 | 6.30 | 5.05 | 5.40 | 4.36 |
| 1984-85 | 2.75 | 2.95 | 2.80 | 3.35 | 3.40 | 2.65 | 2.60 | 3.25 | 3.40 | 2.96 |
| 1985-86 | 3.55 | 3.20 | 4.65 | 3.80 | 3.90 | 4.40 | 3.20 | 3.50 | 5.49 | 3.78 |

## **Squash**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage | | Yield per acre | Production | Value per bushel | Total value |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | Acres | | Bushels | 1,000 bushels | Dollars | 1,000 dollars |
| 1971-72 | 10,400 | 8,900 | 152 | 1,352 | 5.54 | 7,488 |
| 1972-73 | 10,800 | 9,800 | 151 | 1,481 | 5.49 | 8,128 |
| 1973-74 | 10,900 | 10,100 | 145 | 1,463 | 5.78 | 8,459 |
| 1974-75 | 11,800 | 11,200 | 160 | 1,792 | 6.14 | 10,997 |
| 1975-76 | 11,900 | 11,400 | 154 | 1,761 | 6.53 | 11,508 |
| 1976-77 | 12,600 | 12,000 | 158 | 1,893 | 5.89 | 11,156 |
| 1977-78 | 12,350 | 11,850 | 143 | 1,693 | 4.28 | 7,253 |
| 1978-79 | 13,850 | 13,350 | 139 | 1,860 | 7.51 | 13,971 |
| 1979-80 | 14,000 | 13,500 | 174 | 2,350 | 9.30 | 21,855 |
| 1980-81 | 15,600 | 14,800 | 159 | 2,357 | 9.72 | 22,904 |
| 1981-82 | 17,400 | 16,600 | 168 | 2,788 | 9.69 | 27,029 |
| 1982-83 | 16,700 | 16,100 | 179 | 2,874 | 11.12 | 31,949 |
| 1983-84 | 17,700 | 16,800 | 177 | 2,981 | 10.12 | 30,173 |
| 1984-85 | 17,700 | 16,500 | 172 | 2,829 | 11.00 | 31,119 |
| 1985-86 | 16,700 | 15,800 | 202 | 3,192 | 12.60 | 40,219 |

## **Squash**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 bushels | | | | | |
| 1981-82 | -- | 186 | 378 | 407 | 219 | 219 | 526 | 545 | 291 | 17 | 2,788 |
| 1982-83 | 9 | 140 | 417 | 379 | 288 | 193 | 212 | 502 | 617 | 117 | 2,874 |
| 1983-84 | -- | 119 | 417 | 388 | 179 | 269 | 595 | 595 | 388 | 31 | 2,981 |
| 1984-85 | -- | 124 | 419 | 410 | 281 | 76 | 412 | 712 | 357 | 38 | 2,829 |
| 1985-86 | -- | 152 | 476 | 375 | 271 | 235 | 431 | 742 | 476 | 34 | 3,192 |
| | | | | | | Percent | | | | | |
| 1981-82 | -- | 6.7 | 13.5 | 14.6 | 7.9 | 7.9 | 18.9 | 19.5 | 10.4 | 0.6 | 100.0 |
| 1982-83 | .3 | 4.9 | 14.5 | 13.2 | 10.0 | 6.7 | 7.4 | 17.4 | 21.5 | 4.1 | 100.0 |
| 1983-84 | -- | 4.0 | 14.0 | 13.0 | 6.0 | 9.0 | 20.0 | 20.0 | 13.0 | 1.0 | 100.0 |
| 1984-85 | -- | 4.4 | 14.8 | 14.5 | 9.9 | 2.7 | 14.6 | 25.2 | 12.6 | 1.3 | 100.0 |
| 1985-86 | -- | 4.8 | 14.9 | 11.7 | 8.5 | 7.4 | 13.5 | 23.2 | 14.9 | 1.1 | 100.0 |

### **Squash:** Average value per bushel for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | |
| 1981-82 | -- | 11.30 | 11.05 | 11.20 | 10.30 | 10.50 | 8.00 | 9.80 | 6.80 | 6.15 | 9.69 |
| 1982-83 | 9.25 | 10.50 | 11.35 | 9.25 | 12.60 | 12.20 | 14.30 | 12.80 | 8.60 | 8.00 | 11.12 |
| 1983-84 | -- | 7.15 | 8.60 | 8.80 | 12.60 | 12.70 | 9.25 | 8.15 | 6.70 | 6.65 | 10.12 |
| 1984-85 | -- | 8.80 | 13.35 | 9.05 | 12.10 | 9.80 | 16.80 | 9.40 | 7.20 | 9.45 | 11.00 |
| 1985-86 | -- | 16.55 | 14.05 | 11.90 | 15.45 | 13.25 | 14.30 | 11.85 | 8.60 | 5.60 | 12.60 |

### **Squash:** Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Bushels | 1,000 bushels |
| West | 400 | 400 | 170 | 68 |
| North | 2,000 | 1,900 | 190 | 361 |
| North Central | 800 | 750 | 186 | 140 |
| West Central | 850 | 800 | 220 | 176 |
| East Central | 1,200 | 1,100 | 225 | 248 |
| Southwest | 2,950 | 2,750 | 210 | 579 |
| Southeast | 8,500 | 8,100 | 200 | 1,620 |
| State | 16,700 | 15,800 | 202 | 3,192 |

### **Squash:** Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Alachua | 850 | 950 | 950 | 900 | 900 | 900 |
| Broward | 650 | 750 | 650 | 650 | 600 | 400 |
| Collier | 1,700 | 1,550 | 1,800 | 1,900 | 2,000 | 1,700 |
| Dade | 3,900 | 4,550 | 4,550 | 5,600 | 5,300 | 4,800 |
| Gadsden | 400 | 250 | 200 | 250 | 250 | 250 |
| Hillsborough | 950 | 900 | 900 | 900 | 850 | 700 |
| Marion | 500 | 500 | 500 | 500 | 500 | 350 |
| Palm Beach (East) | 1,800 | 2,150 | 2,100 | 2,300 | 2,100 | 2,500 |
| Sumter | 350 | 350 | 350 | 250 | 200 | 150 |
| Other counties | 3,700 | 4,650 | 4,100 | 3,550 | 3,800 | 4,050 |
| State | 14,800 | 16,600 | 16,100 | 16,800 | 16,500 | 15,800 |

**Strawberries**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage: Planted | Acreage: Harvested | Yield per acre | Production | Value per flat | Total value |
|---|---|---|---|---|---|---|
| | Acres | | Flats | 1,000 flats | Dollars | 1,000 dollars |
| 1971-72 | 1,600 | 1,600 | 1,042 | 1,667 | 3.79 | 6,320 |
| 1972-73 | 1,400 | 1,400 | 1,125 | 1,575 | 5.16 | 8,127 |
| 1973-74 | 1,300 | 1,300 | 1,128 | 1,467 | 4.57 | 6,706 |
| 1974-75 | 1,200 | 1,200 | 1,375 | 1,650 | 5.08 | 8,375 |
| 1975-76 | 1,400 | 1,400 | 1,250 | 1,750 | 5.06 | 8,862 |
| 1976-77 | 1,500 | 1,500 | 1,211 | 1,817 | 4.93 | 8,960 |
| 1977-78 | 2,000 | 2,000 | 1,209 | 2,417 | 6.89 | 16,646 |
| 1978-79 | 2,400 | 2,400 | 1,333 | 3,200 | 6.92 | 22,157 |
| 1979-80 | 2,500 | 2,500 | 1,583 | 3,958 | 7.06 | 27,930 |
| 1980-81 | 3,200 | 3,200 | 1,750 | 5,600 | 4.98 | 27,888 |
| 1981-82 | 5,000 | 5,000 | 1,625 | 8,125 | 6.44 | 52,358 |
| 1982-83 | 5,400 | 5,400 | 1,583 | 8,550 | 6.14 | 52,531 |
| 1983-84 | 5,200 | 5,100 | 1,417 | 7,225 | 5.38 | 38,842 |
| 1984-85 | 5,300 | 5,300 | 1,667 | 8,833 | 6.94 | 61,268 |
| 1985-86 | 5,000 | 4,900 | 1,543 | 7,558 | 6.64 | 50,157 |

**Strawberries**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Dec | Jan | Feb | Mar | Apr | May | Total |
|---|---|---|---|---|---|---|---|
| | | | | 1,000 flats | | | |
| 1981-82 | -- | 1,058 | 1,950 | 3,983 | 1,050 | 84 | 8,125 |
| 1982-83 | 342 | 942 | 425 | 2,133 | 4,450 | 258 | 8,550 |
| 1983-84 | 217 | 217 | 358 | 3,833 | 2,308 | 292 | 7,225 |
| 1984-85 | 616 | 1,150 | 442 | 4,592 | 1,858 | 175 | 8,833 |
| 1985-86 | 294 | 744 | 259 | 3,373 | 2,560 | 328 | 7,558 |
| | | | | Percent | | | |
| 1981-82 | -- | 13.0 | 24.0 | 49.0 | 13.0 | 1.0 | 100.0 |
| 1982-83 | 4.0 | 11.0 | 5.0 | 25.0 | 52.0 | 3.0 | 100.0 |
| 1983-84 | 3.0 | 3.0 | 5.0 | 53.1 | 31.9 | 4.0 | 100.0 |
| 1984-85 | 7.0 | 13.0 | 5.0 | 52.0 | 21.0 | 2.0 | 100.0 |
| 1985-86 | 3.9 | 9.8 | 3.4 | 44.6 | 33.9 | 4.4 | 100.0 |

**Strawberries**: Average value per flat for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Dec | Jan | Feb | Mar | Apr | May | Average |
|---|---|---|---|---|---|---|---|
| | | | | Dollars | | | |
| 1981-82 | --- | 8.10 | 6.95 | 6.00 | 5.65 | 5.05 | 6.44 |
| 1982-83 | 10.20 | 9.70 | 10.05 | 6.65 | 4.50 | 5.15 | 6.14 |
| 1983-84 | 16.80 | 15.60 | 8.90 | 5.00 | 3.60 | 3.85 | 5.38 |
| 1984-85 | 10.35 | 10.60 | 11.20 | 6.10 | 4.85 | 4.00 | 6.94 |
| 1985-86 | 13.20 | 11.18 | 9.91 | 6.66 | 4.44 | 4.56 | 6.64 |

**Strawberries**: Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage | | Yield per acre | Production |
|---|---|---|---|---|
| | Planted | Harvested | | |
| | Acres | | Flats | 1,000 flats |
| North | 600 | 600 | 1,457 | 874 |
| Central | 4,100 | 4,000 | 1,560 | 6,240 |
| Southeast | 300 | 300 | 1,480 | 444 |
| State | 5,000 | 4,900 | 1,543 | 7,558 |

**Strawberries**: Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Dade & Broward | 100 | 100 | 200 | 200 | 200 | 300 |
| Hillsborough & Manatee | 2,750 | 4,550 | 4,700 | 4,400 | 4,500 | 4,000 |
| Other counties | 350 | 350 | 500 | 500 | 600 | 600 |
| State | 3,200 | 5,000 | 5,400 | 5,100 | 5,300 | 4,900 |

## **Tomatoes**: Acreage and production, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage |  | Yield per acre |  |  | Production |  |  |
|---|---|---|---|---|---|---|---|---|
|  | Planted | Harvested | Fresh & proc | Fresh | Proc | Total | Fresh | Proc |
|  | Acres |  | Cartons |  |  | 1,000 cartons |  |  |
| 1971-72 | 44,400 | 43,600 | 649 | 597 | 52 | 28,316 | 26,032 | 2,284 |
| 1972-73 | 46,700 | 45,800 | 644 | 605 | 39 | 29,516 | 27,716 | 1,800 |
| 1973-74 | 35,500 | 34,700 | 850 | 796 | 54 | 29,508 | 27,624 | 1,884 |
| 1974-75 | 31,700 | 31,500 | 1,083 | 1,026 | 57 | 34,116 | 32,316 | 1,800 |
| 1975-76 | 38,700 | 38,300 | 966 | 918 | 48 | 36,991 | 35,151 | 1,840 |
| 1976-77 | 43,200 | 34,000 | 902 | 854 | 47 | 30,652 | 29,052 | 1,600 |
| 1977-78 | 42,100 | 41,500 | 870 | 826 | 44 | 36,100 | 34,260 | 1,840 |
| 1978-79 | 41,300 | 40,800 | 1,024 | 981 | 43 | 41,768 | 40,008 | 1,760 |
| 1979-80 | 42,900 | 42,200 | 1,133 | 1,102 | 31 | 47,812 | 46,492 | 1,320 |
| 1980-81 | 47,000 | 46,300 | 1,043 | 1,003 | 40 | 48,272 | 46,432 | 1,840 |
| 1981-82 | 41,300 | 40,500 | 1,293 | 1,250 | 43 | 52,360 | 50,632 | 1,728 |
| 1982-83 | 45,600 | 45,600 | 1,186 | 1,154 | 32 | 54,080 | 52,640 | 1,440 |
| 1983-84 | 49,300 | 47,600 | 1,157 | 1,128 | 29 | 55,056 | 53,712 | 1,344 |
| 1984-85 | 49,400 | 47,400 | 1,250 | 1,223 | 27 | 59,224 | 57,976 | 1,248 |
| 1985-86 | 48,700 | 48,200 | 1,267 | 1,243 | 24 | 61,056 | 59,904 | 1,152 |

## **Tomatoes**: Production and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Production |  |  | Value per carton |  | Total Value |
|---|---|---|---|---|---|---|
|  | Total | Fresh | Proc | Fresh | Proc |  |
|  | 1,000 cartons |  |  | Dollars |  | 1,000 dollars |
| 1971-72 | 28,316 | 26,032 | 2,284 | 4.01 | .43 | 105,201 |
| 1972-73 | 29,516 | 27,716 | 1,800 | 4.02 | .46 | 112,404 |
| 1973-74 | 29,508 | 27,624 | 1,884 | 4.39 | .54 | 122,342 |
| 1974-75 | 34,116 | 32,316 | 1,800 | 4.57 | .57 | 148,709 |
| 1975-76 | 36,991 | 35,151 | 1,840 | 4.59 | .62 | 162,649 |
| 1976-77 | 30,652 | 29,052 | 1,600 | 5.30 | .63 | 155,019 |
| 1977-78 | 36,100 | 34,260 | 1,840 | 5.28 | .65 | 182,284 |
| 1978-79 | 41,768 | 40,008 | 1,760 | 5.47 | .73 | 220,216 |
| 1979-80 | 47,812 | 46,492 | 1,320 | 5.23 | .74 | 244,240 |
| 1980-81 | 48,272 | 46,432 | 1,840 | 5.49 | 1.00 | 256,584 |
| 1981-82 | 52,360 | 50,632 | 1,728 | 5.23 | .94 | 266,306 |
| 1982-83 | 54,080 | 52,640 | 1,440 | 7.39 | .94 | 390,612 |
| 1983-84 | 55,056 | 53,712 | 1,344 | 6.83 | .95 | 367,955 |
| 1984-85 | 59,224 | 57,976 | 1,248 | 5.74 | .94 | 334,091 |
| 1985-86 | 61,056 | 59,904 | 1,152 | 7.62 | .94 | 457,823 |

**Tomatoes:** Production sold, monthly, for fresh market, Florida, crop years 1981-82 through 1985-86

| Crop year | 1/ Nov | Dec | Jan | Feb | Mar | Apr | May | 2/ Jun | Total |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 cartons | | | | |
| 1981-82 | 5,932 | 7,252 | 6,368 | 2,996 | 5,244 | 7,864 | 13,480 | 1,496 | 50,632 |
| 1982-83 | 6,208 | 7,904 | 7,320 | 3,852 | 3,084 | 6,936 | 8,860 | 8,476 | 52,640 |
| 1983-84 | 6,772 | 9,356 | 4,884 | 2,632 | 5,636 | 9,020 | 11,276 | 4,136 | 53,712 |
| 1984-85 | 9,880 | 8,080 | 8,404 | 3,600 | 1,200 | 10,404 | 14,408 | 2,000 | 57,976 |
| 1985-86 | 9,364 | 7,100 | 6,780 | 4,578 | 5,237 | 10,132 | 14,495 | 2,218 | 59,904 |
| | | | | | Percent | | | | |
| 1981-82 | 11.7 | 14.3 | 12.6 | 5.9 | 10.4 | 15.5 | 26.6 | 3.0 | 100.0 |
| 1982-83 | 11.8 | 15.0 | 13.9 | 7.3 | 5.9 | 13.2 | 16.8 | 16.1 | 100.0 |
| 1983-84 | 12.6 | 17.4 | 9.1 | 4.9 | 10.5 | 16.8 | 21.0 | 7.7 | 100.0 |
| 1984-85 | 17.0 | 14.0 | 14.5 | 6.2 | 2.1 | 17.9 | 24.9 | 3.4 | 100.0 |
| 1985-86 | 15.6 | 11.9 | 11.4 | 7.6 | 8.7 | 16.9 | 24.2 | 3.7 | 100.0 |

1/ Includes October production. 2/ Includes July production.

**Tomatoes:** Average value per carton for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Dollars | | | | | |
| 1981-82 | 5.45 | 4.60 | 4.35 | 6.95 | 7.80 | 4.50 | 4.50 | 5.05 | 6.40 | -- | 5.23 |
| 1982-83 | 7.35 | 8.30 | 5.00 | 4.65 | 9.30 | 11.50 | 9.85 | 7.90 | 6.70 | 5.35 | 7.39 |
| 1983-84 | 6.55 | 4.80 | 4.85 | 10.05 | 11.00 | 8.70 | 6.25 | 6.90 | 6.60 | -- | 6.83 |
| 1984-85 | 4.90 | 4.20 | 4.70 | 6.30 | 9.35 | 14.55 | 8.30 | 3.70 | 4.60 | -- | 5.74 |
| 1985-86 | 8.65 | 8.45 | 10.85 | 8.55 | 5.70 | 6.28 | 7.53 | 6.70 | 4.50 | -- | 7.62 |

**Tomatoes:** Acreage and fresh market production
by areas, Florida, 1985-86 crop year

| Areas | Acreage Planted | Acreage Harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | Acres | Cartons | 1,000 cartons |
| West, North, and North Central | 2,650 | 2,650 | 1,450 | 3,842 |
| Palmetto-Ruskin | 17,450 | 17,250 | 1,350 | 23,285 |
| Ft Pierce-Pompano | 4,100 | 4,050 | 1,470 | 5,953 |
| Southwest | 12,850 | 12,650 | 1,430 | 18,089 |
| Dade | 11,650 | 11,600 | 753 | 8,735 |
| State | 48,700 | 48,200 | 1,243 | 59,904 |

Principal Tomato Producing Areas


VI
V
IV
III
II
I
Gadsden
Leon
Jefferson
Madison
Hamilton
Baker
Nassau
Duval
Liberty
Wakulla
Taylor
Suwannee
Columbia
Union
Clay
St. Johns
Franklin
Lafayette
Bradford
Dixie
Alachua
Putnam
Gilchrist
Levy
Flagler
Marion
Volusia
Citrus
Sumter
Lake
Orange
Seminole
Hernando
Pasco
Polk
Osceola
Pinellas
Hillsborough
Brevard
Indian River
Manatee
Hardee
Highlands
Okeechobee
St. Lucie
Sarasota
De Soto
Martin
Charlotte
Glades
Lake Okeechobee
Palm Beach
Lee
Hendry
Collier
Broward
Dade
Monroe

Tomato growing areas and
major shipping points

I Dade

Florida City
Goulds
Homestead
Perrine

II Ft. Pierce-Pompano

Ft. Pierce
Pompano Beach

III Southwest

Bonita Springs
Immokalee
Naples

IV Palmetto-Ruskin

Palmetto
Ruskin
Tampa

V North Central

Oxford

VI West

Gadsden County

**Tomatoes:** Acreage harvested, for fresh market, selected counties,
Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
| | | | Acres | | | |
| Broward | 445 | 490 | 480 | 600 | 700 | 480 |
| Collier (Gr) | 1,580 | 810 | 1,300 | 800 | 700 | 1,300 |
| Collier (St) | 7,550 | 6,700 | 6,650 | 7,850 | 8,100 | 8,100 |
| Dade (Gr) 1/ | 13,000 | 10,900 | 12,900 | 12,800 | 11,200 | 11,600 |
| Gadsden (St) | 1,100 | 800 | 1,200 | 1,600 | 2,000 | 1,900 |
| Glades (Gr) | -- | -- | -- | -- | -- | -- |
| Hendry (Gr) | 380 | 315 | 320 | 310 | 80 | -- |
| Hendry (St) | 2,150 | 1,765 | 1,210 | 775 | 1,290 | 1,580 |
| Hillsborough (St) | 6,030 | 5,545 | 6,130 | 6,740 | 6,450 | 6,060 |
| Lee 1/ | 1,040 | 1,210 | 920 | 650 | 1,030 | 1,670 |
| Manatee (St) | 9,600 | 8,840 | 10,120 | 10,800 | 11,100 | 10,340 |
| Okeechobee (Gr) | -- | -- | -- | -- | -- | -- |
| Palm Beach (St) 2/ | 2,285 | 1,920 | 2,430 | 3,150 | 3,000 | 3,420 |
| Sarasota (St) | 320 | 515 | 950 | 830 | 810 | 850 |
| St Lucie (St) | 440 | 90 | 90 | 150 | 300 | 150 |
| Other counties 1/ | 380 | 600 | 900 | 545 | 640 | 750 |
| State | 46,300 | 40,500 | 45,600 | 47,600 | 47,400 | 48,200 |
| Total ground | 15,400 | 12,540 | 14,600 | 13,950 | 12,540 | 13,300 |
| Total staked | 30,900 | 27,960 | 31,000 | 33,650 | 34,860 | 34,900 |

1/ Includes both ground and staked culture.
2/ Small acreage of ground included with staked culture.

### **Watermelons**: Acreage, production, and value, Florida, crop years 1971-72 through 1985-86

| Crop year | Acreage |  | Yield per acre | Production | Value per cwt | Total value |
|---|---|---|---|---|---|---|
|  | Planted | Harvested |  |  |  |  |
|  | Acres |  | Cwt | 1,000 cwt | Dollars | 1,000 dollars |
| 1971-72 | 61,200 | 56,100 | 120 | 6,732 | 2.42 | 16,291 |
| 1972-73 | 54,700 | 48,700 | 160 | 7,792 | 3.07 | 23,921 |
| 1973-74 | 50,000 | 44,500 | 150 | 6,675 | 3.28 | 21,894 |
| 1974-75 | 47,000 | 43,600 | 185 | 8,066 | 4.36 | 35,168 |
| 1975-76 | 65,000 | 55,000 | 180 | 9,900 | 2.61 | 25,839 |
| 1976-77 | 65,000 | 51,000 | 175 | 8,925 | 2.97 | 26,507 |
| 1977-78 | 59,000 | 50,000 | 160 | 8,000 | 3.35 | 26,800 |
| 1978-79 | 50,000 | 43,000 | 150 | 6,450 | 5.00 | 32,250 |
| 1979-80 | 45,000 | 42,500 | 185 | 7,863 | 5.92 | 46,549 |
| 1980-81 | 54,000 | 49,000 | 165 | 8,085 | 6.52 | 52,714 |
| 1981-82 | 56,000 | 48,000 | 165 | 7,920 | 6.90 | 54,648 |
| 1982-83 | 59,000 | 49,000 | 165 | 8,085 | 7.20 | 58,212 |
| 1983-84 | 64,000 | 60,000 | 167 | 10,020 | 6.20 | 62,124 |
| 1984-85 | 59,000 | 54,000 | 166 | 8,964 | 5.95 | 53,336 |
| 1985-86 | 53,550 | 47,550 | 184 | 8,749 | 6.23 | 54,506 |

### **Watermelons**: Production sold, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|
|  |  |  | 1,000 cwt |  |  |
| 1981-82 | 792 | 3,168 | 3,643 | 317 | 7,920 |
| 1982-83 | -- | 647 | 5,174 | 2,264 | 8,085 |
| 1983-84 | 100 | 2,705 | 6,413 | 802 | 10,020 |
| 1984-85 | 179 | 4,392 | 4,124 | 269 | 8,964 |
| 1985-86 | 88 | 4,042 | 4,068 | 551 | 8,749 |
|  |  |  | Percent |  |  |
| 1981-82 | 10.0 | 40.0 | 46.0 | 4.0 | 100.0 |
| 1982-83 | -- | 8.0 | 64.0 | 28.0 | 100.0 |
| 1983-84 | 1.0 | 27.0 | 64.0 | 8.0 | 100.0 |
| 1984-85 | 2.0 | 49.0 | 46.0 | 3.0 | 100.0 |
| 1985-86 | 1.0 | 46.2 | 46.5 | 6.3 | 100.0 |

### **Watermelons**: Average value per cwt for fresh market sales, monthly, Florida, crop years 1981-82 through 1985-86

| Crop year | Apr | May | Jun | Jul | Average |
|---|---|---|---|---|---|
|  |  |  | Dollars |  |  |
| 1981-82 | 5.50 | 9.10 | 5.50 | 4.60 | 6.90 |
| 1982-83 | -- | 12.00 | 8.00 | 4.00 | 7.20 |
| 1983-84 | 10.00 | 8.00 | 5.60 | 4.50 | 6.20 |
| 1984-85 | 12.00 | 8.10 | 3.55 | 3.50 | 5.95 |
| 1985-86 | 16.00 | 7.00 | 5.50 | 5.00 | 6.23 |

## **Watermelons:** Acreage and production by areas, Florida, 1985-86 crop year

| Areas | Acreage |  | Yield per acre | Production |
|---|---|---|---|---|
|  | Planted | Harvested |  |  |
|  | Acres |  | Cwt | 1,000 cwt |
| West | 5,400 | 3,900 | 130 | 507 |
| North | 27,000 | 24,300 | 160 | 3,888 |
| Central | 12,750 | 11,150 | 200 | 2,230 |
| South | 8,400 | 8,200 | 259 | 2,124 |
| State | 53,550 | 47,550 | 184 | 8,749 |

## **Watermelons:** Acreage harvested by selected counties, Florida, crop years 1980-81 through 1985-86

| Counties | 1980-81 | 1981-82 | 1982-83 | 1983-84 | 1984-85 | 1985-86 |
|---|---|---|---|---|---|---|
|  | Acres |  |  |  |  |  |
| Alachua | 3,800 | 3,700 | 3,500 | 4,300 | 4,300 | 4,000 |
| Bradford | 300 | 300 | 1/ | 1/ | 1/ | 1/ |
| Calhoun | 1/ | 1/ | 400 | 400 | 400 | 400 |
| Charlotte | 1,100 | 1,200 | 1,000 | 900 | 900 | 600 |
| Citrus | 300 | 300 | 400 | 500 | 800 | 600 |
| Collier | 2,400 | 2,500 | 2,700 | 3,100 | 3,500 | 3,500 |
| Columbia | 1,800 | 1,800 | 1,800 | 2,300 | 1,800 | 1,800 |
| Desoto | 1,300 | 2,500 | 3,000 | 4,500 | 3,600 | 2,800 |
| Dixie | 550 | 600 | 600 | 600 | 600 | 600 |
| Gilchrist | 3,600 | 2,900 | 3,000 | 3,400 | 3,405 | 3,200 |
| Hardee | 350 | 400 | 500 | 900 | 1,100 | 1,400 |
| Hendry | 2,500 | 2,600 | 3,100 | 3,000 | 2,800 | 2,600 |
| Hernando | 1/ | 300 | 200 | 300 | 200 | 200 |
| Highlands | 1/ | 1/ | 300 | 300 | 300 | 300 |
| Hillsborough | 1/ | 300 | 300 | 600 | 600 | 500 |
| Holmes | 1,600 | 1,800 | 1,800 | 1,900 | 1,600 | 1,500 |
| Jackson | 850 | 900 | 1,000 | 1,000 | 900 | 850 |
| Jefferson | 1,800 | 1,700 | 1,400 | 1,900 | 1,700 | 1,500 |
| Lafayette | 2,500 | 2,100 | 2,400 | 3,000 | 2,800 | 2,000 |
| Lake | 550 | 500 | 500 | 500 | 500 | 500 |
| Lee | 1/ | 1/ | 500 | 600 | 1,000 | 800 |
| Leon | 1/ | 1/ | 1/ | 1/ | 1/ | 1/ |
| Levy | 3,700 | 3,900 | 3,600 | 4,200 | 4,300 | 4,000 |
| Madison | 700 | 1,000 | 1,000 | 1,300 | 900 | 500 |
| Manatee | 350 | 500 | 600 | 1,400 | 1,500 | 1,200 |
| Marion | 3,000 | 2,800 | 2,900 | 3,400 | 3,100 | 3,000 |
| Okeechobee | 300 | 400 | 200 | 400 | 400 | 400 |
| Polk | 300 | 700 | 600 | 700 | 800 | 600 |
| Putnam | 350 | 200 | 200 | 300 | 200 | 200 |
| Sarasota | 300 | 1/ | 200 | 200 | 1/ | 1/ |
| Sumter | 3,600 | 2,000 | 2,800 | 2,600 | 1,900 | 1,800 |
| Suwannee | 3,200 | 3,400 | 2,900 | 3,800 | 2,400 | 2,300 |
| Union | 1,350 | 1,200 | 1,200 | 1,600 | 1,200 | 700 |
| Washington | 550 | 300 | 700 | 600 | 500 | 800 |
| Other counties | 6,000 | 5,200 | 3,700 | 5,500 | 4,000 | 2,400 |
| State | 49,000 | 48,000 | 49,000 | 60,000 | 54,000 | 47,550 |

1/ Included in other counties.

Shipments to other States and Canada and exports to other countries by months and all methods of shipment from Florida, crop year 1985-86

| Commodity | 1985 | | | 1986 | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
| | 1,000 cwt | | | | | | | | | | |
| Vegetables | | | | | | | | | | | |
| Snap beans | 13 | 117 | 135 | 116 | 91 | 108 | 168 | 125 | 9 | -- | 882 |
| Cabbage | -- | 5 | 59 | 262 | 301 | 373 | 577 | 334 | 13 | -- | 1,924 |
| Carrots | 1 | 50 | 25 | 83 | 84 | 136 | 177 | 159 | 80 | -- | 795 |
| Cauliflower | -- | 3 | 17 | 15 | 20 | 11 | 13 | 2 | -- | -- | 81 |
| Celery | -- | 86 | 211 | 314 | 292 | 405 | 448 | 488 | 197 | 3 | 2,444 |
| Chinese cabbage | -- | 3 | 12 | 28 | 19 | 24 | 23 | 12 | 1 | -- | 122 |
| Sweet corn | 123 | 168 | 145 | 103 | 50 | 76 | 258 | 1,134 | 903 | 50 | 3,010 |
| Cucumbers | 197 | 541 | 281 | 126 | 75 | 140 | 680 | 724 | 123 | 6 | 2,893 |
| Eggplant | 39 | 63 | 45 | 56 | 31 | 24 | 54 | 78 | 50 | 6 | 446 |
| Endive-Escarole | 3 | 37 | 56 | 61 | 43 | 63 | 59 | 39 | -- | -- | 361 |
| Greens | -- | 2 | 13 | 32 | 42 | 39 | 20 | 4 | -- | -- | 152 |
| Lettuce | 1 | 45 | 140 | 172 | 109 | 183 | 231 | 152 | -- | -- | 1,033 |
| Okra | 9 | 11 | 4 | 2 | 1 | 4 | 4 | 18 | 17 | 11 | 81 |
| Dry onions | -- | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 2 |
| Parsley | -- | 10 | 17 | 14 | 12 | 17 | 16 | 11 | 1 | -- | 98 |
| Green peppers | 40 | 192 | 237 | 204 | 131 | 198 | 377 | 440 | 173 | 3 | 1,995 |
| Radishes | 26 | 114 | 102 | 81 | 74 | 88 | 98 | 106 | 6 | -- | 695 |
| Southern peas | 4 | 2 | 3 | 3 | 3 | 5 | 5 | 10 | 3 | -- | 38 |
| Squash | 59 | 183 | 145 | 105 | 91 | 164 | 288 | 185 | 13 | 1 | 1,234 |
| Tomatoes | 183 | 1,418 | 1,382 | 1,313 | 948 | 1,112 | 1,828 | 2,858 | 1,550 | 7 | 12,599 |
| Other vegetables | 50 | 10 | 40 | 118 | 116 | 150 | 107 | 100 | 13 | -- | 704 |
| Total Vegetables | 748 | 3,061 | 3,069 | 3,208 | 2,533 | 3,320 | 5,431 | 6,980 | 3,152 | 87 | 31,589 |
| Potatoes | -- | -- | -- | 4 | 118 | 328 | 1,392 | 3,504 | 1,632 | 11 | 6,989 |
| Strawberries | -- | -- | 21 | 45 | 15 | 195 | 120 | 19 | -- | -- | 415 |
| Watermelons | -- | -- | 39 | 1 | -- | -- | 67 | 3,316 | 3,532 | 855 | 7,810 |
| Total | 748 | 3,061 | 3,129 | 3,258 | 2,666 | 3,843 | 7,010 | 13,819 | 8,316 | 953 | 46,803 |

**Snap Beans**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,000 bushels | | | | | | | | | |
| 1982-83 | Truck | | | | | | | | | | |
| | Fresh | 83 | 377 | 487 | 323 | 273 | 330 | 540 | 483 | 70 | 2,966 |
| | For proc. | -- | -- | 3 | -- | -- | -- | -- | 10 | 3 | 16 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 83 | 377 | 490 | 323 | 273 | 330 | 540 | 493 | 73 | 2,982 |
| 1983-84 | Truck | | | | | | | | | | |
| | Fresh | 46 | 469 | 507 | 178 | 231 | 656 | 521 | 394 | 28 | 3,030 |
| | For proc. | 2 | 62 | -- | -- | -- | 11 | 18 | 86 | 1 | 180 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 48 | 531 | 507 | 178 | 231 | 667 | 539 | 480 | 29 | 3,210 |
| 1984-85 | Truck | | | | | | | | | | |
| | Fresh | 41 | 356 | 475 | 365 | 56 | 230 | 736 | 357 | 8 | 2,624 |
| | For Proc. | 4 | 11 | -- | -- | -- | -- | 28 | -- | -- | 43 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 45 | 367 | 475 | 365 | 56 | 230 | 764 | 357 | 8 | 2,667 |
| 1985-86 | Truck | | | | | | | | | | |
| | Fresh | 43 | 390 | 451 | 387 | 304 | 361 | 561 | 408 | 29 | 2,934 |
| | For proc. | -- | -- | -- | -- | -- | -- | -- | 7 | -- | 7 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 43 | 390 | 451 | 387 | 304 | 361 | 561 | 415 | 29 | 2,941 |

**Cabbage**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 crates | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | 14 | 40 | 20 | 14 | 16 | 2 | 106 |
| | Fresh | 2 | 30 | 342 | 792 | 966 | 1,016 | 892 | 716 | 1/ 158 | 4,914 |
| | For proc. | -- | -- | 2 | -- | 4 | 2 | 2 | 4 | -- | 14 |
| | Export | -- | -- | -- | -- | 2 | -- | -- | -- | -- | 2 |
| | Total | 2 | 30 | 344 | 806 | 1,012 | 1,038 | 908 | 736 | 160 | 5,036 |
| 1983-84 | Piggy-back | -- | -- | 6 | 3 | -- | 7 | 29 | 88 | 6 | 139 |
| | Fresh | 3 | 46 | 272 | 198 | 202 | 435 | 985 | 923 | 105 | 3,169 |
| | For proc. | -- | -- | 4 | -- | -- | -- | -- | 5 | 15 | 24 |
| | Export | -- | -- | -- | -- | -- | -- | 1 | -- | -- | 1 |
| | Total | 3 | 46 | 282 | 201 | 202 | 442 | 1,015 | 1,016 | 126 | 3,333 |
| 1964-85 | Piggy-back | -- | -- | 2 | 10 | 6 | 22 | 14 | 44 | 1 | 99 |
| | Fresh | 1 | 23 | 467 | 1,150 | 825 | 983 | 1,456 | 959 | 33 | 5,897 |
| | For Proc. | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Export | -- | -- | 2 | -- | 1 | -- | -- | -- | -- | 3 |
| | Total | 1 | 23 | 471 | 1,160 | 832 | 1,005 | 1,470 | 1,003 | 34 | 5,999 |
| 1985-86 | Piggy-back | -- | -- | -- | 5 | 17 | 23 | 24 | 20 | -- | 89 |
| | Fresh | -- | 9 | 112 | 489 | 550 | 680 | 1,059 | 596 | 24 | 3,519 |
| | For proc. | -- | -- | -- | -- | -- | -- | 1 | 13 | -- | 14 |
| | Export | -- | -- | -- | 1 | -- | 1 | 5 | 1 | -- | 8 |
| | Total | -- | 9 | 112 | 495 | 567 | 704 | 1,089 | 630 | 24 | 3,630 |

1/ Includes July shipments.

**Carrots**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 sacks | | | | | |
| 1982-83 | Piggy-back | -- | -- | 4 | 8 | 2 | 10 | 6 | 19 | 4 | 53 |
| | Truck | | | | | | | | | | |
| | Fresh-mini | 2 | 12 | 27 | 33 | 23 | 50 | 44 | 42 | 25 | 258 |
| | Fresh-other | 2 | 23 | 77 | 85 | 79 | 256 | 219 | 229 | 1/ 137 | 1,107 |
| | For proc. | -- | -- | 19 | 25 | 46 | 94 | 100 | 56 | 10 | 350 |
| | Export | -- | -- | -- | 4 | 6 | 44 | 79 | 60 | 10 | 203 |
| | Total | 4 | 35 | 127 | 155 | 156 | 454 | 448 | 406 | 186 | 1,971 |
| 1983-84 | Piggy-back | -- | -- | -- | 12 | -- | -- | -- | -- | -- | 12 |
| | Truck | | | | | | | | | | |
| | Fresh-mini | 4 | 34 | 67 | 56 | 27 | 65 | 101 | 157 | 63 | 574 |
| | Fresh-other | 1 | 12 | 78 | 72 | 8 | 42 | 89 | 244 | 97 | 643 |
| | For proc. | -- | 2 | 31 | 36 | 3 | 20 | 31 | 79 | 21 | 223 |
| | Export | -- | -- | -- | -- | -- | 2 | 7 | 34 | -- | 43 |
| | Total | 5 | 48 | 176 | 176 | 38 | 129 | 228 | 514 | 181 | 1,495 |
| 1984-85 | Piggy-back | -- | -- | 4 | 7 | 18 | 10 | 9 | 26 | 7 | 81 |
| | Truck | | | | | | | | | | |
| | Fresh-mini | 5 | 12 | 31 | 57 | 34 | 37 | 40 | 39 | 16 | 271 |
| | Fresh-other | -- | 3 | 76 | 179 | 125 | 104 | 174 | 128 | 44 | 833 |
| | For proc. | -- | -- | 21 | 106 | 48 | 90 | 95 | 66 | -- | 426 |
| | Export | -- | -- | 7 | 6 | 11 | 19 | 22 | 13 | 4 | 82 |
| | Total | 5 | 15 | 139 | 355 | 236 | 260 | 340 | 272 | 71 | 1,693 |
| 1985-86 | Piggy-back | -- | -- | 1 | 2 | 3 | 17 | 4 | 6 | 6 | 39 |
| | Truck | | | | | | | | | | |
| | Fresh-mini | 2 | 7 | 14 | 21 | 20 | 32 | 37 | 35 | 16 | 184 |
| | Fresh-other | -- | 7 | 35 | 101 | 80 | 129 | 162 | 201 | 127 | 842 |
| | For proc. | -- | -- | -- | 31 | 63 | 69 | 107 | 58 | 5 | 333 |
| | Export | -- | 85 | -- | 10 | 2 | 24 | 45 | 19 | 6 | 191 |
| | Total | 2 | 99 | 50 | 165 | 168 | 271 | 355 | 319 | 160 | 1,589 |

1/ Includes July shipments.

**Cauliflower**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,000 cartons | | | | | | | | | | | |
| 1982-83 | Truck | -- | 27 | 82 | 55 | 114 | 77 | 32 | 5 | -- | 392 |
| | Total | -- | 27 | 82 | 55 | 114 | 77 | 32 | 5 | -- | 392 |
| 1983-84 | Truck | -- | 17 | 131 | 4 | 20 | 76 | 86 | 2 | -- | 336 |
| | Total | -- | 17 | 131 | 4 | 20 | 76 | 86 | 2 | -- | 336 |
| 1984-85 | Truck | -- | 35 | 155 | 82 | 53 | 83 | 46 | 5 | -- | 459 |
| | Total | -- | 35 | 155 | 82 | 53 | 83 | 46 | 5 | -- | 459 |
| 1985-86 | Truck | -- | 12 | 80 | 69 | 90 | 49 | 58 | 11 | -- | 369 |
| | Total | -- | 12 | 80 | 69 | 90 | 49 | 58 | 11 | -- | 369 |

**Celery**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,000 crates | | | | | | | | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | 2 | -- | 7 | 45 | 30 | -- | 84 |
| | Truck | -- | 67 | 350 | 515 | 492 | 737 | 793 | 862 | 468 | 32 | 4,316 |
| | Export | -- | -- | 2 | 10 | 18 | 22 | 7 | 38 | 2 | -- | 99 |
| | Total | -- | 67 | 352 | 525 | 512 | 759 | 807 | 945 | 500 | 32 | 4,499 |
| 1983-84 | Piggy-back | -- | -- | 8 | 3 | 10 | 34 | 87 | 96 | 17 | -- | 255 |
| | Truck | -- | 151 | 531 | 417 | 611 | 784 | 766 | 675 | 245 | 6 | 4,186 |
| | Export | -- | -- | -- | -- | -- | 20 | 31 | 14 | -- | -- | 65 |
| | Total | -- | 151 | 539 | 420 | 621 | 838 | 884 | 785 | 262 | 6 | 4,506 |
| 1984-85 | Piggy-back | -- | 5 | 10 | 17 | 14 | 27 | 64 | 78 | 14 | 2 | 231 |
| | Truck | 5 | 261 | 438 | 495 | 461 | 637 | 659 | 697 | 127 | 2 | 3,782 |
| | Export | -- | 1 | 3 | 4 | 1 | 11 | 3 | 3 | -- | -- | 26 |
| | Total | 5 | 267 | 451 | 516 | 476 | 675 | 726 | 778 | 141 | 4 | 4,039 |
| 1985-86 | Piggy-back | -- | 4 | 13 | 24 | 38 | 82 | 81 | 103 | 45 | -- | 390 |
| | Truck | -- | 139 | 338 | 499 | 448 | 592 | 657 | 709 | 284 | 5 | 3,671 |
| | Export | -- | -- | 1 | 1 | -- | 1 | 9 | 1 | -- | -- | 13 |
| | Total | -- | 143 | 352 | 524 | 486 | 675 | 747 | 813 | 329 | 5 | 4,074 |

**Chinese cabbage**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,000 crates | | | | | | | | | | | |
| 1982-83 | Truck | -- | 6 | 32 | 42 | 40 | 40 | 38 | 30 | 8 | 236 |
| | Export | -- | -- | -- | 4 | 10 | 6 | 2 | -- | -- | 22 |
| | Total | -- | 6 | 32 | 46 | 50 | 46 | 40 | 30 | 8 | 258 |
| 1983-84 | Truck | -- | 11 | 25 | 32 | 31 | 46 | 38 | 28 | 2 | 213 |
| | Export | -- | -- | -- | -- | -- | 12 | 5 | -- | -- | 17 |
| | Total | -- | 11 | 25 | 32 | 31 | 58 | 43 | 28 | 2 | 230 |
| 1984-85 | Truck | -- | 7 | 22 | 43 | 26 | 35 | 36 | 38 | 2 | 209 |
| | Export | -- | -- | -- | 2 | -- | -- | -- | -- | -- | 2 |
| | Total | -- | 7 | 22 | 45 | 26 | 35 | 36 | 38 | 2 | 211 |
| 1985-86 | Truck | -- | 6 | 24 | 56 | 38 | 47 | 45 | 25 | 3 | 244 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | -- | 6 | 24 | 56 | 38 | 47 | 45 | 25 | 3 | 244 |

**Sweet corn**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 crates | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | -- | 2 | 2 | 212 | 138 | 5 | 359 |
| | Truck | 1/ 331 | 360 | 240 | 245 | 167 | 279 | 674 | 2,488 | 2,526 | 538 | 7,848 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 331 | 360 | 240 | 245 | 167 | 281 | 676 | 2,700 | 2,664 | 543 | 8,207 |
| 1983-84 | Piggy-back | 7 | 4 | -- | -- | -- | -- | 8 | 160 | 125 | -- | 304 |
| | Truck | 1/ 402 | 554 | 329 | 52 | 110 | 209 | 732 | 2,558 | 2,179 | 315 | 7,440 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 409 | 558 | 329 | 52 | 110 | 209 | 740 | 2,718 | 2,304 | 315 | 7,744 |
| 1984-85 | Piggy-back | 4 | 1 | -- | -- | -- | -- | 15 | 202 | 106 | 2 | 330 |
| | Truck | 1/ 409 | 533 | 244 | 260 | 22 | 20 | 953 | 3,115 | 1,674 | 132 | 7,362 |
| | Export | 1 | 3 | 2 | -- | -- | -- | 1 | -- | -- | -- | 7 |
| | Total | 414 | 537 | 246 | 260 | 22 | 20 | 969 | 3,317 | 1,780 | 134 | 7,699 |
| 1985-86 | Piggy-back | -- | 1 | -- | -- | -- | -- | 6 | 168 | 254 | 4 | 433 |
| | Truck | 1/ 294 | 397 | 345 | 243 | 118 | 180 | 608 | 2,533 | 1,897 | 114 | 6,729 |
| | Export | -- | 2 | 1 | 1 | -- | -- | 1 | -- | -- | -- | 5 |
| | Total | 294 | 400 | 346 | 244 | 118 | 180 | 615 | 2,701 | 2,151 | 118 | 7,167 |

1/ Includes September shipments.

**Cucumbers**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 crates 1/ | | | | | |
| 1982-83 | Piggy-back | -- | -- | 2 | -- | -- | -- | -- | 7 | 4 | -- | 13 |
| | Truck | | | | | | | | | | | |
| | Fresh | 2/ 256 | 662 | 618 | 234 | 109 | 144 | 484 | 1,333 | 618 | 3/ 25 | 4,483 |
| | For proc. | 51 | 60 | 5 | -- | -- | -- | 2 | 24 | 18 | 2 | 162 |
| | Total | 307 | 722 | 625 | 234 | 109 | 144 | 486 | 1,364 | 640 | 27 | 4,658 |
| 1983-84 | Piggy-back | -- | 56 | 22 | -- | -- | -- | -- | 40 | -- | -- | 118 |
| | Truck | | | | | | | | | | | |
| | Fresh | 2/ 186 | 694 | 535 | 205 | 151 | 362 | 836 | 1,150 | 289 | 4 | 4,412 |
| | For proc. | 70 | 64 | 20 | -- | -- | -- | 6 | 44 | 17 | -- | 221 |
| | Total | 256 | 814 | 577 | 205 | 151 | 362 | 842 | 1,234 | 306 | 4 | 4,751 |
| 1984-85 | Piggy-back | -- | 2 | 1 | -- | 1 | -- | 6 | 7 | -- | -- | 17 |
| | Truck | | | | | | | | | | | |
| | Fresh | 2/ 382 | 690 | 433 | 272 | 159 | 244 | 1,443 | 1,210 | 93 | 4 | 4,930 |
| | For proc. | 46 | 109 | 16 | -- | -- | 1 | 10 | 74 | 3 | -- | 259 |
| | Total | 428 | 801 | 450 | 272 | 160 | 245 | 1,459 | 1,291 | 96 | 4 | 5,206 |
| 1985-86 | Piggy-back | -- | 1 | 5 | 5 | -- | -- | 11 | 6 | 1 | -- | 29 |
| | Truck | | | | | | | | | | | |
| | Fresh | 2/ 322 | 935 | 491 | 223 | 136 | 255 | 1,224 | 1,274 | 221 | 12 | 5,093 |
| | For proc. | 33 | 49 | 15 | 1 | -- | -- | 2 | 36 | 2 | -- | 138 |
| | Total | 355 | 985 | 511 | 229 | 136 | 255 | 1,237 | 1,316 | 224 | 12 | 5,260 |

1/ Truck shipments include imports.
2/ Includes September shipments.
3/ Includes August shipments.

**Eggplant**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cartons | | | | | | |
| 1982-83 | Truck | 1/121 | 227 | 188 | 188 | 82 | 48 | 79 | 212 | 239 | 2/64 | 1,448 |
| | Export | -- | -- | -- | 3 | -- | -- | -- | -- | -- | -- | 3 |
| | Total | 121 | 227 | 188 | 191 | 82 | 48 | 79 | 212 | 239 | 64 | 1,451 |
| 1983-84 | Truck | 1/106 | 176 | 173 | 86 | 37 | 101 | 155 | 212 | 180 | 41 | 1,267 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 106 | 176 | 173 | 86 | 37 | 101 | 155 | 212 | 180 | 41 | 1,267 |
| 1984-85 | Truck | 1/113 | 208 | 188 | 153 | 37 | 24 | 238 | 266 | 147 | 31 | 1,405 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 113 | 208 | 188 | 153 | 37 | 24 | 238 | 266 | 147 | 31 | 1,405 |
| 1985-86 | Truck | 1/120 | 190 | 137 | 169 | 94 | 73 | 163 | 236 | 151 | 18 | 1,351 |
| | Export | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| | Total | 120 | 191 | 137 | 169 | 94 | 73 | 163 | 236 | 151 | 18 | 1,352 |

1/ Includes September shipments.
2/ Includes August shipments.

**Endive-Escarole**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 crates | | | | | |
| 1982-83 | Truck | | | | | | | | | | |
| | Fresh | 4 | 172 | 276 | 272 | 244 | 264 | 320 | 260 | 20 | 1,832 |
| | Total | 4 | 172 | 276 | 272 | 244 | 264 | 320 | 260 | 20 | 1,832 |
| 1983-84 | Truck | | | | | | | | | | |
| | Fresh | 10 | 169 | 272 | 246 | 293 | 336 | 264 | 180 | 1 | 1,771 |
| | Total | 10 | 169 | 272 | 246 | 293 | 336 | 264 | 180 | 1 | 1,771 |
| 1984-85 | Truck | | | | | | | | | | |
| | Fresh | 12 | 168 | 249 | 251 | 216 | 263 | 249 | 166 | 1 | 1,575 |
| | Total | 12 | 168 | 249 | 251 | 216 | 263 | 249 | 166 | 1 | 1,575 |
| 1985-86 | Truck | | | | | | | | | | |
| | Fresh | 10 | 149 | 223 | 243 | 174 | 253 | 235 | 156 | -- | 1,443 |
| | Total | 10 | 149 | 223 | 243 | 174 | 253 | 235 | 156 | -- | 1,443 |

**Greens**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 crates | | | | | |
| 1982-83 | Truck | | | | | | | | | | |
| | Fresh | 3 | 3 | 11 | 23 | 31 | 20 | 17 | 9 | 3 | 120 |
| | Total | 3 | 3 | 11 | 23 | 31 | 20 | 17 | 9 | 3 | 120 |
| 1983-84 | Truck | | | | | | | | | | |
| | Fresh | -- | 2 | 10 | 18 | 56 | 63 | 52 | 10 | 2 | 213 |
| | Total | -- | 2 | 10 | 18 | 56 | 63 | 52 | 10 | 2 | 213 |
| 1984-85 | Truck | | | | | | | | | | |
| | Fresh | -- | 1 | 13 | 48 | 105 | 109 | 35 | 4 | 1 | 316 |
| | Total | -- | 1 | 13 | 48 | 105 | 109 | 35 | 4 | 1 | 316 |
| 1985-86 | Truck | | | | | | | | | | |
| | Fresh | -- | 6 | 38 | 92 | 120 | 110 | 56 | 11 | -- | 433 |
| | Total | -- | 6 | 38 | 92 | 120 | 110 | 56 | 11 | -- | 433 |

**Lettuce**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cartons | | | | | |
| 1982-83 | Piggy-back | -- | -- | 12 | 22 | 24 | 18 | 16 | 18 | -- | 110 |
| | Truck | | | | | | | | | | |
| | Iceberg | -- | 32 | 322 | 342 | 198 | 272 | 394 | 400 | 2 | 1,962 |
| | Romaine | 2 | 34 | 52 | 60 | 40 | 50 | 46 | 46 | 2 | 332 |
| | Other 1/ | 2 | 20 | 40 | 34 | 30 | 44 | 46 | 22 | -- | 238 |
| | Export | -- | -- | -- | 4 | 2 | -- | -- | -- | -- | 6 |
| | Total | 4 | 86 | 426 | 462 | 294 | 384 | 502 | 486 | 4 | 2,648 |
| 1983-84 | Piggy-back | -- | 2 | 10 | 9 | 26 | 48 | 42 | 25 | -- | 162 |
| | Truck | | | | | | | | | | |
| | Iceberg | -- | 20 | 238 | 155 | 377 | 508 | 272 | 80 | -- | 1,650 |
| | Romaine | 5 | 78 | 130 | 36 | 87 | 141 | 71 | 41 | -- | 589 |
| | Other 1/ | 5 | 58 | 108 | 63 | 99 | 117 | 87 | 24 | -- | 561 |
| | Export | -- | -- | 2 | 1 | -- | -- | -- | -- | -- | 3 |
| | Total | 10 | 158 | 488 | 264 | 589 | 814 | 472 | 170 | -- | 2,965 |
| 1984-85 | Piggy-back | -- | 6 | 24 | 15 | 31 | 55 | 45 | 29 | -- | 205 |
| | Truck | | | | | | | | | | |
| | Iceberg | -- | 18 | 210 | 238 | 213 | 430 | 239 | 37 | -- | 1,385 |
| | Romaine | 7 | 59 | 75 | 108 | 40 | 89 | 88 | 25 | -- | 491 |
| | Other 1/ | 8 | 55 | 88 | 103 | 76 | 104 | 88 | 21 | -- | 543 |
| | Export | -- | -- | -- | -- | 1 | -- | -- | -- | -- | 1 |
| | Total | 15 | 138 | 397 | 464 | 361 | 678 | 460 | 112 | -- | 2,625 |
| 1985-86 | Piggy-back | -- | 4 | 32 | 38 | 39 | 61 | 102 | 76 | -- | 352 |
| | Truck | | | | | | | | | | |
| | Iceberg | -- | 28 | 192 | 260 | 161 | 215 | 318 | 229 | -- | 1,403 |
| | Romaine | 3 | 55 | 65 | 57 | 38 | 115 | 85 | 49 | -- | 467 |
| | Other 1/ | 1 | 35 | 93 | 114 | 59 | 107 | 125 | 59 | -- | 593 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 4 | 122 | 382 | 469 | 297 | 498 | 630 | 413 | -- | 2,815 |

---

1/ Average weight per carton for other lettuce (bibb, Boston, and leaf types) is estimated at 16 pounds, and varies according to mix of these products.

**Okra**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 bushels | | | | | | |
| 1982-83 | Truck | 1/27 | 30 | 10 | 7 | 10 | 10 | 20 | 40 | 47 | 2/37 | 238 |
| | Total | 27 | 30 | 10 | 7 | 10 | 10 | 20 | 40 | 47 | 37 | 238 |
| 1983-84 | Truck | 1/19 | 29 | 12 | 7 | 8 | 17 | 22 | 60 | 50 | 2/27 | 251 |
| | Total | 19 | 29 | 12 | 7 | 8 | 17 | 22 | 60 | 50 | 27 | 251 |
| 1984-85 | Truck | 1/24 | 21 | 6 | 4 | 10 | 13 | 18 | 77 | 45 | 2/21 | 239 |
| | Total | 24 | 21 | 6 | 4 | 10 | 13 | 18 | 77 | 45 | 21 | 239 |
| 1985-86 | Truck | 1/29 | 37 | 12 | 5 | 4 | 14 | 13 | 59 | 58 | 2/38 | 269 |
| | Total | 29 | 37 | 12 | 5 | 4 | 14 | 13 | 59 | 58 | 38 | 269 |

---

1/ Includes September shipments.
2/ Includes August shipments.

**Dry onions**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 sacks | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | -- | -- | -- | 6 | -- | 6 |
| | Truck | -- | -- | -- | -- | -- | -- | -- | 2 | -- | 2 |
| | Total | -- | -- | -- | -- | -- | -- | -- | 8 | -- | 8 |
| 1983-84 | Truck | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 2 |
| | Total | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 2 |
| 1984-85 | Truck | -- | -- | 1 | -- | -- | 3 | 2 | 4 | -- | 10 |
| | Total | -- | -- | 1 | -- | -- | 3 | 2 | 4 | -- | 10 |
| 1985-86 | Truck | -- | 1 | -- | -- | -- | -- | -- | 1 | 1 | 3 |
| | Total | -- | 1 | -- | -- | -- | -- | -- | 1 | 1 | 3 |

**Parsley**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 crates | | | | | |
| 1982-83 | Truck | -- | 48 | 90 | 71 | 62 | 67 | 90 | 43 | 19 | 490 |
| | Total | -- | 48 | 90 | 71 | 62 | 67 | 90 | 43 | 19 | 490 |
| 1983-84 | Truck | -- | 48 | 100 | 63 | 72 | 87 | 88 | 66 | 11 | 535 |
| | Total | -- | 48 | 100 | 63 | 72 | 87 | 88 | 66 | 11 | 535 |
| 1984-85 | Truck | 3 | 58 | 90 | 78 | 58 | 81 | 84 | 39 | 1 | 492 |
| | Total | 3 | 58 | 90 | 78 | 58 | 81 | 84 | 39 | 1 | 492 |
| 1985-86 | Truck | -- | 49 | 79 | 66 | 59 | 83 | 76 | 50 | 3 | 465 |
| | Total | -- | 49 | 79 | 66 | 59 | 83 | 76 | 50 | 3 | 465 |

**Green peppers**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | -- | -- | -- | 4 | -- | -- | 4 |
| | Truck | 68 | 828 | 1,160 | 1,276 | 840 | 840 | 1,176 | 1,272 | 1,112 | 44 | 8,616 |
| | Export | -- | -- | -- | 8 | -- | -- | -- | -- | -- | -- | 8 |
| | Total | 68 | 828 | 1,160 | 1,284 | 840 | 840 | 1,176 | 1,276 | 1,112 | 44 | 8,628 |
| 1983-84 | Piggy-back | -- | -- | 14 | 5 | -- | 6 | 20 | 36 | 8 | -- | 89 |
| | Truck | 38 | 663 | 1,426 | 834 | 442 | 808 | 1,785 | 1,844 | 846 | 26 | 8,712 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 38 | 663 | 1,440 | 839 | 442 | 814 | 1,805 | 1,880 | 854 | 26 | 8,801 |
| 1984-85 | Piggy-back | -- | 3 | 3 | 11 | -- | -- | 24 | 35 | -- | 3 | 79 |
| | Truck | 165 | 1,198 | 1,450 | 1,374 | 218 | 188 | 1,877 | 2,601 | 559 | 12 | 9,642 |
| | Export | -- | -- | -- | -- | -- | -- | -- | 4 | -- | -- | 4 |
| | Total | 165 | 1,201 | 1,453 | 1,385 | 218 | 188 | 1,901 | 2,640 | 559 | 15 | 9,725 |
| 1985-86 | Piggy-back | -- | 1 | 14 | 6 | 4 | 4 | 10 | 17 | 6 | -- | 62 |
| | Truck | 161 | 767 | 935 | 808 | 520 | 787 | 1,500 | 1,741 | 686 | 11 | 7,916 |
| | Export | -- | 2 | 1 | -- | -- | -- | -- | -- | -- | --- | 3 |
| | Total | 161 | 770 | 950 | 814 | 524 | 791 | 1,510 | 1,758 | 692 | 11 | 7,981 |

**Irish potatoes**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cwt | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | 1 | 2 | 6 | 127 | 16 | -- | 152 |
| | Truck | -- | -- | 7 | 71 | 210 | 472 | 2,446 | 1,610 | 7 | 4,823 |
| | Export | -- | -- | -- | -- | -- | 2 | -- | -- | -- | 2 |
| | Total | -- | -- | 7 | 72 | 212 | 480 | 2,573 | 1,626 | 7 | 4,977 |
| 1983-84 | Piggy-back | -- | -- | -- | -- | 4 | 54 | 153 | 56 | -- | 267 |
| | Truck | -- | -- | 12 | 88 | 321 | 1,147 | 3,420 | 1,471 | -- | 6,459 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | -- | -- | 12 | 88 | 325 | 1,201 | 3,573 | 1,527 | -- | 6,726 |
| 1984-85 | Piggy-back | -- | -- | -- | 2 | -- | 28 | 230 | 13 | -- | 273 |
| | Truck | -- | -- | 4 | 132 | 339 | 1,115 | 3,397 | 1,131 | 1 | 6,119 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | -- | -- | 4 | 134 | 339 | 1,143 | 3,627 | 1,144 | 1 | 6,392 |
| 1985-86 | Piggy-back | -- | -- | -- | -- | -- | 22 | 223 | 84 | -- | 329 |
| | Truck | -- | -- | 4 | 118 | 328 | 1,370 | 3,281 | 1,548 | 11 | 6,660 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | -- | -- | 4 | 118 | 328 | 1,392 | 3,504 | 1,632 | 11 | 6,989 |

**Radishes**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cwt | | | | | |
| 1982-83 | Piggy-back | 2 | 51 | 33 | 60 | 35 | 35 | 59 | 82 | -- | 357 |
| | Truck | 10 | 46 | 63 | 52 | 44 | 51 | 62 | 67 | 18 | 413 |
| | Export | 1 | -- | 2 | 6 | 4 | 1 | -- | -- | -- | 14 |
| | Total | 13 | 97 | 98 | 118 | 83 | 87 | 121 | 149 | 18 | 784 |
| 1983-84 | Piggy-back | -- | 20 | 27 | 35 | 78 | 44 | 15 | 44 | -- | 263 |
| | Truck | 12 | 47 | 61 | 36 | 52 | 63 | 56 | 62 | 11 | 400 |
| | Export | -- | -- | 5 | -- | -- | -- | -- | -- | -- | 5 |
| | Total | 12 | 67 | 93 | 71 | 130 | 107 | 71 | 106 | 11 | 668 |
| 1984-85 | Piggy-back | 17 | 69 | 59 | 29 | 34 | 67 | 44 | 63 | 4 | 386 |
| | Truck | 21 | 49 | 53 | 44 | 41 | 62 | 72 | 66 | 7 | 415 |
| | Export | 1 | 4 | 2 | 2 | 1 | 1 | -- | -- | -- | 11 |
| | Total | 39 | 122 | 114 | 75 | 76 | 130 | 116 | 129 | 11 | 812 |
| 1985-86 | Piggy-back | 8 | 62 | 59 | 39 | 40 | 45 | 51 | 57 | -- | 361 |
| | Truck | 18 | 47 | 41 | 40 | 34 | 43 | 47 | 49 | 6 | 325 |
| | Export | -- | 5 | 2 | 2 | -- | -- | -- | -- | -- | 9 |
| | Total | 26 | 114 | 102 | 81 | 74 | 88 | 98 | 106 | 6 | 695 |

**Southern peas**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 bushels | | | | | |
| 1982-83 | Truck | -- | 4 | 8 | 8 | 4 | 8 | 12 | 35 | 2/ 19 | 98 |
| | Total | -- | 4 | 8 | 8 | 4 | 8 | 12 | 35 | 19 | 98 |
| 1983-84 | Truck | 1/ 4 | 8 | 13 | 14 | 11 | 13 | 15 | 29 | 2/ 18 | 125 |
| | Total | 4 | 8 | 13 | 14 | 11 | 13 | 15 | 29 | 18 | 125 |
| 1984-85 | Truck | 1/ 8 | 13 | 20 | 13 | 18 | 10 | 17 | 32 | 2/ 12 | 143 |
| | Total | 8 | 13 | 20 | 13 | 18 | 10 | 17 | 32 | 12 | 143 |
| 1985-86 | Truck | 1/ 15 | 8 | 13 | 13 | 12 | 19 | 20 | 36 | 2/ 11 | 147 |
| | Total | 15 | 8 | 13 | 13 | 12 | 19 | 20 | 36 | 11 | 147 |

1/ Includes September shipments.
2/ Includes July shipments.

**Squash**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 bushels | | | | | | |
| 1982-83 | Truck | 1/ 136 | 367 | 338 | 264 | 181 | 188 | 455 | 571 | 114 | 2/ 10 | 2,624 |
| | Total | 136 | 367 | 338 | 264 | 181 | 188 | 455 | 571 | 114 | 10 | 2,624 |
| 1983-84 | Truck | 1/ 107 | 394 | 348 | 159 | 242 | 532 | 554 | 360 | 30 | -- | 2,726 |
| | Total | 107 | 394 | 348 | 159 | 242 | 532 | 554 | 360 | 30 | -- | 2,726 |
| 1984-85 | Truck | 1/ 109 | 373 | 360 | 256 | 70 | 389 | 665 | 321 | 35 | 1 | 2,579 |
| | Total | 109 | 373 | 360 | 256 | 70 | 389 | 665 | 321 | 35 | 1 | 2,579 |
| 1985-86 | Truck | 1/ 141 | 436 | 345 | 250 | 216 | 390 | 686 | 441 | 30 | 2 | 2,937 |
| | Total | 141 | 436 | 345 | 250 | 216 | 390 | 686 | 441 | 30 | 2 | 2,937 |

1/ Includes September shipments.
2/ Includes August shipments.

**Strawberries**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method shipment | Dec | Jan | Feb | Mar | Apr | May | Total |
|---|---|---|---|---|---|---|---|---|
| | | | | | 1,000 flats | | | |
| 1982-83 | Air | 25 | 50 | 17 | 8 | -- | -- | 100 |
| | Truck | 142 | 408 | 208 | 1,117 | 2,258 | 125 | 4,258 |
| | Export | 8 | 17 | 8 | 8 | 8 | -- | 49 |
| | Total | 175 | 475 | 233 | 1,133 | 2,266 | 125 | 4,407 |
| 1983-84 | Air | 25 | 25 | -- | 8 | -- | -- | 58 |
| | Truck | 86 | 90 | 129 | 1,919 | 1,186 | 121 | 3,531 |
| | Export | -- | -- | -- | 115 | -- | -- | 115 |
| | Total | 111 | 115 | 129 | 2,042 | 1,186 | 121 | 3,704 |
| 1984-85 | Air | 19 | 24 | 5 | -- | -- | -- | 48 |
| | Truck | 277 | 512 | 199 | 2,197 | 893 | 93 | 4,171 |
| | Export | 11 | 3 | 1 | -- | -- | -- | 15 |
| | Total | 307 | 539 | 205 | 2,197 | 893 | 93 | 4,234 |
| 1985-86 | Air | 25 | 10 | -- | -- | -- | -- | 35 |
| | Truck | 140 | 356 | 125 | 1,621 | 1,004 | 158 | 3,404 |
| | Export | 7 | 10 | -- | 2 | -- | -- | 19 |
| | Total | 172 | 376 | 125 | 1,623 | 1,004 | 158 | 3,458 |

**Tomatoes**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 1,000 cartons | | | | | |
| 1982-83 | Piggy-back | -- | 12 | 88 | 156 | 212 | 84 | 168 | 392 | 380 | -- | 1,492 |
| | Truck | 252 | 4,008 | 6,560 | 5,800 | 4,200 | 2,856 | 4,452 | 7,096 | 1/ 6,604 | 316 | 42,144 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 252 | 4,020 | 6,648 | 5,956 | 4,412 | 2,940 | 4,620 | 7,488 | 6,984 | 316 | 43,636 |
| 1983-84 | Piggy-back | -- | 203 | 261 | 234 | 144 | 244 | 396 | 547 | 288 | -- | 2,317 |
| | Truck | 162 | 5,350 | 6,584 | 3,944 | 1,904 | 3,544 | 6,632 | 9,370 | 1/ 2,793 | 78 | 40,361 |
| | Export | -- | -- | -- | -- | -- | 2 | -- | 5 | -- | -- | 7 |
| | Total | 162 | 5,553 | 6,845 | 4,178 | 2,048 | 3,790 | 7,028 | 9,922 | 3,081 | 78 | 42,685 |
| 1984-85 | Piggy-back | 23 | 338 | 256 | 322 | 229 | 126 | 373 | 869 | 184 | 10 | 2,730 |
| | Truck | 1,409 | 6,947 | 7,350 | 5,895 | 2,861 | 871 | 7,331 | 13,030 | 1/ 2,296 | 18 | 48,008 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 1,432 | 7,285 | 7,606 | 6,217 | 3,090 | 997 | 7,704 | 13,899 | 2,480 | 28 | 50,738 |
| 1985-86 | Piggy-back | 42 | 206 | 114 | 194 | 213 | 264 | 352 | 394 | 365 | -- | 2,144 |
| | Truck | 690 | 5,467 | 5,412 | 5,059 | 3,579 | 4,185 | 6,958 | 11,037 | 5,837 | 26 | 48,250 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 732 | 5,673 | 5,526 | 5,253 | 3,792 | 4,449 | 7,310 | 11,431 | 6,202 | 26 | 50,394 |

1/ Includes estimated shipments moving out of State from west Florida.

**Watermelons**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1/ loads | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | -- | 16 | 407 | 16 | 439 |
| | Truck | 2/ 41 | 9 | 2 | -- | 2 | 1,171 | 9,451 | 3/4/ 4,351 | 15,027 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 41 | 9 | 2 | -- | 2 | 1,187 | 9,858 | 4,367 | 15,466 |
| 1983-84 | Piggy-back | -- | -- | -- | -- | -- | 569 | 1,030 | -- | 1,599 |
| | Truck | 2 | -- | -- | -- | 1,993 | 4,782 | 3/ 11,599 | 3/ 1,542 | 19,918 |
| | Export | -- | -- | -- | -- | -- | 7 | -- | -- | 7 |
| | Total | 2 | -- | -- | -- | 1,993 | 5,358 | 12,629 | 1,542 | 21,524 |
| 1984-85 | Piggy-back | 2 | 1 | -- | -- | 1 | 832 | 452 | 10 | 1,298 |
| | Truck | 2/ 21 | 4 | -- | -- | 278 | 7,478 | 7,313 | 3/ 538 | 15,632 |
| | Export | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Total | 23 | 5 | -- | -- | 279 | 8,310 | 7,765 | 548 | 16,930 |
| 1985-86 | Piggy-back | 3 | -- | -- | -- | -- | 796 | 615 | 33 | 1,447 |
| | Truck | 2/ 80 | 2 | -- | -- | 148 | 6,574 | 7,234 | 1,867 | 15,905 |
| | Export | 3 | -- | -- | -- | -- | -- | 1 | -- | 4 |
| | Total | 86 | 2 | -- | -- | 148 | 7,370 | 7,850 | 1,900 | 17,356 |

1/ 45,000 pounds per load.
2/ Includes shipments prior to December.
3/ Includes estimated shipments moving out of State from west Florida.
4/ Includes August shipments.

**Other vegetables**: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1982-83 through 1985-86

| Crop year | Method of shipment | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | Jul | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | 1,000 cwt | | | | | | |
| 1982-83 | Piggy-back | -- | -- | -- | -- | -- | -- | 1 | 11 | 2 | -- | 14 |
| | Truck | | | | | | | | | | | |
| | Fresh | 1/ 36 | 111 | 121 | 71 | 62 | 69 | 82 | 138 | 197 | 2/ 38 | 925 |
| | For proc. | -- | 3 | 19 | 28 | 22 | 18 | 12 | 13 | 9 | -- | 124 |
| | Export | -- | -- | -- | 2 | -- | -- | -- | -- | -- | -- | 2 |
| | Total | 36 | 114 | 140 | 101 | 84 | 87 | 95 | 162 | 208 | 38 | 1,065 |
| 1983-84 | Truck | | | | | | | | | | | |
| | Fresh | 1/ 40 | 166 | 165 | 47 | 55 | 82 | 125 | 190 | 145 | 2/ 22 | 1,037 |
| | For proc. | -- | 3 | 19 | 10 | 20 | 37 | 38 | 11 | 3 | -- | 141 |
| | Total | 40 | 169 | 184 | 57 | 75 | 119 | 163 | 201 | 148 | 22 | 1,178 |
| 1984-85 3/ | Truck | | | | | | | | | | | |
| | Fresh | 1/ 23 | 39 | 49 | 51 | 38 | 64 | 62 | 34 | 4 | -- | 364 |
| | For Proc. | 1 | 16 | 14 | 26 | 12 | 33 | 19 | 9 | 4 | -- | 134 |
| | Total | 24 | 55 | 63 | 77 | 50 | 97 | 81 | 43 | 8 | -- | 498 |
| 1985-86 | Truck | | | | | | | | | | | |
| | Fresh | 1/ 50 | -- | 24 | 109 | 104 | 131 | 95 | 90 | 13 | -- | 616 |
| | For Proc. | -- | 10 | 16 | 9 | 12 | 19 | 12 | 10 | -- | -- | 88 |
| | Total | 50 | 10 | 40 | 118 | 116 | 150 | 107 | 100 | 13 | -- | 704 |

1/ Includes September shipments.
2/ Includes August shipments.
3/ Cherry tomatoes excluded commencing 1984-85.

**Snap beans**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other states | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 112 | -- | 60 | -- | 172 |
| Balt-Wash | -- | 124 | -- | 36 | -- | 160 |
| Boston | -- | 171 | -- | 72 | -- | 243 |
| Buffalo | -- | 29 | -- | 9 | -- | 38 |
| Chicago | -- | 75 | 4 | 32 | 4 | 107 |
| Cincinnati | -- | 58 | -- | 20 | -- | 78 |
| Columbia, S.C. | -- | 43 | -- | 53 | -- | 96 |
| Dallas | -- | 23 | -- | 51 | -- | 74 |
| Denver | -- | 6 | -- | 3 | -- | 9 |
| Detroit | -- | 56 | -- | 22 | -- | 78 |
| Los Angeles | -- | 2 | -- | 226 | -- | 228 |
| New Orleans | -- | 20 | -- | 11 | -- | 31 |
| New York-Newark | -- | 290 | -- | 80 | -- | 370 |
| Philadelphia | -- | 128 | -- | 52 | -- | 180 |
| Pittsburgh | -- | 36 | -- | 13 | -- | 49 |
| St. Louis | -- | 46 | -- | 9 | -- | 55 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 8 | -- | 100 | -- | 108 |
| Seattle-Tacoma | -- | 7 | -- | 13 | -- | 20 |
| Total U.S. | -- | 1,234 | 4 | 862 | 4 | 2,096 |
| Montreal | -- | 72 | -- | 13 | -- | 85 |
| Ottawa | -- | 18 | -- | -- | -- | 18 |
| Toronto | -- | 432 | -- | 11 | -- | 443 |
| Vancouver | -- | 1 | -- | 8 | -- | 9 |
| Winnipeg | -- | 4 | -- | 1 | -- | 5 |
| Total Canadian | -- | 527 | -- | 33 | -- | 560 |
| Total | -- | 1,761 | 4 | 895 | 4 | 2,656 |

**Cabbage**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other states | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 208 | -- | 430 | -- | 638 |
| Balt-Wash | 7 | 230 | -- | 299 | 7 | 529 |
| Boston | 3 | 161 | 1 | 357 | 4 | 518 |
| Buffalo | -- | 17 | -- | 110 | -- | 127 |
| Chicago | -- | 8 | 12 | 450 | 12 | 458 |
| Cincinnati | -- | 15 | -- | 347 | -- | 362 |
| Columbia, S.C. | -- | 129 | -- | 113 | -- | 242 |
| Dallas | -- | -- | -- | 384 | -- | 384 |
| Denver | -- | -- | -- | 133 | -- | 133 |
| Detroit | -- | 24 | -- | 139 | -- | 163 |
| Los Angeles | -- | -- | -- | 1,245 | -- | 1,245 |
| New Orleans | -- | 21 | -- | 146 | -- | 167 |
| New York-Newark | 59 | 203 | 12 | 466 | 71 | 669 |
| Philadelphia | 14 | 187 | -- | 337 | 14 | 524 |
| Pittsburgh | -- | 101 | -- | 234 | -- | 335 |
| St. Louis | -- | 5 | -- | 277 | -- | 282 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 506 | -- | 506 |
| Seattle-Tacoma | -- | -- | -- | 253 | -- | 253 |
| Total U.S. | 83 | 1,309 | 25 | 6,226 | 108 | 7,535 |
| Montreal | -- | 4 | -- | 8 | -- | 12 |
| Ottawa | -- | 5 | -- | 1 | -- | 6 |
| Toronto | -- | 27 | -- | 51 | -- | 78 |
| Vancouver | -- | -- | -- | 98 | -- | 98 |
| Winnipeg | -- | -- | -- | 66 | -- | 66 |
| Total Canadian | -- | 36 | -- | 224 | -- | 260 |
| Total | 83 | 1,345 | 25 | 6,450 | 108 | 7,795 |

**Cantaloups**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other states | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 16 | -- | 481 | -- | 497 |
| Balt-Wash | -- | -- | 23 | 433 | 23 | 433 |
| Boston | -- | -- | 314 | 500 | 314 | 500 |
| Buffalo | -- | -- | 2 | 91 | 2 | 91 |
| Chicago | -- | -- | 330 | 434 | 330 | 434 |
| Cincinnati | -- | -- | 1 | 292 | 1 | 292 |
| Columbia, S.C. | -- | 36 | -- | 284 | -- | 320 |
| Dallas | -- | -- | -- | 344 | -- | 344 |
| Denver | -- | -- | -- | 200 | -- | 200 |
| Detroit | -- | -- | -- | 171 | -- | 171 |
| Los Angeles | -- | -- | -- | 1,095 | -- | 1,095 |
| New Orleans | -- | 1 | -- | 157 | -- | 158 |
| New York-Newark | -- | -- | 494 | 518 | 494 | 518 |
| Philadelphia | -- | 4 | 129 | 364 | 129 | 368 |
| Pittsburgh | -- | -- | 39 | 717 | 39 | 717 |
| St. Louis | -- | -- | 9 | 270 | 9 | 270 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 650 | -- | 650 |
| Seattle-Tacoma | -- | -- | -- | 348 | -- | 348 |
| Total U.S. | -- | 57 | 1,341 | 7,349 | 1,341 | 7,406 |
| Montreal | -- | -- | -- | 20 | -- | 20 |
| Ottawa | -- | -- | -- | 8 | -- | 8 |
| Toronto | -- | -- | -- | 124 | -- | 124 |
| Vancouver | -- | -- | -- | 8 | -- | 8 |
| Winnipeg | -- | -- | -- | 8 | -- | 8 |
| Total Canadian | -- | -- | -- | 168 | -- | 168 |
| Total | -- | 57 | 1,341 | 7,517 | 1,341 | 7,574 |

### **Carrots**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bags received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 85 | 6 | 179 | 6 | 264 |
| Balt-Wash | -- | 33 | 98 | 174 | 98 | 207 |
| Boston | 2 | 11 | 820 | 103 | 822 | 114 |
| Buffalo | -- | 23 | 3 | 204 | 3 | 227 |
| Chicago | -- | 23 | 408 | 249 | 408 | 272 |
| Cincinnati | -- | 6 | 41 | 207 | 41 | 213 |
| Columbia, S.C. | -- | 19 | -- | 10 | -- | 29 |
| Dallas | -- | -- | -- | 273 | -- | 273 |
| Denver | -- | -- | -- | 184 | -- | 184 |
| Detroit | -- | 2 | 94 | 124 | 94 | 126 |
| Los Angeles | -- | -- | -- | 1,468 | -- | 1,468 |
| New Orleans | -- | 4 | -- | 57 | -- | 61 |
| New York-Newark | 37 | 66 | 855 | 321 | 892 | 387 |
| Philadelphia | 1 | 20 | 182 | 236 | 183 | 256 |
| Pittsburgh | -- | 11 | 87 | 188 | 87 | 199 |
| St. Louis | -- | 3 | 151 | 212 | 151 | 215 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 6 | -- | 669 | -- | 675 |
| Seattle-Tacoma | -- | -- | -- | 397 | -- | 397 |
| Total U.S. | 40 | 312 | 2,745 | 5,255 | 2,785 | 5,567 |
| Montreal | -- | 59 | 50 | 5 | 50 | 64 |
| Ottawa | -- | 11 | -- | 4 | -- | 15 |
| Toronto | -- | 20 | 35 | 265 | 35 | 285 |
| Vancouver | -- | -- | -- | 228 | -- | 228 |
| Winnipeg | -- | 4 | -- | 41 | -- | 45 |
| Total Canadian | -- | 94 | 85 | 543 | 85 | 637 |
| Total | 40 | 406 | 2,830 | 5,798 | 2,870 | 6,204 |

### **Cauliflower**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 8 | -- | 12 | -- | 20 |
| Balt-Wash | 2 | 17 | 27 | 308 | 29 | 325 |
| Boston | 1 | 30 | 128 | 270 | 129 | 300 |
| Buffalo | -- | 1 | 5 | 96 | 5 | 97 |
| Chicago | -- | 5 | 347 | 259 | 347 | 264 |
| Cincinnati | -- | 3 | 44 | 246 | 44 | 249 |
| Columbia, S.C. | -- | 11 | -- | 38 | -- | 49 |
| Dallas | -- | 1 | -- | 194 | -- | 195 |
| Denver | -- | -- | -- | 113 | -- | 113 |
| Detroit | -- | 2 | 3 | 158 | 3 | 160 |
| Los Angeles | -- | -- | -- | 826 | -- | 826 |
| New Orleans | -- | 6 | -- | 87 | -- | 93 |
| New York-Newark | 10 | 30 | 270 | 361 | 280 | 391 |
| Philadelphia | -- | 47 | 25 | 311 | 25 | 358 |
| Pittsburgh | -- | 2 | -- | 155 | -- | 157 |
| St. Louis | -- | 2 | -- | 220 | -- | 222 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 347 | -- | 347 |
| Seattle-Tacoma | -- | -- | -- | 278 | -- | 278 |
| Total U.S. | 13 | 165 | 849 | 4,279 | 862 | 4,444 |
| Montreal | -- | 24 | 3 | 246 | 3 | 270 |
| Ottawa | -- | 6 | -- | 70 | -- | 76 |
| Toronto | -- | 6 | -- | 699 | -- | 705 |
| Vancouver | -- | -- | -- | 235 | -- | 235 |
| Winnipeg | -- | -- | -- | 98 | -- | 98 |
| Total Canadian | -- | 36 | 3 | 1,348 | 3 | 1,384 |
| Total | 13 | 201 | 852 | 5,627 | 865 | 5,828 |

### **Celery**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | 2 | 114 | -- | 65 | 2 | 179 |
| Balt-Wash | 15 | 122 | 56 | 255 | 71 | 377 |
| Boston | 192 | 169 | 538 | 204 | 730 | 373 |
| Buffalo | -- | 45 | 1 | 194 | 1 | 239 |
| Chicago | -- | 24 | 798 | 248 | 798 | 272 |
| Cincinnati | -- | 66 | 7 | 188 | 7 | 254 |
| Columbia, S.C. | -- | 27 | -- | 9 | -- | 36 |
| Dallas | -- | 12 | 1 | 218 | 1 | 230 |
| Denver | -- | 1 | -- | 185 | -- | 186 |
| Detroit | -- | 21 | -- | 173 | -- | 194 |
| Los Angeles | -- | -- | -- | 1,462 | -- | 1,462 |
| New Orleans | -- | 29 | -- | 92 | -- | 121 |
| New York-Newark | 188 | 157 | 570 | 388 | 758 | 545 |
| Philadelphia | 52 | 106 | 100 | 240 | 152 | 346 |
| Pittsburgh | -- | 75 | 14 | 158 | 14 | 233 |
| St. Louis | -- | 29 | -- | 164 | -- | 193 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 529 | -- | 529 |
| Seattle-Tacoma | -- | -- | -- | 306 | -- | 306 |
| Total U.S. | 449 | 997 | 2,085 | 5,078 | 2,534 | 6,075 |
| Montreal | -- | 242 | 68 | 189 | 68 | 431 |
| Ottawa | -- | 43 | 20 | 44 | 20 | 87 |
| Toronto | -- | 129 | 40 | 292 | 40 | 421 |
| Vancouver | -- | -- | -- | 198 | -- | 198 |
| Winnipeg | -- | 2 | -- | 77 | -- | 79 |
| Total Canadian | -- | 416 | 128 | 800 | 128 | 1,216 |
| Total | 449 | 1,413 | 2,213 | 5,878 | 2,662 | 7,291 |

### **Chinese Cabbage**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 4 | -- | 16 | -- | 20 |
| Balt-Wash | -- | 6 | -- | 12 | -- | 18 |
| Boston | -- | 26 | -- | 18 | -- | 44 |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | -- | 9 | -- | 13 | -- | 22 |
| Cincinnati | -- | 5 | -- | 12 | -- | 17 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | -- | -- | 24 | -- | 24 |
| Denver | -- | -- | -- | 9 | -- | 9 |
| Detroit | -- | -- | -- | 1 | -- | 1 |
| Los Angeles | -- | -- | 3 | 281 | 3 | 281 |
| New Orleans | -- | -- | -- | 4 | -- | 4 |
| New York-Newark | -- | 28 | -- | 17 | -- | 45 |
| Philadelphia | -- | 7 | -- | 15 | -- | 22 |
| Pittsburgh | -- | 1 | -- | 2 | -- | 3 |
| St. Louis | -- | 3 | -- | 9 | -- | 12 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | 1 | 176 | 1 | 176 |
| Seattle-Tacoma | -- | -- | -- | 35 | -- | 35 |
| Total U.S. | -- | 89 | 4 | 644 | 4 | 733 |
| Montreal | -- | 25 | -- | 15 | -- | 26 |
| Ottawa | -- | 3 | -- | -- | -- | 3 |
| Toronto | -- | 1 | -- | -- | -- | 1 |
| Vancouver | -- | 2 | -- | 69 | -- | 71 |
| Winnipeg | -- | -- | -- | 8 | -- | 8 |
| Total Canadian | -- | 31 | -- | 78 | -- | 109 |
| Total | -- | 120 | 4 | 722 | 4 | 842 |

### **Corn**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 264 | -- | 77 | -- | 341 |
| Balt-Wash | 32 | 245 | -- | 87 | 32 | 332 |
| Boston | 136 | 223 | -- | 226 | 136 | 449 |
| Buffalo | -- | 51 | -- | 31 | -- | 82 |
| Chicago | -- | 255 | -- | 112 | -- | 367 |
| Cincinnati | 13 | 205 | -- | 64 | 13 | 269 |
| Columbia, S.C. | -- | 74 | -- | 53 | -- | 127 |
| Dallas | -- | 105 | -- | 69 | -- | 174 |
| Denver | -- | 23 | -- | 76 | -- | 99 |
| Detroit | -- | 131 | -- | 42 | -- | 173 |
| Los Angeles | -- | 142 | -- | 804 | -- | 946 |
| New Orleans | -- | 70 | -- | 11 | -- | 81 |
| New York-Newark | 101 | 240 | -- | 87 | 101 | 327 |
| Philadelphia | 125 | 211 | -- | 89 | 125 | 300 |
| Pittsburgh | -- | 146 | -- | 59 | -- | 205 |
| St. Louis | -- | 199 | -- | 69 | -- | 268 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 92 | -- | 630 | -- | 722 |
| Seattle-Tacoma | -- | 31 | -- | 172 | -- | 203 |
| Total U.S. | 407 | 2,707 | -- | 2,758 | 407 | 5,465 |
| Montreal | -- | 45 | -- | 1 | -- | 46 |
| Ottawa | -- | 22 | -- | -- | -- | 22 |
| Toronto | -- | 96 | -- | 14 | -- | 110 |
| Vancouver | -- | 4 | -- | 6 | -- | 10 |
| Winnipeg | -- | 6 | -- | 3 | -- | 9 |
| Total Canadian | -- | 173 | -- | 24 | -- | 197 |
| Total | 407 | 2,880 | -- | 2,782 | 407 | 5,662 |

### **Cucumbers**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 137 | -- | 46 | -- | 183 |
| Balt-Wash | -- | 211 | -- | 50 | -- | 261 |
| Boston | 1 | 381 | -- | 225 | 1 | 606 |
| Buffalo | -- | 85 | -- | 26 | -- | 111 |
| Chicago | -- | 124 | -- | 98 | -- | 222 |
| Cincinnati | -- | 79 | -- | 33 | -- | 112 |
| Columbia, S.C. | -- | 48 | -- | 53 | -- | 101 |
| Dallas | -- | 14 | -- | 106 | -- | 120 |
| Denver | -- | 15 | -- | 45 | -- | 60 |
| Detroit | -- | 102 | -- | 42 | -- | 144 |
| Los Angeles | -- | 3 | -- | 307 | -- | 310 |
| New Orleans | -- | 32 | -- | 26 | -- | 58 |
| New York-Newark | 29 | 373 | -- | 132 | 29 | 505 |
| Philadelphia | 3 | 199 | -- | 103 | 3 | 302 |
| Pittsburgh | -- | 169 | -- | 71 | -- | 240 |
| St. Louis | -- | 91 | -- | 54 | -- | 145 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 30 | -- | 109 | -- | 139 |
| Seattle-Tacoma | -- | 20 | -- | 84 | -- | 104 |
| Total U.S. | 33 | 2,113 | -- | 1,610 | 33 | 3,723 |
| Montreal | -- | 68 | -- | 12 | -- | 80 |
| Ottawa | -- | 14 | -- | 2 | -- | 16 |
| Toronto | -- | 118 | -- | 18 | -- | 136 |
| Vancouver | -- | 4 | -- | 8 | -- | 12 |
| Winnipeg | -- | 12 | -- | 6 | -- | 18 |
| Total Canadian | -- | 216 | -- | 46 | -- | 262 |
| Total | 33 | 2,329 | -- | 1,656 | 33 | 3,985 |

**Eggplant**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 22 | -- | 3 | -- | 25 |
| Balt-Wash | -- | 46 | -- | 6 | -- | 52 |
| Boston | 1 | 97 | -- | 12 | 1 | 109 |
| Buffalo | -- | 17 | -- | 2 | -- | 19 |
| Chicago | -- | 42 | -- | 8 | -- | 50 |
| Cincinnati | -- | 12 | -- | 2 | -- | 14 |
| Columbia, S.C. | -- | 3 | -- | 1 | -- | 4 |
| Dallas | -- | 13 | -- | 8 | -- | 21 |
| Denver | -- | -- | -- | 3 | -- | 3 |
| Detroit | -- | 25 | -- | 3 | -- | 28 |
| Los Angeles | -- | -- | -- | 132 | -- | 132 |
| New Orleans | -- | 21 | -- | 6 | -- | 27 |
| New York-Newark | 6 | 241 | -- | 33 | 6 | 274 |
| Philadelphia | -- | 80 | -- | 13 | -- | 93 |
| Pittsburgh | -- | 16 | -- | 5 | -- | 21 |
| St. Louis | -- | 13 | -- | 1 | -- | 14 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 1 | -- | 34 | -- | 35 |
| Seattle-Tacoma | -- | 1 | -- | 9 | -- | 10 |
| Total U.S. | 7 | 650 | -- | 281 | 7 | 931 |
| Montreal | -- | 32 | -- | 3 | -- | 35 |
| Ottawa | -- | 3 | -- | -- | -- | 3 |
| Toronto | -- | 51 | -- | 7 | -- | 58 |
| Vancouver | -- | 1 | -- | 5 | -- | 6 |
| Winnipeg | -- | 2 | -- | 1 | -- | 3 |
| Total Canadian | -- | 89 | -- | 16 | -- | 105 |
| Total | 7 | 739 | -- | 297 | 7 | 1,036 |

**Escarole**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 18 | -- | 13 | -- | 31 |
| Balt-Wash | -- | 45 | -- | 18 | -- | 63 |
| Boston | -- | 186 | -- | 67 | -- | 253 |
| Buffalo | -- | 24 | -- | 25 | -- | 49 |
| Chicago | -- | 41 | -- | 25 | -- | 66 |
| Cincinnati | -- | 16 | -- | 19 | -- | 35 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | 1 | -- | 9 | -- | 10 |
| Denver | -- | -- | -- | 8 | -- | 8 |
| Detroit | -- | 32 | -- | 3 | -- | 35 |
| Los Angeles | -- | -- | -- | 147 | -- | 147 |
| New Orleans | -- | 4 | -- | 7 | -- | 11 |
| New York-Newark | -- | 306 | -- | 92 | -- | 398 |
| Philadelphia | -- | 111 | -- | 35 | -- | 146 |
| Pittsburgh | -- | 32 | -- | 12 | -- | 44 |
| St. Louis | -- | 8 | -- | 8 | -- | 16 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 29 | -- | 29 |
| Seattle-Tacoma | -- | -- | -- | 28 | -- | 28 |
| Total U.S. | -- | 824 | -- | 545 | -- | 1,369 |
| Montreal | -- | 16 | -- | 8 | -- | 24 |
| Ottawa | -- | 7 | -- | -- | -- | 7 |
| Toronto | -- | 52 | -- | 5 | -- | 57 |
| Vancouver | -- | -- | -- | 5 | -- | 5 |
| Winnipeg | -- | -- | -- | 4 | -- | 4 |
| Total Canadian | -- | 75 | -- | 22 | -- | 97 |
| Total | -- | 899 | -- | 567 | -- | 1,466 |

**Greens**: Rail and truck arrivals from Florida and other States,
October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 18 | -- | 537 | -- | 555 |
| Balt-Wash | -- | 17 | -- | 224 | -- | 241 |
| Boston | -- | 7 | -- | 355 | -- | 362 |
| Buffalo | -- | -- | -- | 29 | -- | 29 |
| Chicago | -- | 9 | 13 | 374 | 13 | 383 |
| Cincinnati | -- | 14 | -- | 297 | -- | 311 |
| Columbia, S.C. | -- | 7 | -- | 94 | -- | 101 |
| Dallas | -- | -- | -- | 255 | -- | 255 |
| Denver | -- | -- | -- | 33 | -- | 33 |
| Detroit | -- | -- | -- | 179 | -- | 179 |
| Los Angeles | -- | -- | -- | 978 | -- | 978 |
| New Orleans | -- | 2 | -- | 53 | -- | 55 |
| New York-Newark | -- | 55 | 25 | 566 | 5 | 623 |
| Philadelphia | -- | 16 | -- | 275 | -- | 291 |
| Pittsburgh | -- | 5 | -- | 20 | -- | 25 |
| St. Louis | -- | -- | -- | 144 | -- | 144 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 199 | -- | 199 |
| Seattle-Tacoma | -- | -- | -- | 121 | -- | 121 |
| Total U.S. | -- | 150 | 18 | 4,735 | 18 | 4,885 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | -- | 150 | 18 | 4,735 | 18 | 4,885 |

### **Lettuce—Iceberg**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 7 | -- | 1,083 | -- | 1,090 |
| Balt-Wash | 28 | 91 | 385 | 1,013 | 413 | 1,104 |
| Boston | 69 | 17 | 2,281 | 1,185 | 2,350 | 1,202 |
| Buffalo | -- | 2 | 78 | 552 | 78 | 554 |
| Chicago | -- | -- | 2,638 | 1,233 | 2,638 | 1,233 |
| Cincinnati | -- | -- | 68 | 1,068 | 68 | 1,068 |
| Columbia, S.C. | -- | 94 | -- | 318 | -- | 412 |
| Dallas | -- | -- | -- | 1,068 | -- | 1,068 |
| Denver | -- | -- | -- | 619 | -- | 619 |
| Detroit | -- | 4 | 12 | 996 | 12 | 1,000 |
| Los Angeles | -- | -- | -- | 2,833 | -- | 2,833 |
| New Orleans | -- | 4 | -- | 426 | -- | 430 |
| New York-Newark | 213 | 4 | 2,626 | 1,827 | 2,839 | 1,831 |
| Philadelphia | 89 | 51 | 1,105 | 1,211 | 1,194 | 1,262 |
| Pittsburgh | -- | 5 | 253 | 726 | 253 | 731 |
| St. Louis | -- | 1 | 3 | 968 | 3 | 969 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 1,433 | -- | 1,433 |
| Seattle-Tacoma | -- | -- | -- | 1,108 | -- | 1,108 |
| Total U.S. | 399 | 280 | 9,449 | 19,667 | 9,848 | 19,947 |
| Montreal | -- | 336 | 15 | 1,026 | 15 | 1,362 |
| Ottawa | -- | 57 | -- | 188 | -- | 245 |
| Toronto | -- | 51 | 4 | 1,168 | 4 | 1,219 |
| Vancouver | -- | -- | -- | 560 | -- | 560 |
| Winnipeg | -- | -- | -- | 222 | -- | 222 |
| Total Canadian | -- | 444 | 19 | 3,164 | 19 | 3,608 |
| Total | 399 | 724 | 9,468 | 22,831 | 9,867 | 23,555 |

### **Lettuce—Romaine**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 5 | -- | 108 | -- | 113 |
| Balt-Wash | -- | 22 | 2 | 250 | 2 | 272 |
| Boston | -- | 27 | 2 | 514 | 2 | 541 |
| Buffalo | -- | 6 | -- | 52 | -- | 58 |
| Chicago | -- | 3 | -- | 157 | -- | 160 |
| Cincinnati | -- | 8 | -- | 62 | -- | 70 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | -- | -- | 136 | -- | 136 |
| Denver | -- | -- | -- | 48 | -- | 48 |
| Detroit | -- | -- | -- | 114 | -- | 114 |
| Los Angeles | -- | -- | -- | 1,343 | -- | 1,343 |
| New Orleans | -- | 4 | -- | 36 | -- | 40 |
| New York-Newark | -- | 83 | -- | 530 | -- | 613 |
| Philadelphia | 1 | 50 | -- | 298 | 1 | 348 |
| Pittsburgh | -- | 12 | -- | 27 | -- | 39 |
| St. Louis | -- | 1 | -- | 126 | -- | 127 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 557 | -- | 557 |
| Seattle-Tacoma | -- | -- | -- | 323 | -- | 323 |
| Total U.S. | 1 | 221 | 4 | 4,681 | 5 | 4,902 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | 1 | 221 | 4 | 4,681 | 5 | 4,902 |

### **Lettuce—Other**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986 1/

| City | 1,000 crates received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 18 | 1 | 217 | 1 | 235 |
| Balt-Wash | -- | 11 | -- | 312 | -- | 323 |
| Boston | -- | 13 | -- | 696 | -- | 709 |
| Buffalo | -- | 9 | -- | 72 | -- | 81 |
| Chicago | -- | 3 | -- | 201 | -- | 204 |
| Cincinnati | -- | 25 | 11 | 237 | 11 | 262 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | -- | -- | 269 | -- | 269 |
| Denver | -- | -- | -- | 210 | -- | 210 |
| Detroit | -- | 6 | -- | 129 | -- | 135 |
| Los Angeles | -- | -- | -- | 1,703 | -- | 1,703 |
| New Orleans | -- | 5 | -- | 59 | -- | 64 |
| New York-Newark | -- | 97 | -- | 447 | -- | 544 |
| Philadelphia | -- | 26 | -- | 272 | -- | 298 |
| Pittsburgh | -- | 16 | -- | 87 | -- | 103 |
| St. Louis | -- | 3 | -- | 235 | -- | 238 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 1,220 | -- | 1,220 |
| Seattle-Tacoma | -- | -- | -- | 427 | -- | 427 |
| Total U.S. | -- | 232 | 12 | 6,793 | 12 | 7,025 |
| Montreal | -- | 282 | 1 | 231 | 1 | 513 |
| Ottawa | -- | 53 | -- | 37 | -- | 90 |
| Toronto | -- | 44 | -- | 260 | -- | 304 |
| Vancouver | -- | -- | -- | 121 | -- | 121 |
| Winnipeg | -- | -- | -- | 99 | -- | 99 |
| Total Canadian | -- | 379 | 1 | 748 | 1 | 1,127 |
| Total | -- | 611 | 13 | 7,541 | 13 | 8,152 |

---

1/ See lettuce table, p. 53.

**Mixed Vegetables**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cwt received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | -- | -- | -- | -- | -- |
| Balt-Wash | 11 | -- | 97 | -- | 108 | -- |
| Boston | 84 | -- | 618 | -- | 702 | -- |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | -- | -- | 941 | -- | 941 | -- |
| Cincinnati | -- | -- | 3 | -- | 3 | -- |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | -- | -- | -- | -- | -- |
| Denver | -- | -- | -- | -- | -- | -- |
| Detroit | -- | -- | 4 | -- | 4 | -- |
| Los Angeles | -- | -- | -- | -- | -- | -- |
| New Orleans | -- | -- | -- | -- | -- | -- |
| New York-Newark | 318 | -- | 1,226 | -- | 1,544 | -- |
| Philadelphia | 55 | -- | 170 | -- | 225 | -- |
| Pittsburgh | -- | -- | 57 | -- | 57 | -- |
| St. Louis | -- | -- | -- | -- | -- | -- |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | -- | -- | -- |
| Seattle-Tacoma | -- | -- | -- | -- | -- | -- |
| Total U.S. | 468 | -- | 3,116 | -- | 3,584 | -- |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | 468 | -- | 3,116 | -- | 3,584 | -- |

**Okra**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 14 | -- | 5 | -- | 19 |
| Balt-Wash | -- | 2 | -- | 1 | -- | 3 |
| Boston | -- | 3 | -- | -- | -- | 3 |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | -- | 3 | -- | 4 | -- | 7 |
| Cincinnati | -- | 4 | -- | 2 | -- | 6 |
| Columbia, S.C. | -- | 7 | -- | 1 | -- | 8 |
| Dallas | -- | -- | -- | 14 | -- | 14 |
| Denver | -- | -- | -- | -- | -- | -- |
| Detroit | -- | 2 | -- | 3 | -- | 5 |
| Los Angeles | -- | -- | -- | 72 | -- | 72 |
| New Orleans | -- | -- | -- | 1 | -- | 1 |
| New York-Newark | -- | 14 | -- | 10 | -- | 24 |
| Philadelphia | -- | 1 | -- | 1 | -- | 2 |
| Pittsburgh | -- | -- | -- | -- | -- | -- |
| St. Louis | -- | 2 | -- | -- | -- | 2 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 10 | -- | 10 |
| Seattle-Tacoma | -- | -- | -- | 1 | -- | 1 |
| Total U.S. | -- | 52 | -- | 125 | -- | 177 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | -- | 52 | -- | 125 | -- | 177 |

**Peppers--Bell**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 161 | -- | 60 | -- | 221 |
| Balt-Wash | -- | 293 | 5 | 103 | 5 | 396 |
| Boston | 15 | 804 | 4 | 208 | 19 | 1,012 |
| Buffalo | -- | 108 | -- | 31 | -- | 139 |
| Chicago | -- | 220 | 11 | 159 | 11 | 379 |
| Cincinnati | -- | 110 | -- | 76 | -- | 186 |
| Columbia, S.C. | -- | 69 | -- | 23 | -- | 92 |
| Dallas | -- | 60 | -- | 146 | -- | 206 |
| Denver | -- | 19 | -- | 72 | -- | 91 |
| Detroit | -- | 134 | 2 | 85 | 2 | 219 |
| Los Angeles | -- | 77 | -- | 591 | -- | 668 |
| New Orleans | -- | 61 | -- | 40 | -- | 101 |
| New York-Newark | 35 | 525 | 21 | 180 | 56 | 705 |
| Philadelphia | 6 | 522 | 3 | 162 | 9 | 684 |
| Pittsburgh | -- | 215 | 1 | 53 | 1 | 268 |
| St. Louis | -- | 87 | -- | 69 | -- | 156 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 101 | -- | 261 | -- | 362 |
| Seattle-Tacoma | -- | 42 | -- | 119 | -- | 161 |
| Total U.S. | 56 | 3,608 | 47 | 2,438 | 103 | 6,046 |
| Montreal | -- | 223 | -- | 65 | -- | 288 |
| Ottawa | -- | 59 | -- | 7 | -- | 66 |
| Toronto | -- | 379 | -- | 52 | -- | 431 |
| Vancouver | -- | 10 | -- | 65 | -- | 75 |
| Winnipeg | -- | 15 | -- | 13 | -- | 28 |
| Total Canadian | -- | 686 | -- | 202 | -- | 888 |
| Total | 56 | 4,294 | 47 | 2,640 | 103 | 6,934 |

### **Peppers--Other**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 13 | -- | 2 | -- | 15 |
| Balt-Wash | -- | 9 | -- | 1 | -- | 10 |
| Boston | -- | 29 | -- | 6 | -- | 35 |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | -- | 32 | -- | 11 | -- | 43 |
| Cincinnati | -- | 6 | -- | 2 | -- | 8 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | 7 | -- | 41 | -- | 48 |
| Denver | -- | 13 | -- | -- | -- | 13 |
| Detroit | -- | 24 | -- | 7 | -- | 31 |
| Los Angeles | -- | 5 | -- | 98 | -- | 103 |
| New Orleans | -- | 2 | -- | -- | -- | 2 |
| New York-Newark | -- | 369 | 134 | 77 | 134 | 446 |
| Philadelphia | -- | 17 | -- | 3 | -- | 20 |
| Pittsburgh | -- | 17 | -- | 6 | -- | 23 |
| St. Louis | -- | 2 | -- | 4 | -- | 6 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 24 | -- | 24 |
| Seattle-Tacoma | -- | -- | -- | 4 | -- | 4 |
| Total U.S. | -- | 545 | 134 | 286 | 134 | 831 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | -- | 545 | 134 | 286 | 134 | 831 |

### **Potatoes**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cwt received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 161 | 229 | 822 | 229 | 983 |
| Balt-Wash | 5 | 106 | 156 | 683 | 161 | 789 |
| Boston | 32 | 29 | 591 | 1,738 | 623 | 1,767 |
| Buffalo | -- | 20 | 95 | 159 | 95 | 179 |
| Chicago | 1 | 19 | 458 | 1,259 | 459 | 1,278 |
| Cincinnati | -- | 42 | 431 | 543 | 431 | 585 |
| Columbia, S.C. | -- | 50 | 51 | 186 | 51 | 236 |
| Dallas | -- | 23 | 291 | 1,177 | 291 | 1,200 |
| Denver | -- | 5 | -- | 440 | -- | 445 |
| Detroit | -- | 9 | 257 | 318 | 257 | 327 |
| Los Angeles | -- | 42 | 114 | 4,224 | 114 | 4,266 |
| New Orleans | -- | 8 | 23 | 372 | 23 | 380 |
| New York-Newark | 24 | 17 | 1,315 | 1,286 | 1,339 | 1,303 |
| Philadelphia | 22 | 105 | 411 | 765 | 433 | 870 |
| Pittsburgh | -- | 39 | 178 | 794 | 178 | 833 |
| St. Louis | -- | 25 | 494 | 725 | 494 | 750 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 22 | -- | 1,484 | -- | 1,506 |
| Seattle-Tacoma | -- | 74 | -- | 812 | -- | 886 |
| Total U.S. | 84 | 796 | 5,094 | 17,787 | 5,178 | 18,583 |
| Montreal | -- | 19 | 18 | 3 | 18 | 22 |
| Ottawa | -- | 6 | -- | 3 | -- | 9 |
| Toronto | -- | 77 | -- | 42 | -- | 119 |
| Vancouver | -- | 10 | -- | 289 | -- | 299 |
| Winnipeg | -- | 3 | -- | 23 | -- | 26 |
| Total Canadian | -- | 115 | 18 | 360 | 18 | 475 |
| Total | 84 | 911 | 5,112 | 18,147 | 5,196 | 19,058 |

### **Potatoes--Chipper**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cwt received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 77 | 67 | 127 | 67 | 204 |
| Balt-Wash | 1 | 28 | -- | 96 | 1 | 124 |
| Boston | 61 | -- | -- | 40 | 61 | 40 |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | 23 | 33 | -- | 87 | 23 | 120 |
| Cincinnati | 11 | 44 | -- | 98 | 11 | 142 |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- |
| Dallas | -- | 5 | 28 | 532 | 28 | 537 |
| Denver | -- | -- | -- | 453 | -- | 453 |
| Detroit | -- | 82 | -- | 489 | -- | 571 |
| Los Angeles | -- | -- | -- | -- | -- | -- |
| New Orleans | -- | -- | -- | -- | -- | -- |
| New York-Newark | 8 | -- | -- | -- | 8 | -- |
| Philadelphia | -- | -- | -- | -- | -- | -- |
| Pittsburgh | -- | -- | -- | -- | -- | -- |
| St. Louis | -- | 55 | -- | 262 | -- | 317 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 304 | -- | 304 |
| Seattle-Tacoma | -- | -- | -- | 246 | -- | 246 |
| Total U.S. | 104 | 324 | 95 | 2,734 | 199 | 3,058 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | 104 | 324 | 95 | 2,734 | 199 | 3,058 |

### **Potatoes-Seed**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cwt received from - - | | | | | | City | 1,000 cwt received from - - | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | | | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck | | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | -- | -- | 2 | -- | 2 | St. Louis | -- | -- | -- | 13 | -- | 13 |
| Balt-Wash | -- | -- | -- | -- | -- | -- | San Antonio | -- | -- | -- | -- | -- | -- |
| Boston | -- | -- | -- | -- | -- | -- | San Fran-Oakland | -- | -- | -- | -- | -- | -- |
| Buffalo | -- | -- | -- | -- | -- | -- | Seattle-Tacoma | -- | -- | -- | -- | -- | -- |
| Chicago | -- | -- | -- | -- | -- | -- | Total U.S. | -- | -- | -- | 47 | -- | 47 |
| Cincinnati | -- | -- | -- | 24 | -- | 24 | | | | | | | |
| Columbia, S.C. | -- | -- | -- | -- | -- | -- | Montreal | -- | -- | -- | -- | -- | -- |
| Dallas | -- | -- | -- | 8 | -- | 8 | Ottawa | -- | -- | -- | -- | -- | -- |
| Denver | -- | -- | -- | -- | -- | -- | Toronto | -- | -- | -- | -- | -- | -- |
| Detroit | -- | -- | -- | -- | -- | -- | Vancouver | -- | -- | -- | -- | -- | -- |
| Los Angeles | -- | -- | -- | -- | -- | -- | Winnipeg | -- | -- | -- | -- | -- | -- |
| New Orleans | -- | -- | -- | -- | -- | -- | Total Canadian | -- | -- | -- | -- | -- | -- |
| New York-Newark | -- | -- | -- | -- | -- | -- | | | | | | | |
| Philadelphia | -- | -- | -- | -- | -- | -- | | | | | | | |
| Pittsburgh | -- | -- | -- | -- | -- | -- | Total | -- | -- | -- | 47 | -- | 47 |

### **Radishes**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | | City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | | | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck | | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 56 | -- | 41 | -- | 97 | St. Louis | -- | 176 | -- | 43 | -- | 219 |
| Balt-Wash | -- | 126 | -- | 28 | -- | 154 | San Antonio | -- | -- | -- | -- | -- | -- |
| Boston | 66 | 150 | -- | 108 | 66 | 258 | San Fran-Oakland | -- | 7 | -- | 394 | -- | 401 |
| Buffalo | -- | 25 | -- | 21 | -- | 46 | Seattle-Tacoma | -- | 10 | -- | 400 | -- | 410 |
| Chicago | -- | 97 | -- | 55 | -- | 152 | Total U.S. | 2,566 | 1,337 | 52 | 2,540 | 2,618 | 3,877 |
| Cincinnati | 2,497 | 39 | 49 | 69 | 2,546 | 108 | | | | | | | |
| Columbia, S.C. | -- | 9 | -- | 3 | -- | 12 | Montreal | -- | 151 | -- | 11 | -- | 162 |
| Dallas | -- | 106 | -- | 110 | -- | 216 | Ottawa | -- | 40 | -- | 1 | -- | 41 |
| Denver | -- | 25 | -- | 71 | -- | 96 | Toronto | -- | 167 | -- | 44 | -- | 211 |
| Detroit | -- | 84 | -- | 27 | -- | 111 | Vancouver | -- | 7 | -- | 135 | -- | 142 |
| Los Angeles | -- | 37 | -- | 954 | -- | 991 | Winnipeg | -- | 42 | -- | 7 | -- | 49 |
| New Orleans | -- | 23 | -- | 2 | -- | 25 | Total Canadian | -- | 407 | -- | 198 | -- | 605 |
| New York-Newark | 3 | 125 | 3 | 93 | 6 | 218 | | | | | | | |
| Philadelphia | -- | 132 | -- | 69 | -- | 201 | | | | | | | |
| Pittsburgh | -- | 110 | -- | 52 | -- | 162 | Total | 2,566 | 1,744 | 52 | 2,738 | 2,618 | 4,482 |

### **Spinach**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | | City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | | | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck | | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | -- | -- | 74 | -- | 74 | St. Louis | -- | -- | -- | 57 | -- | 57 |
| Balt-Wash | -- | 4 | -- | 86 | -- | 90 | San Antonio | -- | -- | -- | -- | -- | -- |
| Boston | -- | 1 | -- | 291 | -- | 292 | San Fran-Oakland | -- | -- | -- | 326 | -- | 326 |
| Buffalo | -- | -- | -- | 128 | -- | 128 | Seattle-Tacoma | -- | -- | -- | 128 | -- | 128 |
| Chicago | -- | -- | 4 | 187 | 4 | 187 | Total U.S. | -- | 21 | 8 | 2,565 | 8 | 2,586 |
| Cincinnati | -- | 1 | -- | 46 | -- | 47 | | | | | | | |
| Columbia, S.C. | -- | 1 | -- | 2 | -- | 3 | Montreal | -- | 2 | -- | 65 | -- | 67 |
| Dallas | -- | -- | -- | 95 | -- | 95 | Ottawa | -- | 4 | -- | 10 | -- | 14 |
| Denver | -- | -- | -- | 40 | -- | 40 | Toronto | -- | 6 | -- | 204 | -- | 210 |
| Detroit | -- | -- | -- | 37 | -- | 37 | Vancouver | -- | -- | -- | 118 | -- | 118 |
| Los Angeles | -- | -- | -- | 670 | -- | 670 | Winnipeg | -- | -- | -- | 12 | -- | 12 |
| New Orleans | -- | -- | -- | 9 | -- | 9 | Total Canadian | -- | 12 | -- | 409 | -- | 421 |
| New York-Newark | -- | 9 | 4 | 220 | 4 | 229 | | | | | | | |
| Philadelphia | -- | 4 | -- | 74 | -- | 78 | | | | | | | |
| Pittsburgh | -- | 1 | -- | 95 | -- | 96 | Total | -- | 33 | 8 | 2,974 | 8 | 3,007 |

## **Squash**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 112 | -- | 69 | -- | 181 |
| Balt-Wash | -- | 79 | -- | 30 | -- | 109 |
| Boston | -- | 169 | -- | 356 | -- | 525 |
| Buffalo | -- | 14 | -- | 11 | -- | 25 |
| Chicago | -- | 35 | -- | 43 | -- | 78 |
| Cincinnati | -- | 31 | -- | 24 | -- | 55 |
| Columbia, S.C. | -- | 27 | -- | 28 | -- | 55 |
| Dallas | -- | 86 | -- | 112 | -- | 198 |
| Denver | -- | 1 | -- | 31 | -- | 32 |
| Detroit | -- | 35 | -- | 18 | -- | 53 |
| Los Angeles | -- | 12 | -- | 681 | -- | 693 |
| New Orleans | -- | 23 | -- | 16 | -- | 39 |
| New York-Newark | 1 | 317 | -- | 194 | 1 | 511 |
| Philadelphia | -- | 82 | -- | 41 | -- | 123 |
| Pittsburgh | -- | 16 | -- | 9 | -- | 25 |
| St. Louis | -- | 18 | -- | 9 | -- | 27 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 316 | -- | -- | -- | 316 |
| Seattle-Tacoma | -- | 9 | -- | 117 | -- | 126 |
| Total U.S. | 1 | 1,382 | -- | 1,789 | 1 | 3,171 |
| Montreal | -- | 25 | -- | 8 | -- | 33 |
| Ottawa | -- | 12 | -- | -- | -- | 12 |
| Toronto | -- | 72 | -- | 28 | -- | 100 |
| Vancouver | -- | 1 | -- | 22 | -- | 23 |
| Winnipeg | -- | 2 | -- | 2 | -- | 4 |
| Total Canadian | -- | 112 | -- | 60 | -- | 172 |
| Total | 1 | 1,494 | -- | 1,849 | 1 | 3,343 |

## **Strawberries**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 flats received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 233 | -- | 452 | -- | 685 |
| Balt-Wash | -- | 147 | 32 | 628 | 32 | 775 |
| Boston | 2 | 82 | 74 | 1,108 | 76 | 1,190 |
| Buffalo | -- | 28 | -- | 213 | -- | 241 |
| Chicago | -- | 142 | 57 | 708 | 57 | 850 |
| Cincinnati | -- | 43 | -- | 699 | -- | 742 |
| Columbia, S.C. | -- | 62 | -- | 65 | -- | 127 |
| Dallas | -- | 7 | -- | 486 | -- | 493 |
| Denver | -- | 3 | -- | 278 | -- | 281 |
| Detroit | -- | 74 | -- | 334 | -- | 408 |
| Los Angeles | 9 | 10 | -- | 1,692 | 9 | 1,702 |
| New Orleans | -- | 57 | -- | 151 | -- | 208 |
| New York-Newark | -- | 245 | 11 | 2,137 | 11 | 2,382 |
| Philadelphia | -- | 137 | 49 | 978 | 49 | 1,115 |
| Pittsburgh | -- | 37 | -- | 554 | -- | 591 |
| St. Louis | -- | 33 | -- | 612 | -- | 645 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | 4 | 2 | -- | 1,441 | 4 | 1,443 |
| Seattle-Tacoma | -- | 2 | -- | 587 | -- | 589 |
| Total U.S. | 15 | 1,344 | 223 | 13,123 | 238 | 14,467 |
| Montreal | -- | 52 | -- | 115 | -- | 167 |
| Ottawa | -- | 27 | -- | 54 | -- | 81 |
| Toronto | -- | 62 | -- | 478 | -- | 540 |
| Vancouver | -- | -- | -- | 110 | -- | 110 |
| Winnipeg | -- | -- | -- | 45 | -- | 45 |
| Total Canadian | -- | 141 | -- | 802 | -- | 943 |
| Total | 15 | 1,485 | 223 | 13,925 | 238 | 15,410 |

## **Tomatoes**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 1,205 | -- | 301 | -- | 1,506 |
| Balt-Wash | 34 | 1,029 | -- | 237 | 34 | 1,266 |
| Boston | 690 | 2,136 | 33 | 423 | 723 | 2,559 |
| Buffalo | -- | 294 | -- | 59 | -- | 353 |
| Chicago | -- | 1,508 | 78 | 475 | 78 | 1,983 |
| Cincinnati | -- | 1,328 | -- | 276 | -- | 1,604 |
| Columbia, S.C. | -- | 1,115 | -- | 157 | -- | 1,272 |
| Dallas | -- | 712 | -- | 640 | -- | 1,352 |
| Denver | -- | 401 | -- | 245 | -- | 646 |
| Detroit | -- | 396 | -- | 133 | -- | 529 |
| Los Angeles | -- | 1,545 | -- | 1,620 | -- | 3,165 |
| New Orleans | -- | 329 | -- | 95 | -- | 424 |
| New York-Newark | 1,520 | 1,120 | 120 | 303 | 1,640 | 1,423 |
| Philadelphia | 331 | 1,086 | 39 | 216 | 370 | 1,302 |
| Pittsburgh | -- | 691 | -- | 141 | -- | 832 |
| St. Louis | -- | 304 | -- | 111 | -- | 415 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | 255 | -- | 704 | -- | 959 |
| Seattle-Tacoma | -- | 555 | -- | 275 | -- | 830 |
| Total U.S. | 2,575 | 16,009 | 270 | 6,411 | 2,845 | 22,420 |
| Montreal | -- | 738 | -- | 232 | -- | 970 |
| Ottawa | -- | 183 | -- | 34 | -- | 217 |
| Toronto | -- | 1,368 | -- | 256 | -- | 1,624 |
| Vancouver | -- | 235 | 12 | 233 | 12 | 468 |
| Winnipeg | -- | 207 | -- | 32 | -- | 239 |
| Total Canadian | -- | 2,731 | 12 | 787 | 12 | 3,518 |
| Total | 2,575 | 18,740 | 282 | 7,198 | 2,857 | 25,938 |

**Tomatoes-Cherry**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cartons received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 91 | -- | 18 | -- | 109 |
| Balt-Wash | -- | 107 | 1 | 24 | 1 | 131 |
| Boston | -- | 102 | 1 | 48 | 1 | 150 |
| Buffalo | -- | 19 | -- | 4 | -- | 23 |
| Chicago | -- | 47 | -- | 28 | -- | 75 |
| Cincinnati | -- | 76 | -- | 22 | -- | 98 |
| Columbia, S.C. | -- | 25 | -- | 6 | -- | 31 |
| Dallas | -- | 30 | -- | 34 | -- | 64 |
| Denver | -- | -- | -- | 24 | -- | 24 |
| Detroit | -- | 41 | -- | 28 | -- | 69 |
| Los Angeles | -- | 3 | -- | 189 | -- | 192 |
| New Orleans | -- | 15 | -- | 11 | -- | 26 |
| New York-Newark | -- | 77 | -- | 19 | -- | 96 |
| Philadelphia | -- | 51 | -- | 31 | -- | 82 |
| Pittsburgh | -- | 27 | -- | 4 | -- | 31 |
| St. Louis | -- | 40 | -- | 15 | -- | 55 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 67 | -- | 67 |
| Seattle-Tacoma | -- | -- | -- | 36 | -- | 36 |
| Total U. S. | -- | 751 | 2 | 608 | 2 | 1,359 |
| Montreal | -- | 33 | -- | -- | -- | 33 |
| Ottawa | -- | 8 | -- | 1 | -- | 9 |
| Toronto | -- | 74 | -- | 20 | -- | 94 |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | 1 | -- | 3 | -- | 4 |
| Total Canadian | -- | 116 | -- | 24 | -- | 140 |
| Total | -- | 867 | 2 | 632 | 2 | 1,499 |

**Peas (Other than green)**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 bushels received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 5 | -- | 13 | -- | 18 |
| Balt-Wash | -- | -- | -- | 10 | -- | 10 |
| Boston | -- | 1 | 13 | 7 | 13 | 8 |
| Buffalo | -- | -- | -- | -- | -- | -- |
| Chicago | -- | 7 | -- | 7 | -- | 14 |
| Cincinnati | -- | 1 | -- | 6 | -- | 7 |
| Columbia, S.C. | -- | 1 | -- | 6 | -- | 7 |
| Dallas | -- | -- | -- | 23 | -- | 23 |
| Denver | -- | -- | -- | -- | -- | -- |
| Detroit | -- | -- | -- | 1 | -- | 1 |
| Los Angeles | -- | -- | -- | 236 | -- | 236 |
| New Orleans | -- | 1 | -- | 6 | -- | 7 |
| New York-Newark | -- | 18 | -- | 8 | -- | 26 |
| Philadelphia | -- | -- | 1 | 8 | 1 | 8 |
| Pittsburgh | -- | -- | -- | 1 | -- | 1 |
| St. Louis | -- | -- | -- | 1 | -- | 1 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 52 | -- | 52 |
| Seattle-Tacoma | -- | -- | -- | 19 | -- | 19 |
| Total U.S. | -- | 34 | 14 | 404 | 14 | 438 |
| Montreal | -- | -- | -- | -- | -- | -- |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | -- | -- | -- | -- | -- |
| Vancouver | -- | -- | -- | -- | -- | -- |
| Winnipeg | -- | -- | -- | -- | -- | -- |
| Total Canadian | -- | -- | -- | -- | -- | -- |
| Total | -- | 34 | 14 | 404 | 14 | 438 |

**Watermelons**: Rail and truck arrivals from Florida and other States, October 1985 through June 1986

| City | 1,000 cwt received from - - | | | | | |
|---|---|---|---|---|---|---|
| | Florida | | Other States | | Total | |
| | Rail | Truck | Rail | Truck | Rail | Truck |
| Atlanta | -- | 175 | -- | 47 | -- | 222 |
| Balt-Wash | 18 | 130 | 1 | 18 | 19 | 148 |
| Boston | 46 | 187 | -- | 88 | 46 | 275 |
| Buffalo | -- | 15 | -- | 4 | -- | 19 |
| Chicago | 1 | 138 | -- | 48 | 1 | 186 |
| Cincinnati | -- | 79 | -- | 15 | -- | 94 |
| Columbia, S.C. | -- | 240 | -- | 47 | -- | 287 |
| Dallas | -- | 1 | -- | 166 | -- | 167 |
| Denver | -- | 4 | -- | 61 | -- | 65 |
| Detroit | -- | 351 | -- | 83 | -- | 434 |
| Los Angeles | -- | 2 | -- | 291 | -- | 293 |
| New Orleans | -- | 29 | -- | 17 | -- | 46 |
| New York-Newark | 253 | 91 | -- | 28 | 253 | 119 |
| Philadelphia | 158 | 168 | -- | 26 | 158 | 194 |
| Pittsburgh | -- | 183 | -- | 36 | -- | 219 |
| St. Louis | -- | 61 | -- | 26 | -- | 87 |
| San Antonio | -- | -- | -- | -- | -- | -- |
| San Fran-Oakland | -- | -- | -- | 91 | -- | 91 |
| Seattle-Tacoma | -- | -- | -- | 116 | -- | 116 |
| Total U.S. | 476 | 1,854 | 1 | 1,208 | 477 | 3,062 |
| Montreal | -- | 1 | -- | 9 | -- | 10 |
| Ottawa | -- | -- | -- | -- | -- | -- |
| Toronto | -- | 5 | -- | 15 | -- | 20 |
| Vancouver | -- | -- | -- | 2 | -- | 2 |
| Winnipeg | -- | -- | -- | 1 | -- | 1 |
| Total Canadian | -- | 6 | -- | 27 | -- | 33 |
| Total | 476 | 1,860 | 1 | 1,235 | 477 | 3,095 |